

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Certificate of Analysis

Kaycha Labs

Type: Distillate

Golden Hour Cartridge Concentrate 1g (90%) Golden Hour Matrix: Derivative



Sample:DA31110004-008 Harvest/Lot ID: 7126 7347 4705 5018 Batch#: 7126 7347 4705 5018 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 7304 2492 0796 8572 Batch Date: 08/24/23 Sample Size Received: 16 gram Total Amount: 1838 units Retail Product Size: 1 gram Ordered: 11/09/23 Sampled: 11/10/23 Completed: 11/13/23

Sampling Method: SOP.T.20.010

Nov 13, 2023 | FLUENT 82 NE 26th street

Cannabinoid

Total THC

SAFETY RESULTS

Pesticides

PASSED

92.017%

Total THC/Container : 920.17 mg

٦a

Heavy Metals

PASSED

Microbials

PASSED

Miami, FL, 33137, US

PRODUCT IMAGE



Total CBD

0.241%

Total CBD/Container : 2.41 mg









Pages 1 of 6



PASSED



TESTED

MISC.

Total Cannabinoids 96.993% Total Cannabinoids/Container : 969.93 mg

									9		
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC
%	91.924	0.107	0.241	ND	0.229	2.184	ND	0.876	0.753	ND	0.679
mg/unit	919.24	1.07	2.41	ND	2.29	21.84	ND	8.76	7.53	ND	6.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
lyzed by: Weight: 5, 585, 4044 0.0925g				ction date: /23 12:26:32				xtracted by: 665			
alytical Batch strument Used	: SOP.T.40.031, SC : DA066254POT I: DA-LC-007					Reviewed On : 1 Batch Date : 11/2	L/13/23 12:03:18 L0/23 10:37:06				

Analyzed Date : 11/10/23 12:28:42

Dilution: 400

Reagent : 102423.R05; 070121.27; 110723.R05 Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/13/23





Golden Hour Cartridge Concentrate 1g (90%) Golden Hour Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31110004-008 Harvest/Lot ID: 7126 7347 4705 5018 Batch# : 7126 7347 4705 5018 Sampled : 11/10/23 Complet

Ordered : 11/10/23

05 5018 Sample Size Received : 16 gram Total Amount : 1838 units Completed : 11/13/23 Expires: 11/13/24 Sample Method : SOP.T.20.010

Page 2 of 6

(

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	15.51	1.551		PULEGONE	0.007	ND	ND	
LPHA-TERPINOLENE	0.007	8.15	0.815		SABINENE	0.007	ND	ND	
TA-MYRCENE	0.007	2.00	0.200		SABINENE HYDRATE	0.007	ND	ND	
CIMENE	0.007	1.72	0.172		TOTAL TERPINEOL	0.007	ND	ND	
MONENE	0.007	1.06	0.106		ALPHA-CEDRENE	0.007	ND	ND	
TA-CARYOPHYLLENE	0.007	0.91	0.091		CIS-NEROLIDOL	0.007	ND	ND	
PHA-HUMULENE	0.007	0.43	0.043		GAMMA-TERPINENE	0.007	ND	ND	
PHA-PHELLANDRENE	0.007	0.34	0.034		TRANS-NEROLIDOL	0.007	ND	ND	
TA-PINENE	0.007	0.34	0.034		Analyzed by:	Weight:	Ext	raction date:	Extracted by:
ALENCENE	0.007	0.33	0.033		2076, 585, 4044	0.8525g	N/A		2076
PHA-PINENE	0.007	0.23	0.023		Analysis Method : SOP.T.30.0				
RNEOL	0.013	<0.40	< 0.040		Analytical Batch : DA066279T Instrument Used : DA-GCMS-0				13/23 12:03:21 0/23 16:46:47
RNESENE	0.001	< 0.09	< 0.009		Analyzed Date : 11/10/23 17:3		Batch	i wate : 11/1	1/20 10.40.4/
NCHYL ALCOHOL	0.007	<0.20	<0.020		Dilution : 10				
PHA-BISABOLOL	0.007	<0.20	<0.020		Reagent : 121622.26				
PHA-TERPINENE	0.007	<0.20	<0.020			KCN9995; CE0123; R1KB14270			
CARENE	0.007	ND	ND		Pipette : N/A				
MPHENE	0.007	ND	ND		Terpenoid testing is performed ut	llizing Gas Chromatography Mass Spectr	ometry. For all	Flower sample	s, the Total Terpenes % is dry-weight corrected.
MPHOR	0.007	ND	ND						
RYOPHYLLENE OXIDE	0.007	ND	ND						
DROL	0.007	ND	ND						
CALYPTOL	0.007	ND	ND						
NCHONE	0.007	ND	ND						
RANIOL	0.007	ND	ND						
RANYL ACETATE	0.007	ND	ND						
JAIOL	0.007	ND	ND						
XAHYDROTHYMOL	0.007	ND	ND						
DBORNEOL	0.007	ND	ND						
DPULEGOL	0.007	ND	ND						
NALOOL	0.007	ND	ND						
EROL	0.007	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/13/23



Golden Hour Cartridge Concentrate 1g (90%) Golden Hour Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31110004-008 Harvest/Lot ID: 7126 7347 4705 5018 Batch# : 7126 7347 4705

5018 Sampled : 11/10/23 Ordered : 11/10/23

Sample Size Received : 16 gram Total Amount : 1838 units Completed : 11/13/23 Expires: 11/13/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1		ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	1.1.	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND		0.010		0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN					
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extrac	tion date:		Extracted	lbu
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 4044 0.2662g		23 14:55:16		3379	i by.
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),			50P.T.40.101.).
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)				(
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA066262PES			n:11/13/23 1		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	11/10/23 10:	55:48	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/10/23 15:00:24					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 110823.R01: 040423.08: 110723.R28:	110923 002	· 110023 P03-	101023 P01-	110923 003	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	110025.1102	, 110925.1105,	101025.001,	110025.1105	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Trip	ole-Quadrupole	Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		on date:		Extracted	by:
IMIDACLOPRID	0.010	F F	0.4	PASS	ND	450, 585, 4044 0.2662g		3 14:55:16		3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville),					
MALATHION	0.010	1.1.	0.2	PASS	ND	Analytical Batch :DA066263VOL Instrument Used :DA-GCMS-010		eviewed On : 1 atch Date : 11			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/10/23 15:54:22			10/25 10.50.	21	
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 110823.R01; 040423.08; 103123.R19;	103123.R20				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
	0.010	ppm	0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218					
MYCLOBUTANIL	0.010		0.25	PASS	ND	Testing for agricultural agents is performed utilizing					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/13/23

PASSED

PASSED



Page 4 of 6

Golden Hour Cartridge Concentrate 1g (90%) Golden Hour Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA31110004-008

 Harvest/Lot ID: 7126 7347 4705
 Sonaple

 Batch# : 7126 7347 4705
 Sample

 5018
 Total Ar

 Sampled: 11/10/23
 Complet

 Ordered: 11/10/23
 Sample

V05 5018 Sample Size Received : 16 gram Total Amount : 1838 units Completed : 11/13/23 Expires: 11/13/24 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND				
TEPTANE	500.000	ppm	5000	PASS	ND				
METHANOL	25.000	ppm	250	PASS	ND				
N-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 850, 585, 4044	Weight: 0.0299g	Extraction date: 11/10/23 16:00:36		E x 85	tracted by: 50				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066278SOL Instrument Used : DA-GCMS-002 Analyzed Date : 11/10/23 15:42:32		Reviewed On : 11/13/23 13:57:23 Batch Date : 11/10/23 15:33:03							

Dilution : 1 Reagent : 030420.09 Consumables : R2017.099; 172723 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/13/23

PASSED

PASSED



..... Golden Hour Cartridge Concentrate 1g (90%) Golden Hour Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31110004-008 Harvest/Lot ID: 7126 7347 4705 5018 Batch# : 7126 7347 4705

5018 Sampled : 11/10/23 Ordered : 11/10/23

Sample Size Received : 16 gram Total Amount : 1838 units Completed : 11/13/23 Expires: 11/13/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microl	oial			PAS	SED	ڳ	M	ycotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	te		Extracted	hv:
FOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 404	4	0.2662g	11/10/23 14:			3379	by.
analyzed by: 390, 3336, 58	5, 4044	Weight: 0.86g	Extraction d 11/10/23 11		Extracte 3336	d by:			T.30.101.FL (Gaine), SOP.T.40.102.F		40.101.FL	. (Gainesv	ille),	
	od : SOP.T.40.0560 :h : DA066250MIC		58.FL, SOP.T		ed On : 11	/13/23	Analytical Bat Instrument Us Analyzed Date	ed:N/A			wed On : 1 Date : 11/	, .,		
sotemp Heat I Analyzed Date Dilution : 10	: 11/10/23 13:49: 123.134; 083123.1	35					110823.R03 Consumables Pipette : DA-0 Mycotoxins tes accordance wit	93; DA-09 ing utilizir n F.S. Rule	94; DA-219 ng Liquid Chromatog 64ER20-39.		e-Quadrupo			
Analyzed by: 3390, 3963, 58	5, 4044	Weight: 0.86g	Extraction d 11/10/23 11		Extracte 3336	d by:	[Hg]	не	avy Me	tals			PAS	SED
nalytical Bate	od : SOP.T.40.208 :h : DA066273TYM ed : Incubator (25-		Rev	9.FL iewed On : 11/13 ch Date : 11/10/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 11/10/23 15:41:		, bdu	Date . 11/10/2	.5 11.40.2	0	TOTAL CONT		IT LOAD METALS	5 0.080	ppm	ND	PASS	1.1
ilution : 10							ARSENIC			0.020	ppm	ND	PASS	0.2
	123.134; 083123.1	150; 101723.	R10				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :		,					MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-39		MPN and tradit	ional culture based	l techniques	s in	Analyzed by: 1022, 585, 404	4	Weight: 0.2855g	Extraction da 11/10/23 12:			Extracted 1022	by:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	h:DA06 ed:DA-10	CPMS-004	Review	ed On : 11, ate : 11/1			
							Dilution : 50		101122 020, 110					

Reagent : 102723.R12; 101123.R29; 110323.R03; 110123.R33; 110323.R01; 110323.R02; 110123.R34; 110123.49; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/13/23



.... Golden Hour Cartridge Concentrate 1g (90%) Golden Hour Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31110004-008 Harvest/Lot ID: 7126 7347 4705 5018 Batch# : 7126 7347 4705 5018 Sampled : 11/10/23

Reviewed On : 11/10/23 17:52:53 Batch Date : 11/10/23 14:30:58

Ordered : 11/10/23

Sample Size Received : 16 gram Total Amount : 1838 units Completed : 11/13/23 Expires: 11/13/24 Sample Method : SOP.T.20.010

		Filth/For Material		PASSED				
A	nalyte		LOD	Units	Result	P/F	Action Level	
F	ilth and Fore	ign Material	0.100	%	ND	PASS	1	
	nalyzed by: 879, 4044	Weight: NA	Ex N/	traction of A	late:	Extra N/A	cted by:	
A	nalysis Method	: SOP.T.40.090						

Analytical Batch : DA066276FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/10/23 17:45:54

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

(

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		LOD 0.010	Units aw	Result 0.465	P/F PASS	Action Level 0.85		
Analyzed by: 1879, 4044	Weight: 0.329g		oction date D/23 18:56		Extracted by: 1879			
Analysis Method : SC Analytical Batch : D/ Instrument Used : D. (Probe),DA-325 Rotr Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 11/3	A066266WAT A-324 Rotronic I ronic Hygropalm HC2-AW (Probe	HC2-AW	(Probe),D	A-326	19:06:44	On :11/10/23		
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

(954) 368-7664

PASSED

Page 6 of 6

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/13/23