

# Certificate of Analysis

COMPLIANCE FOR RETAIL

**Kaycha Labs** 

Sirens Call Cartridge Concentrate 1g

Sirens Call Matrix: Derivative

Type: Distillate

Sample:DA31111001-005 Harvest/Lot ID: 1435 4667 4913 3426

Batch#: 1435 4667 4913 3426

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation** 

Seed to Sale# 5100 7102 6725 3911

Batch Date: 08/24/23 Sample Size Received: 16 gram

> Total Amount: 1940 units Retail Product Size: 1 gram

> > **Ordered:** 11/10/23 Sampled: 11/11/23

**Completed:** 11/14/23

Sampling Method: SOP.T.20.010

# **PASSED**

Nov 14, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6



PRODUCT IMAGE





SAFETY RESULTS



















MISC.

Pesticides Heavy Metals

Microbials

Mycotoxins PASSED

Residuals Solvents PASSED

Filth

Water Activity

Moisture

Terpenes TESTED

**PASSED** 



### Cannabinoid

**Total THC** 89.759%

Total THC/Container: 897.59 mg




**Total CBD** 0.221% Total CBD/Container: 2.21 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 941.70 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066336POT Instrument Used : DA-LC-007

Analyzed Date: 11/13/23 09:46:17

Reagent: 102423.R05; 070121.27; 110723.R05 Consumables: 947.109; 280670723; CE0123; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 11/14/23 10:44:43 Batch Date: 11/11/23 23:45:58

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/14/23



#### Kaycha Labs

Sirens Call Cartridge Concentrate 1g

Sirens Call

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111001-005 Harvest/Lot ID: 1435 4667 4913 3426

Batch#: 1435 4667 4913

Sampled: 11/11/23 **Ordered:** 11/11/23

Sample Size Received: 16 gram Total Amount : 1940 units

Completed: 11/14/23 Expires: 11/14/24

Sample Method: SOP.T.20.010

Page 2 of 6



### **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	23.08	2.308			ALPHA-BISABOLOL		0.007	ND	ND	
LIMONENE	0.007	10.14	1.014			ALPHA-CEDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	4.19	0.419			ALPHA-PHELLANDRENE		0.007	ND	ND	
LINALOOL	0.007	2.43	0.243			ALPHA-TERPINENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.63	0.163			ALPHA-TERPINOLENE		0.007	ND	ND	
ALPHA-PINENE	0.007	1.26	0.126			CIS-NEROLIDOL		0.007	ND	ND	
BETA-PINENE	0.007	1.25	0.125			GAMMA-TERPINENE		0.007	ND	ND	
CARYOPHYLLENE OXIDE	0.007	0.78	0.078			TRANS-NEROLIDOL		0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.64	0.064			Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
ALPHA-HUMULENE	0.007	0.42	0.042		T.	2076, 585, 1440	1.0395g		11/11/23 14		1879
TOTAL TERPINEOL	0.007	0.22	0.022			Analysis Method : SOP.T.30.061A.FL, SOI	P.T.40.061A.FL				
FARNESENE	0.001	0.12	0.012			Analytical Batch : DA066309TER Instrument Used : DA-GCMS-009					/14/23 10:44:45 1/23 11:41:56
3-CARENE	0.007	ND	ND			Analyzed Date : 11/13/23 11:18:24			Battr	Date: II/I	1/23 11:41:30
BORNEOL	0.013	ND	ND			Dilution: 10					
CAMPHENE	0.007	ND	ND			Reagent: 121622.26					
CAMPHOR	0.007	ND	ND			Consumables: 210414634; MKCN9995;	CE0123; R1KB1	4270			
CEDROL	0.007	ND	ND			Pipette : N/A					
EUCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Cl	hromatography M	ass Spectr	ometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
FENCHONE	0.007	ND	ND		ì						
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
OCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND		į						
VALENCENE	0.007	ND	ND								
Total (%)			2.308								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Sirens Call Cartridge Concentrate 1g

Sirens Call Matrix : Derivative

Type: Distillate



# **Certificate of Analysis**

**PASSED** 

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31111001-005 Harvest/Lot ID: 1435 4667 4913 3426

Batch#: 1435 4667 4913

3426
Sampled:11/11/23
Ordered:11/11/23

Sample Size Received: 16 gram
Total Amount: 1940 units
Completed: 11/14/23 Expires: 11/14/24
Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

|--|

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE					
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
CEQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
CETAMIPRID	0.010	1.1	0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.13	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *					
LORPYRIFOS	0.010	1.1.	0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	11.11	0.1	PASS	ND	Analyzed by: Weight	. F	ctraction da	ate:	Extract	ed hv:
METHOATE	0.010		0.1	PASS	ND	<b>4056, 3379, 585, 1440</b> 0.23330		1/11/23 17:1		4056	ca sy.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), S	OP.T.30.10	2.FL (Davie)	), SOP.T.40.101	.FL (Gainesville	),
OFENPROX	0.010	1.1	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA066313PES			On:11/14/23		
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	e:11/11/23 12	:22:33	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 11/12/23 17:22:38  Dilution : 250					
NPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 110823.R01; 040423.08; 110723.R28; 1	110823.R02	: 110923 RO	3: 101023.R01	: 110823.R03	
PRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW		,	, 101015.1101	.,0025.1105	
ONICAMID	0.010	1.1	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing I	iquid Chron	natography 1	Friple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX	0.010	1.1.	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		on date:		Extracted	l by:
IDACLOPRID	0.010		0.4	PASS	ND	<b>450, 585, 1440</b> 0.2333g		3 17:10:52	-1 COD T 40 5	4056	
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesville), S Analytical Batch: DA066314VOL			e), SOP.T.40.15 :11/14/23 11:		
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			11/11/23 12:23		
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date: 11/13/23 13:59:31			,,		
THIOCARB	0.010	1.1.	0.1	PASS	ND	Dilution: 250					
THOMYL	0.010		0.1	PASS	ND	Reagent: 110823.R01; 040423.08; 103123.R19; 1	L03123.R20				
EVINPHOS	0.010	11.11	0.1	PASS	ND	Consumables: 326250IW; 14725401					
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing (	Cac Chromat	tography Tri	nla-Ouadrunnla	Macc Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Sirens Call Cartridge Concentrate 1g

Sirens Call Matrix : Derivative

Type: Distillate



# **Certificate of Analysis**

**PASSED** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111001-005 Harvest/Lot ID: 1435 4667 4913 3426

Batch#: 1435 4667 4913

Sampled: 11/11/23 Ordered: 11/11/23

Sample Size Received: 16 gram Total Amount: 1940 units Completed: 11/14/23 Expires: 11/14/24

Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level		Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
ETHANOL	500.000	ppm	5000	PASS	<2500.000		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
ETHYL ETHER	50.000	ppm	500	PASS	ND		
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND		
HEPTANE	500.000	ppm	5000	PASS	ND		
METHANOL	25.000	ppm	250	PASS	ND		
N-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
Analyzed by:	Weight:	Extraction date:		Extracted by:			

Reviewed On: 11/13/23 14:04:46

Batch Date: 11/11/23 12:25:09

0.028g 11/13/23 11:53:28

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066316SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 11/13/23 11:50:11

Dilution: 1  $\textbf{Reagent:} \ \, \textbf{N/A}$ Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Sirens Call Cartridge Concentrate 1g

Sirens Call

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31111001-005 Harvest/Lot ID: 1435 4667 4913 3426

Batch#: 1435 4667 4913

Sampled: 11/11/23 Ordered: 11/11/23

Sample Size Received: 16 gram Total Amount: 1940 units

Completed: 11/14/23 Expires: 11/14/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 11/14/23 09:54:04

Batch Date: 11/11/23 12:24:20



#### **Microbial**

## **PASSED**



## **Mycotoxins**

Reagent: 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

### **PASSED**

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

PASS

PASS

PASS

PASS

PASS

Extracted by:

**PASSED** 

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas: Fail
ASPERGILLUS TERRI	EUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS
ASPERGILLUS NIGER	R			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS
ASPERGILLUS FUMIO	GATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS
ASPERGILLUS FLAVI	JS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS
SALMONELLA SPECI	FIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:	Weight:	Extraction	ı date:		Extra
TOTAL YEAST AND N	10LD	10	CFU/g	<10	PASS	100000	4056, 3379, 585, 1440	0.2333g	11/11/23		!	4056
Analyzed by:	Weight:	Extra	action date:		Extracted	by:	Analysis Method : SOP.T.30.	.101.FL (Gainesv	ille), SOP.T.4	0.101.FL	(Gainesvi	ille),

Analyzed by: Weight: **Extraction date:** Extracted by: 3336, 585, 1440 11/11/23 11:27:45 1.097g

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA066290MIC

**Reviewed On:** 11/14/23

Extracted by:

3621

12:25:48 Batch Date: 11/11/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 10:05:29

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 11/11/23 17:32:39

Dilution: N/A

Reagent: 083123.134; 083123.146; 100423.R40; 081023.02; 081023.07

Weight:

1.097g

Consumables: 7566004033 Pipette: N/A

Analyzed by: 3336, 3963, 585, 1440

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066315MYC

Analyzed Date: 11/12/23 17:24:17

Pipette: DA-093; DA-094; DA-219

Instrument Used: N/A

Consumables: 326250IW

Dilution: 250

110823.R03

Analyzed Date: 11/11/23 17:36:12	
Instrument Used: Incubator (25-27C) DA-097	Batch Date: 11/11/23 10:09:04
Analytical Batch : DA066292TYM	<b>Reviewed On:</b> 11/14/23 10:44:47
Analysis Method: SOP.1.40.208 (Gainesville), SOP.1.4	0.209.FL

Extraction date

11/11/23 11:27:45

Dilution: N/A Reagent: 083123.134; 083123.146; 101723.R10 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD ME	TALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extra	tion date:		Extracte	d by:

0.291g

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 11/14/23 10:59:16

Analytical Batch : DA066308HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 11/14/23 10:01:41

11/11/23 14:24:58

Batch Date: 11/11/23 11:25:21

Reagent: 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06

Dilution: 50

4306, 1879, 1022, 585, 1440

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



#### **Kaycha Labs**

Sirens Call Cartridge Concentrate 1g

Sirens Call

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31111001-005 Harvest/Lot ID: 1435 4667 4913 3426

Batch#: 1435 4667 4913

Sampled: 11/11/23 Ordered: 11/11/23

Sample Size Received: 16 gram Total Amount: 1940 units Completed: 11/14/23 Expires: 11/14/24 Sample Method: SOP.T.20.010

Page 6 of 6



#### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 1440 NA N/A N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA066301FIL
Instrument Used : Filth/Foreign Material Microscope **Reviewed On:** 11/12/23 21:35:11Batch Date: 11/11/23 11:13:19

Analyzed Date: 11/12/23 20:50:47

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

Analyte Water Activity	_	. <b>OD Units</b> ).010 aw	<b>Result</b> 0.449	P/F PASS	Action Level 0.85
Analyzed by:	Weight:	Extraction d		Ext	tracted by:

Analysis Method : SOP.T.40.019 Analytical Batch: DA066291WAT

Reviewed On: 11/13/23 15:26:55 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 11/11/23 10:06:02

Analyzed Date : N/A Dilution: N/A

Reagent: 113021.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164