

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

FTH - Ghost of Jupiter WF 3.5g(1/8oz) FTH - Ghost of Jupiter

Matrix: Flower Type: Flower-Cured

Sample:DA31111002-001 Harvest/Lot ID: HYB-GOJ-110723-C0117 Batch#: 8305 3675 9102 0151 **Cultivation Facility: Zolfo Springs Cultivation Processing Facility : Zolfo Springs** Processing Source Facility : Zolfo Springs Cultivation Seed to Sale# 8896 9795 2638 2837 Batch Date: 10/04/23 Sample Size Received: 42 gram Total Amount: 3122 units Retail Product Size: 3.5 gram Ordered: 11/10/23 Sampled: 11/11/23 Completed: 11/14/23 Sampling Method: SOP.T.20.010

PASSED

Nov 14, 2023 | FLUENT 82 NE 26th street

SAFETY RESULTS

Pesticides

PASSED

Hg

Heavy Metals

PASSED

Miami, FL, 33137, US

11/29/2023

PRODUCT IMAGE

TLUEN



Residuals Solvents









PASSED

Total Cannabinoids

25.941%

Dry Weight



MISC.

Water Activity PASSED

Filth

PASSED

TESTED

PASSED

Cannabinoid Total THC Total CBD 9.956% 0.049% Dry Weight Dry Weight

Microbials

PASSED

Total THC 17.298% 605.43 mg /Container Total CBD 0.043% 1.505 mg /Container **Total Cannabinoids** D9-THC CBD CBDA D8-THC CRG CBGA CBN тнсу CRDV CBC тнса 0.583 19.06 ND 0.05 0.027 0.17 2.564 ND ND ND 0.032 22.486% % 20.405 667.1 ND 1.75 0.945 5.95 89.74 ND ND ND 1.12 787.01 mg /Container ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD As Received % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 1440 Weight: Extraction date: Extracted by: 11/13/23 09:49:35 0.2095a 1665.3335 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066330POT Reviewed On : 11/14/23 10:45:07 Instrument Used : DA-LC-002 Batch Date : 11/11/23 23:26:12 Analyzed Date : 11/13/23 09:50:28

Mycotoxins

PASSED

Dilution: 400 Reagent: 102423.R05; 070121.27; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/14/23



. FTH - Ghost of Jupiter WF 3.5g(1/8oz) FTH - Ghost of Jupiter Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111002-001 Harvest/Lot ID: HYB-GOJ-110723-C0117 Batch#: 8305 3675 9102 0151

Sampled : 11/11/23 Ordered : 11/11/23

Sample Size Received : 42 gram Total Amount : 3122 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

Page 2 of 5

6	
(U)	
-0-	

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		OD %)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	64.47	1.842		VALENCENE	0	.007	ND	ND	
CIMENE	0.007	32.31	0.923		ALPHA-CEDRENE	0	.007	ND	ND	
IMONENE	0.007	8.89	0.254		ALPHA-PHELLANDRENE	0	.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	5.01	0.143		ALPHA-TERPINENE	0	.007	ND	ND	
LPHA-PINENE	0.007	2.87	0.082		ALPHA-TERPINOLENE	0	.007	ND	ND	
PHA-HUMULENE	0.007	1.79	0.051		CIS-NEROLIDOL	0	.007	ND	ND	
ETA-PINENE	0.007	1.54	0.044		GAMMA-TERPINENE	0	.007	ND	ND	
INALOOL	0.007	1.40	0.040		TRANS-NEROLIDOL	0	.007	ND	ND	
ENCHYL ALCOHOL	0.007	1.19	0.034		Analyzed by:	Weight:	E	xtraction da	ate:	Extracted by:
DTAL TERPINEOL	0.007	0.91	0.026		2076, 585, 1440	1.0386g		1/11/23 13		1879
DRNEOL	0.013	<1.40	< 0.040		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
ARNESENE	0.001	< 0.32	< 0.009		Analytical Batch : DA066302TER Instrument Used : DA-GCMS-008					/14/23 10:45:10 1/23 11:13:30
PHA-BISABOLOL	0.007	< 0.70	< 0.020		Analyzed Date : 11/13/23 14:25:02			Batch	Date: 11/1	1/23 11:13:30
ETA-MYRCENE	0.007	< 0.70	< 0.020		Dilution : 10					
CARENE	0.007	ND	ND		Reagent : 121622.26					
AMPHENE	0.007	ND	ND		Consumables : 210414634; MKCN999	5; CE0123; R1KB142	70			
AMPHOR	0.007	ND	ND		Pipette : N/A					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Ga	s Chromatography Mas	s Spectrom	etry. For all f	lower sample	es, the Total Terpenes % is dry-weight corrected.
DROL	0.007	ND	ND							
ICALYPTOL	0.007	ND	ND							
INCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
		ND	ND							
	0.007	ND								
GABINENE GABINENE HYDRATE	0.007	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/14/23

PASSED

TESTED



FTH - Ghost of Jupiter WF 3.5g(1/8oz) FTH - Ghost of Jupiter Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111002-001 Harvest/Lot ID: HYB-GOJ-110723-C0117

Batch#:8305 3675 9102 0151 Sampled:11/11/23 Ordered:11/11/23 Sample Size Received : 42 gram Total Amount : 3122 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

Page 3 of 5

R Ø

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND	
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	mag	0.1	PASS	ND	
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND			ppm	0.1	PASS	ND	
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND	
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND	
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND	
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND	
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND	
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND	
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND	
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND	
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND	
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND	
BOSCALID	0.010	ppm	0.1	PASS	ND	тніаметнохам	0.010		0.5	PASS	ND	
CARBARYL	0.010	ppm	0.5	PASS	ND				0.1	PASS	ND	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010					
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND	
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND	
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND	
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND	
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND	
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND	
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	F	xtraction date		Extracte	d by:	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	4056, 3379, 585, 1440 0.8117q		1/11/23 17:12:		4056	a by:	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), S				L (Gainesville)		
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA066318PES			n:11/14/2311			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)		Batch Date :	11/11/23 12:3	3:13		
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :11/12/23 17:22:24						
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Respont: 110823 B01: 040423 08: 110723 B28: 1	10823 802	· 110923 B03·	101023 B01-	110823 B03		
FIPRONIL	0.010		0.1	PASS	ND	Reagent : 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03 Consumables : 326250IW						
FLONICAMID	0.010	1.1.	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iquid Chror	natography Trip	ole-Quadrupole	Mass Spectrom	ietry in	
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:	
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 0.8117g		3 17:12:46		4056		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), S Analytical Batch : DA066319VOL		eviewed On : 1				
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-010		atch Date : 11				
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :11/13/23 13:59:18	2.					
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 110823.R01; 040423.08; 103123.R19; 1	03123.R20					
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing G accordance with F.S. Rule 64ER20-39.	as Chroma	tography Triple	-Quadrupole M	ass Spectromet	ry in	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/14/23



FTH - Ghost of Jupiter WF 3.5g(1/8oz) FTH - Ghost of Jupiter Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111002-001 Harvest/Lot ID: HYB-GOJ-110723-C0117 Batch# : 8305 3675 9102 Sample Si

Batch# : 8305 3675 91 0151 Sampled : 11/11/23 Ordered : 11/11/23 Sample Size Received : 42 gram Total Amount : 3122 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ,	Microb	ial			PAS	SED	သို့	Мусо	toxin	S			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	N A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extractio	on date:		Extracte	ed by:
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	4056, 3379, 58	35, 1440	0.8117g	11/11/23	3 17:12:46		4056	
Analyzed by: 3336, 585, 144	Weigh 0.8963		traction date: /11/23 11:27:4	46	Extracted 3621	by:		bd : SOP.T.30.10 FL (Davie), SOP. ⁻			40.101.FL	(Gainesvi	ille),	
	d : SOP.T.40.056C, h : DA066290MIC	SOP.T.40.0	58.FL, SOP.T.4		red On : 11	/14/23	Instrument Us	<pre>ch : DA066320M` ed : N/A : 11/12/23 17:24</pre>			wed On : 1 Date : 11/			
DA-020,fishert sotemp Heat I Analyzed Date Dilution : N/A	: 11/11/23 17:32:39 123.134; 083123.14	Block DA-0	49,Fisher Scie	ntific	29		110823.R03 Consumables : Pipette : DA-0 Mycotoxins test	823.R01; 040423 326250IW 93; DA-094; DA- ting utilizing Liquid h F.S. Rule 64ER20	219 Chromatograp					
Analyzed by: 3336, 3963, 58		Weight:).8961q	Extraction d 11/11/23 11		Extracte 3621	ed by:	Hg	Heavy	y Met	als			PAS	SED
Analytical Bato Instrument Use	od : SOP.T.40.208 (C th : DA066292TYM ed : Incubator (25-2 : 11/11/23 17:36:1:	Gainesville), 7C) DA-097	SOP.T.40.209 Revi		4/23 10:45		Metal	AMINANT LOA	D METALS	LOD	Units	Result	Pass / Fail PASS	Action Level
Dilution : N/A	, ,	-					ARSENIC			0.020	ppm	ND	PASS	0.2
	123.134; 083123.14	6: 101723.	R10				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :		.,					MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perforr F.S. Rule 64ER20-39.	ned utilizing I	MPN and tradition	onal culture based	techniques	sin	Analyzed by: 1879, 1022, 58	35, 1440	Weight: 0.2586g	Extraction 11/11/23	n date: 13:03:25		Extracted 4306,102	
							Analytical Bate Instrument Us	od:SOP.T.30.08 ch:DA066305HE ed:DA-ICPMS-00 :11/14/23 10:0	EA 04	Reviewe	ed On : 11/ ate : 11/11	,		
							Dilution : 50	723.R12: 111023	3 R05· 11012	3 R 3 3 · 1110	123 B03· 1	11023 B0	4.110123	3 R 34·

Reagent : 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/14/23



FTH - Ghost of Jupiter WF 3.5g(1/8oz) FTH - Ghost of Jupiter Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111002-001 Harvest/Lot ID: HYB-GOJ-110723-C0117

Batch#: 8305 3675 9102 0151 Sampled : 11/11/23 Ordered : 11/11/23

Sample Size Received : 42 gram Total Amount : 3122 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010



Filth/Foreign Material





Page 5 of 5

Analyte Filth and Forei	gn Material	LOD Units 0.100 %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 13.32	P/F PASS	Action Le 15
Analyzed by: 1879, 1440	Weight: NA	Extraction N/A	1 date:	Extra N/A	cted by:		Weight: 0.535g		Atraction d 1/11/23 16		Ext 43	tracted by: 71
		rial Microscope		- /	2/23 21:35:15 23 11:13:19	Analysis Method : SOP.T.40. Analytical Batch : DA066283 Instrument Used : DA-003 M Analyzed Date : N/A	7MOI	Analyzei		Reviewed On Batch Date : 🤇		
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A	Ά					Dilution : N/A Reagent : 031523.19; 0201 Consumables : N/A Pipette : DA-066	.23.02					
	aterial inspection is pe ordance with F.S. Rule		inspection utiliz	ing naked ey	e and microscope	Moisture Content analysis utiliz	zing loss-or	n-drying	technology	in accordance	with F.S. Rul	e 64ER20-39.
(\bigcirc)	Water A	ctivity		PA	SSED							

Analyte Water Activity	_	.0D	Units	Result 0.577	P/F PASS	Action Level		
Analyzed by: 4371, 585, 1440	Weight: 0.592a	Ex	dw traction c	late:	Ex	Extracted by: 4371		
Analysis Method : SOP. Analytical Batch : DA00 Instrument Used : DA-0 Analyzed Date : N/A	56289WAT	m	Reviewed On : 11/13/23 15:27:02 Batch Date : 11/11/23 10:02:41					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/14/23

PASSED

PASSED

Action Level