

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix: Derivative Type: Distillate



Sample:DA31111010-001 Harvest/Lot ID: 6426 7852 6676 7940 Batch#: 6426 7852 6676 7940 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 7597 3190 8649 2306 Batch Date: 07/20/23 Sample Size Received: 15.5 gram Total Amount: 1936 units Retail Product Size: 0.5 gram Ordered: 11/11/23 Sampled: 11/11/23 Completed: 11/14/23 Sampling Method: SOP.T.20.010

Nov 14, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

PRODUCT IMAGE

ព័

SAFETY RESULTS

Pesticides

PASSED

Ha

Heavy Metals

PASSED

Microbials

PASSED



**Residuals Solvents** 

PASSED

PASSED

MISC.



Pages 1 of 6

### PASSED

	3 88	THC <b>1.590</b> THC/Container			3 0.	al CBD 230% CBD/Container			<u>)</u> 93.	Cannabinoid 5289 nnabinoids/Con	
% mg/unit	D9-THC 88.513 442.57	THCA 0.088 0.44	свр 0.230 1.15	CBDA ND ND	D8-ТНС 0.250 1.25	свс 1.648 8.24	CBGA ND ND	CBN 1.152 5.76	тнсу 1.026 5.13	CBDV ND ND	свс 0.621 3.11
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
nalyzed by:	%	%	% Weigt	% nt:	% Extrac	% tion date:	%	%	% E	% xtracted by:	%
nalytical Batch strument Used	: SOP.T.40.031, SC : DA066336POT : DA-LC-007 11/13/23 09:46:17	DP.T.30.031	0.108	9g	11/13	/23 09:45:29 Reviewed On : 1 Batch Date : 11/2	1/14/23 12:50:54 11/23 23:45:58		1	665	

**Mycotoxins** 

PASSED

Consumables : 947.109: 280670723: CE0123: R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/14/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA31111010-0011

 Harvest/Lot ID: 6426 7852 6676 7940

 Batch# : 6426 7852 6676 7940

 Sample : 7940 7940 7041 7041 AP

Sampled : 11/11/23 Ordered : 11/11/23 Sample Size Received : 15.5 gram Total Amount : 1936 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

Page 2 of 6

# **(**

Ter	penes
	penes

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	5.54	1.107		PULEGONE		0.007	ND	ND		
ALPHA-TERPINOLENE	0.007	2.90	0.579		SABINENE HYDRATE		0.007	ND	ND		
ETA-MYRCENE	0.007	0.72	0.144		TOTAL TERPINEOL		0.007	ND	ND		
DCIMENE	0.007	0.58	0.115		VALENCENE		0.007	ND	ND		
IMONENE	0.007	0.39	0.077		ALPHA-CEDRENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	0.30	0.059		CIS-NEROLIDOL		0.007	ND	ND		
ALPHA-BISABOLOL	0.007	0.18	0.035		GAMMA-TERPINENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	0.14	0.027		TRANS-NEROLIDOL		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	0.13	0.025		Analyzed by:	Weight:		Extraction da	te:	E	tracted by:
SABINENE	0.007	0.12	0.024		2076, 585, 4044	1.0262g		11/12/23 12:		18	379
BETA-PINENE	0.007	0.11	0.022		Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
ENCHYL ALCOHOL	0.007	<0.10	< 0.020		Analytical Batch : DA066344TER					1/14/23 12:50:56	
LPHA-PINENE	0.007	< 0.10	< 0.020		Instrument Used : DA-GCMS-008 Analyzed Date : 11/13/23 14:24:35			Batch	Date : 11/	12/23 10:15:22	
LPHA-TERPINENE	0.007	< 0.10	< 0.020		Dilution : 10						
-CARENE	0.007	ND	ND		Reagent : N/A						
ORNEOL	0.013	ND	ND		Consumables : N/A						
AMPHENE	0.007	ND	ND		Pipette : N/A						
AMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas C	hromatography M	ass Spectr	ometry. For all F	lower samp	oles, the Total Terpenes % is dry-w	eight corrected.
ARYOPHYLLENE OXIDE	0.007	ND	ND		i i						
EDROL	0.007	ND	ND		İ.						
UCALYPTOL	0.007	ND	ND		İ.						
ARNESENE	0.001	ND	ND		i .						
ENCHONE	0.007	ND	ND		i .						
GERANIOL	0.007	ND	ND		i .						
GERANYL ACETATE	0.007	ND	ND		i .						
GUAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
INALOOL	0.007	ND	ND								
NEROL	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/14/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111010-001 Harvest/Lot ID: 6426 7852 6676 7940

Batch#: 6426 7852 6676 7940 Sampled : 11/11/23 Ordered : 11/11/23

Sample Size Received : 15.5 gram Total Amount : 1936 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	1.1.	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE					
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *			0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	1.1.	1	PASS	ND	PARATHION-METHYL *	0.010				
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
COUMAPHOS	0.010	1.1.	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	1.1.	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	E	straction date	:	Extracte	ed by:
DIMETHOATE	0.010		0.1	PASS	ND	4056, 3379, 585, 4044 0.2626g	11	1/12/23 16:12:	18	4056	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), S	OP.T.30.10	2.FL (Davie), S	SOP.T.40.101.	FL (Gainesville)	
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA066328PES			n:11/14/23 1		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :11/12/23 17:21:56		Batch Date :	11/11/23 13:4	48:46	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 110823.R01; 040423.08; 110723.R28; 1	10823.R02	: 110923.R03:	101023.R01:	110823.R03	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	1.1.	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iquid Chron.	natography Trip	ole-Quadrupole	e Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS PASS	ND	accordance with F.S. Rule 64ER20-39.					
	0.010		0.1 0.4	PASS	ND ND	Analyzed by: Weight: 450, 585, 4044 0.2626q		on date: 3 16:12:18		Extracted 4056	by:
IMIDACLOPRID	0.010				ND	Analysis Method :SOP.T.30.151.FL (Gainesville), S			SOP T 40 151		
KRESOXIM-METHYL	0.010		0.1	PASS		Analytical Batch : DA066342VOL		eviewed On :1			
MALATHION	0.010		0.2 0.1	PASS	ND ND	Instrument Used : DA-GCMS-001		atch Date : 11/			
METALAXYL	0.010			PASS		Analyzed Date :11/13/23 13:58:58					
METHIOCARB	0.010		0.1	PASS PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1		ND	Reagent: 110823.R01; 040423.08; 103123.R19; 1	.03123.R20				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	Charles -	ha mana ku Ta' I	Overden et 1	In an Carachan -	
NALED	0.010	ppm	0.25	PA55	ND	Testing for agricultural agents is performed utilizing C accordance with F.S. Rule 64ER20-39.	as chroma	lograpny Triple	-Quadrupole M	ass Spectromet	try iñ

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/14/23

## PASSED

PASSED



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA31111010-0011

 Harvest/Lot ID: 6426 7852 6576 7940

 Batch#: 6426 7852 6676
 Sample

 7940
 Total An

Sampled : 11/11/23 Ordered : 11/11/23 76 7940 Sample Size Received : 15.5 gram Total Amount : 1936 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
analyzed by: 50, 585, 4044	Weight: 0.0224g	Extraction date: 11/14/23 12:36:24	Ļ	<b>E</b> x 85	tracted by: 0
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066352SOL Instrument Used : DA-GCMS-003 Analyzed Date : 11/13/23 20:20:45			<b>d On :</b> 11/14/23 13:40:15 <b>te :</b> 11/13/23 20:08:12		
Dilution : 1 Reagent : N/A					

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/14/23

### PASSED



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111010-001 Harvest/Lot ID: 6426 7852 6676 7940 Batch# : 6426 7852 6676 Sample

Sampled : 11/11/23 Ordered : 11/11/23 Sample Size Received : 15.5 gram Total Amount : 1936 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ç	Micro	oial				PAS	SED	လို့	Μ	yco	toxi	ns			PAS	SED
Analyte		LC	OD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present	PASS		AFLATOXIN I	B2			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN I	B1			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXI	A			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN	G1			0.002	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GENI	E			Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA				Not Present	PASS		Analyzed by:			Weight:	Extractio	on date:		Extract	ed by:
OTAL YEAS	T AND MOLD	1	LO	CFU/g	<10	PASS	100000	4056, 3379, 58	5, 4044		0.2626g	11/12/23	8 16:12:18	3	4056	2
nalyzed by: 390, 3336, 58	5, 4044	Weight: 0.852g		traction dat		Extracted 3963,339		Analysis Metho SOP.T.30.102.	FL (Dav	ie), SOP.T	.40.102.FL	. (Davie)				
	od : SOP.T.40.0560 h : DA066345MIC		0.058	.FL, SOP.T.4		e <b>d On :</b> 11/1	4/23	Analytical Bate Instrument Use Analyzed Date	ed:N/A					.1/14/23 1 /12/23 09:		
A-049,Fisher nalyzed Date ilution : N/A eagent : 0833	Block DA-020,fishe Scientific Isotemp : 11/13/23 09:35: 123.133; 083123.1 7566004033	9 Heat Bloc 52	k DA-	-021				Reagent : 1108 110823.R03 Consumables : Pipette : DA-09 Mycotoxins test accordance with	326250 93; DA-0	DIW D94; DA-2	19 Chromatogr					
nalyzed by: 390, 3336, 58	5, 4044	Weight: 0.852g		traction dat		Extracted 3963,339		Hg	He	eavy	/ Me	tals			PAS	SEC
nalytical Bato strument Use	od : SOP.T.40.208 :h : DA066347TYM ed : Incubator (25- : 11/13/23 11:43:	1 -27C) DA-0		Revie	.FL wed On : 11/1 Date : 11/12/			Metal				LOD	Units	Result	Pass / Fail	Action Level
lution : N/A	. 11/13/23 11.43.	±-1						TOTAL CONT	AMINA	NT LOAD	METALS		ppm	ND	PASS	1.1
	123.133; 083123.1	134; 10172	23.R1	0				ARSENIC				0.020	ppm	ND	PASS	0.2
onsumables :								CADMIUM				0.020	ppm	ND	PASS	0.2
pette : N/A								MERCURY LEAD				0.020 0.020	ppm mag	ND ND	PASS PASS	0.2 0.5
	mold testing is perfo F.S. Rule 64ER20-39		ng MPI	N and traditio	nal culture base	d techniques	s in	Analyzed by: 1022, 585, 404	4	Wei	<b>ght:</b> 333a	Extraction da 11/13/23 11:	ite:	ND	Extracted	
								Analysis Metho Analytical Bato Instrument Uso Analyzed Date Dilution : 50 Reagent : 102 110123.49: 11	od : SOP :h : DA0 ed : DA- : 11/14 723.R12	.T.30.082 66349HE/ ICPMS-00 /23 09:52 ; 111023	.FL, SOP.T A 4 :06	.40.082.FL Reviewe Batch D	ed On : 11 ate : 11/1	/14/23 12: 3/23 10:09 .11023.R0	36:40 9:47	3.R34;

Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/14/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31111010-001 Harvest/Lot ID: 6426 7852 6676 7940 Batch#: 6426 7852 6676 7940

Sampled : 11/11/23 Ordered : 11/11/23

Sample Size Received : 15.5 gram Total Amount : 1936 units Completed : 11/14/23 Expires: 11/14/24 Sample Method : SOP.T.20.010

		Filth/For Material		n		PASSED			
	nalyte ilth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level		
	nalyzed by: 879, 4044	Weight: NA		<b>ctraction</b> /A	date:	Extra N/A	cted by:		
A In	nalytical Batch strument Used	: SOP.T.40.090 : DA066301FIL I: Filth/Foreign Mater 11/12/23 20:50:47	ial Micro	oscope			2/23 21:36:03 23 11:13:19		
R C	ilution : N/A eagent : N/A onsumables : N ipette : N/A	I/A							

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte	I	LOD Un		Result	P/F	Action Level
Water Activity	(	0.010	aw	0.483	PASS	0.85
Analyzed by: 4371, 585, 4044	Weight: 0.278g		traction d			tracted by: 371
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : N/A	66340WAT	gropal	m	Reviewed O Batch Date :	1 - 1	
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/14/23

Page 6 of 6