



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31111010-003
Harvest/Lot ID: 8529 3499 5949 1140
Batch#: 8529 3499 5949 1140
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 6304 9599 2597 2455
Batch Date: 08/24/23
Sample Size Received: 15.5 gram
Total Amount: 1910 units
Retail Product Size: 0.5 gram
Ordered: 11/11/23
Sampled: 11/11/23
Completed: 11/14/23
Sampling Method: SOP.T.20.010

Nov 14, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
90.245%

Total THC/Container : 451.23 mg


Total CBD
0.217%

Total CBD/Container : 1.09 mg


Total Cannabinoids
94.598%

Total Cannabinoids/Container : 472.99 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.055	0.217	0.217	ND	0.230	2.085	ND	0.779	0.403	ND	0.612
mg/unit	450.28	1.09	1.09	ND	1.15	10.43	ND	3.90	2.02	ND	3.06
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 585, 4044

 Weight:
 0.1006g

 Extraction date:
 11/13/23 09:45:37

 Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066336POT

Instrument Used : DA-LC-007

Analyzed Date : 11/13/23 09:46:17

Reviewed On : 11/14/23 12:51:07

Batch Date : 11/11/23 23:45:58

Dilution : 400

Reagent : 102423.R05; 070121.27; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 11/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglades Haze Cartridge Concentrate 0.5g
Everglades Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31111010-003

Harvest/Lot ID: 8529 3499 5949 1140

Batch# : 8529 3499 5949
1140

Sampled : 11/11/23

Ordered : 11/11/23

Sample Size Received : 15.5 gram

Total Amount : 1910 units

Completed : 11/14/23 Expires: 11/14/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.33	1.065		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	1.79	0.357		ALPHA-BISABOLOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.90	0.179		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	0.62	0.123		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.50	0.099		ALPHA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	0.34	0.067		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	0.28	0.056		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	0.26	0.052		TRANS-NEROLIDOL	0.007	ND	ND	
VALENCENE	0.007	0.16	0.032						
ALPHA-PINENE	0.007	0.14	0.027						
FENCHYL ALCOHOL	0.007	0.13	0.026						
LINALOOL	0.007	0.13	0.026						
TOTAL TERPINEOL	0.007	0.11	0.021						
GERANIOL	0.007	<0.10	<0.020						
ALPHA-HUMULENE	0.007	<0.10	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						

Total (%)

1.065

Analyzed by:

2076, 585, 4044

Weight:

0.8331g

Extraction date:

11/12/23 12:04:14

Extracted by:

1879

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA066344TER

Instrument Used : DA-GCMS-008

Analyzed Date : 11/13/23 14:24:35

Reviewed On : 11/14/23 12:51:09

Batch Date : 11/12/23 10:15:22

Dilution : 10

Reagent : N/A

Consumables : N/A

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/14/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31111010-003

Harvest/Lot ID: 8529 3499 5949 1140

 Batch# : 8529 3499 5949
 1140

Sample Size Received : 15.5 gram

Total Amount : 1910 units

Completed : 11/14/23 Expires: 11/14/24

Ordered : 11/11/23


Sample Size Received : 15.5 gram

Total Amount : 1910 units

Completed : 11/14/23 Expires: 11/14/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 4044 Weight: 0.2995g Extraction date: 11/12/23 16:12:19 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA066328PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 11/12/23 17:21:56 Dilution : 250 Reagent : 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXICARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044 Weight: 0.2995g Extraction date: 11/12/23 16:12:19 Extracted by: 4056 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA066342VOL Instrument Used : DA-GCMS-001 Analyzed Date : 11/13/23 13:58:58 Dilution : 250 Reagent : 110823.R01; 040423.08; 103123.R19; 103123.R20 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglades Haze Cartridge Concentrate 0.5g
Everglade Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31111010-003

Harvest/Lot ID: 8529 3499 5949 1140

Batch# : 8529 3499 5949
1140

Sampled : 11/11/23

Ordered : 11/11/23

Sample Size Received : 15.5 gram

Total Amount : 1910 units

Completed : 11/14/23 Expires: 11/14/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4044

Weight:
0.0222g

Extraction date:
11/14/23 12:31:15

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA066352SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 11/13/23 20:20:45

Reviewed On : 11/14/23 13:40:18
Batch Date : 11/13/23 20:08:12

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/14/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31111010-003

Harvest/Lot ID: 8529 3499 5949 1140

 Batch# : 8529 3499 5949
 1140

 Sampled : 11/11/23
 Ordered : 11/11/23


Sample Size Received : 15.5 gram


Total Amount : 1910 units


Completed : 11/14/23 Expires: 11/14/24


Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																													
ASPERGILLUS TERREUS			Not Present	PASS																																														
ASPERGILLUS NIGER			Not Present	PASS																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																														
ECOLI SHIGELLA			Not Present	PASS																																														
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																													
<div>Analyzed by: 3390, 3336, 585, 4044</div> <div>Weight: 0.804g</div> <div>Extraction date: 11/12/23 12:14:38</div> <div>Extracted by: 3963,3390</div>																																																		
<div>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</div> <div>Analytical Batch : DA066345MIC</div> <div>Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</div> <div>Analyzed Date : 11/13/23 09:35:52</div>	<div>Reviewed On : 11/14/23 12:49:30</div> <div>Batch Date : 11/12/23 10:55:32</div>																																																	
<div>Dilution : N/A</div> <div>Reagent : 083123.133; 083123.134; 100423.R40; 081023.07; 083123.104</div> <div>Consumables : 7566004033</div> <div>Pipette : N/A</div>																																																		
<div>Analyzed by: 3390, 3336, 585, 4044</div> <div>Weight: 0.804g</div> <div>Extraction date: 11/12/23 12:14:38</div> <div>Extracted by: 3963,3390</div>																																																		
<div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div> <div>Analytical Batch : DA066347TYM</div> <div>Instrument Used : Incubator (25-27C) DA-096</div> <div>Analyzed Date : 11/13/23 11:43:14</div>	<div>Reviewed On : 11/14/23 12:51:12</div> <div>Batch Date : 11/12/23 10:58:07</div>																																																	
<div>Dilution : N/A</div> <div>Reagent : 083123.133; 083123.134; 101723.R10</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>																																																		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																		

	<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																	
<div>Analyzed by: 4056, 3379, 585, 4044</div> <div>Weight: 0.2995g</div> <div>Extraction date: 11/12/23 16:12:19</div> <div>Extracted by: 4056</div>																																						
<div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA066343MYC</div> <div>Instrument Used : N/A</div> <div>Analyzed Date : 11/12/23 17:23:34</div>	<div>Reviewed On : 11/14/23 11:11:33</div> <div>Batch Date : 11/12/23 09:51:29</div>																																					
<div>Dilution : 250</div> <div>Reagent : 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div>																																						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						

	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																	
ARSENIC	0.020	ppm	ND	PASS	0.2																																	
CADMIUM	0.020	ppm	ND	PASS	0.2																																	
MERCURY	0.020	ppm	ND	PASS	0.2																																	
LEAD	0.020	ppm	ND	PASS	0.5																																	
<div>Analyzed by:</div> <div>Weight:</div> <div>Extraction date:</div> <div>Extracted by:</div>																																						

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 4044	Weight: 0.2995g	Extraction date: 11/12/23 16:12:19		Extracted by: 4056	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA066343MYC		Reviewed On : 11/14/23 11:11:33			
Instrument Used : N/A		Batch Date : 11/12/23 09:51:29			
Analyzed Date : 11/12/23 17:23:34					
Dilution : 250					
Reagent : 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2431g	Extraction date: 11/13/23 11:28:26		Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA066349HEA			Reviewed On : 11/14/23 12:36:42			
Instrument Used : DA-ICPMS-004			Batch Date : 11/13/23 10:09:47			
Analyzed Date : 11/14/23 09:52:06						
Dilution : 50						
Reagent : 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06						
Consumables : 179436; 210508058; 12594-247CD-247C						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglades Haze Cartridge Concentrate 0.5g
Everglades Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31111010-003

Harvest/Lot ID: 8529 3499 5949 1140

Batch# : 8529 3499 5949
1140

Sampled : 11/11/23

Ordered : 11/11/23

Sample Size Received : 15.5 gram

Total Amount : 1910 units

Completed : 11/14/23 Expires: 11/14/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:
1879, 4044

Weight:
NA

Extraction date:
N/A

Extracted by:
N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA066301FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 11/12/23 20:50:47

Reviewed On : 11/12/23 21:36:06

Batch Date : 11/11/23 11:13:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.470	PASS	0.85

Analyzed by:
4371, 585, 4044

Weight:
0.343g

Extraction date:
11/12/23 11:41:29

Extracted by:
4371

Analysis Method : SOP.T.40.019

Analytical Batch : DA066340WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 11/13/23 15:31:21

Batch Date : 11/12/23 09:44:16

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/14/23