

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**COMPLIANCE FOR RETAIL** 

**Certificate of Analysis** 


## **Kaycha Labs**

FTH Cake Boss WF 3.5g FTH - Cake Boss Matrix: Flower Type: Flower-Cured



Sample:DA31114005-001 Harvest/Lot ID: HYB - CB - 110723 - C0110 Batch#: 1345 3194 3100 3832 **Cultivation Facility: Zolfo Springs Cultivation Processing Facility : Zolfo Springs** Processing Source Facility : Zolfo Springs Cultivation Seed to Sale# 6743 0748 0217 2594 Batch Date: 10/05/23 Sample Size Received: 45.5 gram Total Amount: 3313 units Retail Product Size: 3.5 gram Ordered: 11/13/23 Sampled: 11/14/23 Completed: 11/16/23 Sampling Method: SOP.T.20.010

### PASSED



Extraction date:

11/14/23 11:39:49

Reviewed On : 11/15/23 12:37:41

Batch Date: 11/14/23 09:48:51

Analyzed by: 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066373POT

Instrument Used : DA-LC-002

Analyzed Date : 11/14/23 11:40:07

Dilution: 400

%

LOD

Reagent : 102423.R05; 070621.18; 110723.R05 Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Weight:

0.2035a

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

Extracted by:

3605.1665

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/16/23



Kaycha Labs

FTH Cake Boss WF 3.5g FTH - Cake Boss Matrix : Flower Type: Flower-Cured



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
Sample : DA31114005-001

Harvest/Lot ID: HYB - CB - 110723 - C0110

Batch # : 1345 3194 3100
Sample Size

3832
Total Amoun

Sampled : 11/14/23
Completed : 1

Ordered : 11/14/23
Sample Methematical Sample Methematical

0723 - C0110 Sample Size Received : 45.5 gram Total Amount : 3313 units Completed : 11/16/23 Expires: 11/16/24 Sample Method : SOP.T.20.010

Page 2 of 5

# Ô

T۵	rn	en	90
	יי		63

	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	83.16	2.376		SABINENE		0.007	ND	ND		
MONENE	0.007	26.88	0.768		SABINENE HYDRATE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	13.34	0.381		VALENCENE		0.007	ND	ND		
ETA-MYRCENE	0.007	6.97	0.199		ALPHA-CEDRENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	6.86	0.196		ALPHA-PHELLANDRENE		0.007	ND	ND		
NALOOL	0.007	5.46	0.156		ALPHA-TERPINENE		0.007	ND	ND		
ETA-PINENE	0.007	3.43	0.098		ALPHA-TERPINOLENE		0.007	ND	ND		
ENCHYL ALCOHOL	0.007	2.42	0.069	1	GAMMA-TERPINENE		0.007	ND	ND		
LPHA-PINENE	0.007	2.42	0.069		Analyzed by:	Weight:		Extraction da	ite:	Extracted	by:
LPHA-BISABOLOL	0.007	2.35	0.067		2076, 585, 1440	1.0607g		11/14/23 15:		2076	-
ARNESENE	0.001	1.96	0.056		Analysis Method : SOP.T.30.061A.FL, SC	0P.T.40.061A.FL					
DTAL TERPINEOL	0.007	1.33	0.038		Analytical Batch : DA066383TER Instrument Used : DA-GCMS-008					1/15/23 12:37:43 14/23 10:21:52	
RANS-NEROLIDOL	0.007	0.77	0.022		Analyzed Date : 11/14/23 15:09:58			Batch	Date: 11/	14/23 10:21:52	
DRNEOL	0.013	<1.40	< 0.040		Dilution : 10						
AMPHENE	0.007	<0.70	< 0.020		Reagent : 121622.26						
IS-NEROLIDOL	0.007	<0.70	<0.020		Consumables : 210414634; MKCN9995;	CE0123; R1KB1	4270				
CARENE	0.007	ND	ND		Pipette : N/A						
		110	110		Terpenoid testing is performed utilizing Gas (	Chromatography Mi	ass Spectr	ometry. For all H	lower samp	oles, the Total Terpenes % is dry-weight con	ected.
AMPHOR	0.007	ND	ND								
	0.007	ND	ND								
ARYOPHYLLENE OXIDE											
ARYOPHYLLENE OXIDE EDROL	0.007	ND	ND								
ARYOPHYLLENE OXIDE EDROL UCALYPTOL	0.007	ND ND	ND ND								
AMPHOR ARYOPHYLLENE OXIDE EDROL UCALYPTOL ENCHONE ERANIOL	0.007 0.007 0.007	ND ND ND	ND ND ND								
ARYOPHYLLENE OXIDE EDROL UCALYPTOL ENCHONE	0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND								
ARYOPHYLLENE OXIDE EDROL UCALYPTOL ENCHONE ERANIOL	0.007 0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND								
ARYOPHYLLENE OXIDE EDROL UCALYPTOL ENCHONE ERANIOL ERANYL ACETATE UAIOL	0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND	ND ND ND ND ND								
ARYOPHYLLENE OXIDE EDROL UCALYPTOL ENCHONE ERANIOL ERANIOL ERANYL ACETATE UAIOL EXAHYDROTHYMOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND	ND ND ND ND ND ND								
ARYOPHYLLENE OXIDE EDROL LOLALYPTOL ENCHONE ERANIVLACETATE UAIOL EXAHYDROTHYMOL OBGONEOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND	ND ND ND ND ND ND ND								
ARYOPHYLLENE OXIDE EDROL LCALVPTOL ENCHONE ERANIOL ERANYL ACETATE UAIOL EXAHYDROTHYMOL OBORNEOL OPOLEGOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND								
ARYOPHYLLENE OXIDE EDROL UCALYPTOL ENCHONE ERANIOL ERANIYL ACETATE UAIOL ERANYL ACETATE UAIOL ERANYL ROL DIOLEGOL EROL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND								
ARYOPHYLLENE OXIDE EDROL UCALYPTOL ENCHONE ERANIOL ERANIOL ACETATE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND ND ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/16/23



4131 SW 47th AVENUE SUITE 1408

**Certificate of Analysis** 

3832

Sample : DA31114005-001

Batch#: 1345 3194 3100

Sampled : 11/14/23

Ordered : 11/14/23

Harvest/Lot ID: HYB - CB - 110723 - C0110

**DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

FTH Cake Boss WF 3.5g FTH - Cake Boss Matrix : Flower Type: Flower-Cured



#### PASSED

Page 3 of 5

0

82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

Email: Taylor.Jones@getfluent.com

FLUENT

### **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND						
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND			PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNE	-)			PASS	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		PPM	0.1		ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: We	iaht: Extrac	tion date:		Extracted	by:
DIMETHOATE	0.010		0.1	PASS	ND			23 13:53:56		3379	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Ga			50P.T.40.101.F	L (Gainesville)	
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA066372PES			n:11/16/2310		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date :	11/14/23 09:4	7:11	
FENOXYCARB	0.010	P.P.	0.1	PASS	ND	Analyzed Date : 11/14/23 14:01:18 Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 111323.R01; 110823.R02; 1	11323 R02: 110923 R	03· 101023 B0	1· 110823 R03	040423.08	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	110201102, 110020110	55, 1010251110	1, 110025.1105	, 010125100	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perform	ed utilizing Liquid Chroi	matography Trip	ole-Quadrupole	Mass Spectrom	etry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weig		ion date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	<b>450, 585, 1440</b> 0.865		3 13:53:56		3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Ga Analytical Batch :DA066375VOL					
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010		eviewed On : 1 atch Date : 11			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :11/14/23 14:36:16	5		,25 05.15.0	-	
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 111323.R02; 040423.08; 10	3123.R19; 103123.R20	)			
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perform accordance with F.S. Rule 64ER20-39.	ed utilizing Gas Chroma	itography Triple	-Quadrupole M	ass Spectromet	ry in

Sample Size Received : 45.5 gram

Completed : 11/16/23 Expires: 11/16/24

Total Amount : 3313 units

Sample Method : SOP.T.20.010

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED



Kaycha Labs

FTH Cake Boss WF 3.5g FTH - Cake Boss Matrix : Flower Type: Flower-Cured

Page 4 of 5



#### PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31114005-001 Harvest/Lot ID: HYB - CB - 110723 - C0110 Batch# : 1345 3194 3100 Sample Size Sampled : 11/14/23 Completed :

Ordered : 11/14/23

10723 - C0110 Sample Size Received : 45.5 gram Total Amount : 3313 units Completed : 11/16/23 Expires: 11/16/24 Sample Method : SOP.T.20.010

Ţ.	Micro	bial			PAS	SED	သို့	My	ycotox	ins			PAS	SED
Analyte		LOD	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	81		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	IE		Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction d	ate:		Extracted	l by:
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 144	0	0.8657g	11/14/23 13	:53:56		3379	
Analyzed by: 3336, 3621, 58	5, 1440	Weight: 0.9748g	Extraction d 11/14/23 11		Extracted 3336,362				.30.101.FL (Gair ), SOP.T.40.102.		.40.101.FL	. (Gainesv	ille),	
	od : SOP.T.40.056 h : DA066367MI		)58.FL, SOP.T		<b>ved On :</b> 11	/15/23	Analytical Bate Instrument Use Analyzed Date	d:N/A			wed On : 1 Date : 11/	1 .1 .		
DA-020,fisherb Isotemp Heat E Analyzed Date Dilution : N/A	: 11/14/23 13:16	eat Block DA-0	049,Fisher Sci	entific			040423.08 Consumables : Pipette : DA-09	3262501 3; DA-09						
Reagent : 0831 Consumables : Pipette : N/A Analyzed by:	123.115; 083123 N/A	.134; 081023 Weight:	.07; 083123.1		) Extracted	bv:	accordance with	F.S. Rule						SED
3621, 3336, 58	5, 1440	0.9748g	11/14/23 11		3336,362		da h		··· <b>)</b>					
Analytical Batc Instrument Use	od : SOP.T.40.208 h : DA066380TY ed : Incubator (25	M 5-27C) DA-096	Rev	9.FL iewed On : 11/10 ch Date : 11/14/2			Metal		T LOAD METAL	LOD .s 0.080	Units	Result	Pass / Fail PASS	Action Level
Analyzed Date	: 11/14/23 12:04	:34					- ARSENIC	AMINAN	I LOAD METAL	0.080	ppm ppm	ND	PASS	0.2
Dilution : N/A							CADMIUM			0.020	ppm	ND	PASS	0.2
Reagent : 0831 Consumables :	L23.115; 083123	.134; 101723	.R10				MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A	N/A						LEAD			0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Analyzed by: 1022, 585, 144	0	Weight: 0.2753g	Extraction da 11/14/23 11			Extracted	l by:
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA06	.30.082.FL, SOP 6384HEA PMS-004	.T.40.082.FL Review	ed On : 11, pate : 11/1-		07:12	
							Dilution : 50 Reagent : 102	23.R12:	111023.R05: 110	0123.R33: 111(	)23.R03: 1	.11023.R0	4: 11012	3.R34:

Reagent : 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/16/23



Kaycha Labs

FTH Cake Boss WF 3.5g FTH - Cake Boss Matrix : Flower Type: Flower-Cured



PASSED

PASSED

Action Level

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31114005-001 Harvest/Lot ID: HYB - CB - 110723 - C0110 Batch#: 1345 3194 3100 3832 Sampled : 11/14/23 Ordered : 11/14/23

Sample Size Received : 45.5 gram Total Amount : 3313 units Completed : 11/16/23 Expires: 11/16/24 Sample Method : SOP.T.20.010



Filth/Foreign **Material** 

Water Activity





Page 5 of 5

Analyte Filth and Foreign M	aterial	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	Analyte Moisture Content		<b>LOD</b> 1.00	Units %	Result 10.85	P/F PASS	Action I 15
Analyzed by: 1879, 1440	Weight: NA		xtraction o	late:	Extrac N/A	cted by:	Analyzed by: Weight:   4371, 585, 1440 0.507g				traction date: /14/23 15:31:34		<b>xtracted by:</b> 371
Analytical Batch : DA0 Instrument Used : Filth	Analysis Method : SOP.T.40.090 Reviewed On : 11/15/23 20:45:48   Analytical Batch : DA066439FIL Reviewed On : 11/15/23 20:45:48   Instrument Used : Filth/Foreign Material Microscope Batch Date : 11/15/23 20:33:17   Analyzed Date : 11/15/23 20:37:02 Batch Date : 11/15/23 20:33:17						Analysis Method : SOP.T.40.021 Reviewed On : 11/15/23 12:37:41   Analytical Batch : DA066386MOI Reviewed On : 11/15/23 12:37:41   Instrument Used : DA-003 Moisture Analyzer Batch Date : 11/14/23 10:28:15   Analyzed Date : N/A Date : 11/14/23 10:28:15						
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 031523.19; 0 Consumables : N/A Pipette : DA-066	20123.02					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39							
	lator A	ctiv			PA:	SSED							



Pipette : N/A

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.550	P/F PASS	Action Level 0.65			
Analyzed by: 4371, 585, 1440	Weight: 0.77g		traction d /14/23 15		Extracted by: 4371				
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : N/A	66387WAT	Reviewed Or Batch Date :							
Dilution : N/A Reagent : 113021.09 Consumables : PS-14									

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/16/23