

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Sweat Helmet Cured SGR 1 g Sweat Helmet

Matrix: Derivative Type: Sugar Wax

Sample:DA31115003-001 Harvest/Lot ID: ID-SWH-092623-A129

Batch#: 4303 8116 5524 3633

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation

Seed to Sale# 0540 0749 8860 3937

Batch Date: 09/20/23 Sample Size Received: 16 gram Total Amount: 1600 units

> Retail Product Size: 1 gram **Ordered:** 11/14/23 Sampled: 11/15/23

Completed: 11/17/23

Sampling Method: SOP.T.20.010

PASSED

Nov 17, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

MISC.

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



Terpenes **TESTED**

PASSED



Cannabinoid

Total THC

77.863% Total THC/Container: 778.63 mg



Total CBD 0.163% Total CBD/Container: 1.63 mg



Total Cannabinoids

Extracted by:

Total Cannabinoids/Container: 903.97 mg

		ш									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	1.984	86.522	ND	0.186	ND	0.166	1.496	ND	ND	ND	0.043
mg/unit	19.84	865.22	ND	1.86	ND	1.66	14.96	ND	ND	ND	0.43
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Extraction date 11/15/23 10:31:45

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066398POT Instrument Used : DA-LC-007

Analyzed Date: 11/15/23 10:31:58

Analyzed by: 1665, 585, 4044

Reagent: 111423.R05; 070621.18; 110723.R05 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Weight: 0.0931g

Reviewed On: 11/16/23 12:27:37 Batch Date: 11/15/23 08:34:16

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/17/23



Kaycha Labs

Sweat Helmet Cured SGR 1 g

Sweat Helmet Matrix : Derivative Type: Sugar Wax



Certificate of Analysis

PASSED

FILIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31115003-001 Harvest/Lot ID: ID-SWH-092623-A129

Batch#: 4303 8116 5524

Sampled: 11/15/23 Ordered: 11/15/23 Sample Size Received: 16 gram
Total Amount: 1600 units
Completed: 11/17/23 Expires: 11/1

Completed: 11/17/23 Expires: 11/17/24
Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes	LOD (%)	mg/unit	: %	Result (%)
TOTAL TERPENES	0.007	36.63	3.663		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.08	1.108		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	7.72	0.772		VALENCENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.58	0.358		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	3.40	0.340		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	2.79	0.279		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.78	0.178		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.10	0.110		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	1.01	0.101		Analyzed by: Weight:	E	traction dat	e:	Extracted by:
FENCHYL ALCOHOL	0.007	0.94	0.094		2076, 585, 4044 0.9646g	1	L/15/23 12:1	8:57	2076,3963
BETA-PINENE	0.007	0.84	0.084		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061	A.FL			
BORNEOL	0.013	0.63	0.063		Analytical Batch : DA066403TER Instrument Used : DA-GCMS-008				/17/23 12:38:00 5/23 09:34:11
TOTAL TERPINEOL	0.007	0.59	0.059		Analyzed Date: 11/16/23 17:13:41		Date	n Date : 11/1	3/23 09.34.11
TRANS-NEROLIDOL	0.007	0.47	0.047		Dilution: 10				
CARYOPHYLLENE OXIDE	0.007	0.43	0.043		Reagent: 121622.26				
OCIMENE	0.007	0.27	0.027		Consumables: 210414634; MKCN9995; CE0123; R:	1KB14270			
NEROL	0.007	< 0.20	< 0.020		Pipette: N/A				
ALPHA-TERPINOLENE	0.007	< 0.20	< 0.020		Terpenoid testing is performed utilizing Gas Chromatograp	ony Mass Spectro	metry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
3-CARENE	0.007	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (9/)			2 662						

Total (%)

3.663

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/17/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Sweat Helmet Cured SGR 1 g

Sweat Helmet Matrix : Derivative Type: Sugar Wax



Certificate of Analysis

LOD Units

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31115003-001 Harvest/Lot ID: ID-SWH-092623-A129

Pass/Fail Result

Batch#: 4303 8116 5524

Sampled: 11/15/23 Ordered: 11/15/23 Sample Size Received: 16 gram
Total Amount: 1600 units
Completed: 11/17/23 Expires: 11/17/24
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PAS	SS	Е	
-----	----	---	--

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	L	.OD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0	010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND					0.1	PASS	ND
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PACLOBUTRAZOL			ppm			
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PHOSMET			ppm	0.1	PASS	ND
TOTAL SPINETORAM		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE			ppm	3	PASS	ND
TOTAL SPINOSAD		ppm	0.1	PASS	ND	PRALLETHRIN	0	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		mag	0.1	PASS	ND	PROPICONAZOLE	0	.010	ppm	0.1	PASS	ND
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR	0	.010	ppm	0.1	PASS	ND
ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN	0	.010	ppm	0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN			ppm	0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT			ppm	0.1	PASS	ND
AZOXYSTROBIN		mag	0.1	PASS	ND				ppm	0.1	PASS	ND
BIFENAZATE		mag	0.1	PASS	ND	SPIROXAMINE				0.1		ND
BIFENTHRIN		ppm	0.1	PASS	ND	TEBUCONAZOLE			ppm		PASS	
BOSCALID		ppm	0.1	PASS	ND	THIACLOPRID			ppm	0.1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	THIAMETHOXAM			ppm	0.5	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNE	B) * 0	.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *	0	.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *	0	.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0	.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0	.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		.050		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND				tion date: 23 12:32:07		Extracted 4056	i by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Ga				SOP T 40 101		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	ae.sve,, 501	30120	LII L (DUVIC)	, 501111101202	L (Odinesvine	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066415PES			Reviewed	On:11/16/23	13:08:53	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date	e:11/15/23 10	:11:08	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 111323.R02; 040423.08; 11	1222 001, 11152	0.000	. 110022 00	2. 101022 001	. 111522 001	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	.1323.NU1, 111323	o.NU3,	, 110923.NU	3, 101023.NU1	, 111323.NU1	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is perform	ed utilizing Liquid (Chrom	natography T	riple-Quadrupo	le Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weig			on date:		Extracted	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 4044 0.284	- 3		3 12:32:07		4056	
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Ga	ainesville), SOP.T.:					
MALATHION		ppm	0.2	PASS	ND	Analytical Batch : DA066416VOL Instrument Used : DA-GCMS-010				:11/16/23 11: 11/15/23 10:11		
METALAXYL		ppm	0.1	PASS	ND	Analyzed Date: 11/15/23 16:15:06		Da	Dute :	,,		
METHIOCARB		ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 111323.R02; 040423.08; 10	3123.R19; 103123	3.R20				
MEVINPHOS		ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401						
MYCLOBUTANIL		ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perform accordance with F.S. Rule 64ER20-39.	ed utilizing Gas Ch	romat	tography Trip	ole-Quadrupole	Mass Spectrome	try in
						accordance with r.s. Rule 04ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/17/23



Kaycha Labs

Sweat Helmet Cured SGR 1 g

Sweat Helmet Matrix : Derivative Type: Sugar Wax



Certificate of Analysis

PASSED

FILIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31115003-001 Harvest/Lot ID: ID:SWH-092623-A129

Batch#: 4303 8116 5524

Sampled: 11/15/23 Ordered: 11/15/23 Sample Size Received: 16 gram
Total Amount: 1600 units
Completed: 11/17/23 Expires: 11/17/24
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		E	extracted by:	

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 850, 585, 4044
 0.0269g
 11/16/23 12:01:21
 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA066427SOL Instrument Used: DA-GCMS-003 Analyzed Date: 11/16/23 11:50:28

Dilution: 1 Reagent: 030420.09

Consumables: R2017.099; 172723 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date : 11/15/23 12:26:20

Reviewed On: 11/16/23 13:17:43

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 11/17/23



Kaycha Labs

Sweat Helmet Cured SGR 1 g

Sweat Helmet Matrix : Derivative

Type: Sugar Wax

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31115003-001 Harvest/Lot ID: ID-SWH-092623-A129

Batch#: 4303 8116 5524

Sampled: 11/15/23 Ordered: 11/15/23

Sample Size Received: 16 gram Total Amount : 1600 units Completed: 11/17/23 Expires: 11/17/24

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mvcotoxins

PASSED

Analyte LOD Units Result	t Pass / Fail	Action Level
ASPERGILLUS TERREUS Not Prese	ent PASS	
ASPERGILLUS NIGER Not Prese	ent PASS	
ASPERGILLUS FUMIGATUS Not Prese	ent PASS	
ASPERGILLUS FLAVUS Not Prese	ent PASS	
SALMONELLA SPECIFIC GENE Not Prese	ent PASS	
ECOLI SHIGELLA Not Prese	ent PASS	
TOTAL YEAST AND MOLD 10 CFU/g <10	PASS	100000 3

Analyzed by: Weight: **Extraction date:** Extracted by: 3336, 3621, 585, 4044 11/15/23 11:12:34 1.0562g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA066405MIC

Reviewed On: 11/16/23

16:31:28 Batch Date: 11/15/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block 09:37:35

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 11/15/23 15:12:13

Dilution: 10

Reagent: 083123.115; 083123.134; 102323.R20; 081023.07; 083123.104

Consumables: 7566004024

Pipette: N/A

200	,					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	A	0.002	ppm	ND	PASS	0.02
	_					

Analyzed by: 3379, 585, 4044	Weight: 0.2848g	Extraction da 11/15/23 12:			Extracted 4056	d by:	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AI LATOMIN DI		0.002	ppiii	140		0.02	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066417MYC

Reviewed On: 11/16/23 13:10:50 Instrument Used : N/A Batch Date: 11/15/23 10:12:22

Analyzed Date : N/A

Dilution: 250

Reagent: 111323.R02; 040423.08; 111323.R01; 111523.R03; 110923.R03; 101023.R01;

111523.R01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



1022, 585, 4044

Dilution: 50

Heavy Metals

Analyzed by: 3621, 585, 4044	Weight: 1.0562g	Extraction date: 11/15/23 11:12:34	Extracted by: 3336
Analysis Method: SOP.T. Analytical Batch: DA0664 Instrument Used: Incuba Analyzed Date: 11/15/23	124TYM tor (25-27C) D	Reviewed	On: 11/17/23 11:24:42 te: 11/15/23 11:06:25
Dilution: 10			

Reagent: 083123.115; 083123.134; 101723.R10 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	ANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	< 0.100	PASS	0.5
Analyzed by:	Weight:	Extraction da	te:		Extracted	l hv:

11/15/23 10:02:48

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 11/16/23 11:53:20

0.2738g

Analytical Batch : DA066411HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 11/15/23 11:57:45

Batch Date: 11/15/23 09:49:38

Reagent: 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/17/23



Kaycha Labs

Sweat Helmet Cured SGR 1 g

Sweat Helmet Matrix : Derivative Type: Sugar Wax

Page 6 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31115003-001 Harvest/Lot ID: ID-SWH-092623-A129

Batch#: 4303 8116 5524

Sampled: 11/15/23 Ordered: 11/15/23

Sample Size Received: 16 gram Total Amount: 1600 units Completed: 11/17/23 Expires: 11/17/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA066439FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 11/15/23 20:37:02

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 11/15/23 20:45:26 Batch Date: 11/15/23 20:33:17

Analyte		LOD Units	Result	P/F	Action Level
Water Activity		0.010 aw	0.700	PASS	0.85
Analyzed by: 4371, 585, 4044	Weight: 0.379a	Extraction of		Ex 43	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA066414WAT

Reviewed On: 11/15/23 15:49:33 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 11/15/23 09:56:38

Analyzed Date : N/A Dilution: N/A

Reagent: 113021.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/17/23