

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Primus Cured SGR 1 g

Primus



Matrix: Derivative Type: Sugar Wax

Sample:DA31115003-003

Harvest/Lot ID: 9117 9863 0335 4856 Batch#: 9117 9863 0335 4856

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

> **Source Facility: Tampa Cultivation** Seed to Sale# 2890 0329 1628 4457

> > Batch Date: 09/28/23

Sample Size Received: 16 gram Total Amount: 1371 units Retail Product Size: 1 gram

Ordered: 11/14/23 Sampled: 11/15/23

Completed: 11/17/23

Sampling Method: SOP.T.20.010

PASSED

Nov 17, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6



PRODUCT IMAGE

.

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 774.82 mg

77.482%



Total CBD 0.141% Total CBD/Container: 1.41 mg



Total Cannabinoids

Total Cannabinoids/Container: 899.96 mg



11/15/23 10:31:46

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066398POT Instrument Used : DA-LC-007

Analyzed Date: 11/15/23 10:31:58

Reagent: 111423.R05; 070621.18; 110723.R05 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 11/16/23 12:27:44 Batch Date: 11/15/23 08:34:16

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Primus Cured SGR 1 g

Primus

Matrix : Derivative Type: Sugar Wax



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31115003-003 Harvest/Lot ID: 9117 9863 0335 4856

Batch#: 9117 9863 0335

Sampled: 11/15/23 Ordered: 11/15/23

Sample Size Received: 16 gram Total Amount: 1371 units

Completed: 11/17/23 Expires: 11/17/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	51.11	5.111		VALENCENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	18.34	1.834		ALPHA-CEDRENE		0.007	ND	ND	
LIMONENE	0.007	8.15	0.815		ALPHA-PHELLANDRENE		0.007	ND	ND	
ALPHA-HUMULENE	0.007	7.45	0.745		ALPHA-TERPINENE		0.007	ND	ND	
LINALOOL	0.007	4.90	0.490		ALPHA-TERPINOLENE		0.007	ND	ND	
BETA-MYRCENE	0.007	4.75	0.475		CIS-NEROLIDOL		0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.00	0.400		GAMMA-TERPINENE		0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.90	0.090		TRANS-NEROLIDOL		0.007	ND	ND	
BETA-PINENE	0.007	0.68	0.068		Analyzed by:	Weight:	Ex	traction dat	e:	Extracted by:
TOTAL TERPINEOL	0.007	0.61	0.061		2076, 585, 4044	0.9258g	11	/15/23 12:1	9:19	2076,3963
BORNEOL	0.013	0.51	0.051		Analysis Method: SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
FARNESENE	0.001	0.43	0.043		Analytical Batch : DA066403TER Instrument Used : DA-GCMS-008					/17/23 12:38:04 5/23 09:34:11
ALPHA-PINENE	0.007	0.39	0.039		Analyzed Date: 11/16/23 17:13:41			Datti	Date: II/I	3/23 09.34.11
NEROL	0.007	< 0.20	< 0.020		Dilution: 10					
SABINENE HYDRATE	0.007	< 0.20	< 0.020		Reagent: 121622.26					
3-CARENE	0.007	ND	ND		Consumables: 210414634; MKCN999	5; CE0123; R1KB1	4270			
CAMPHENE	0.007	ND	ND		Pipette : N/A	o Chananta ann bo M	Cb	maker Fee all		to the Tetal Tenance IV is do unight accorded
CAMPHOR	0.007	ND	ND		rerpendid testing is performed utilizing Ga	is Chromatography M	ass Spectro	metry. For all	riower sample	es, the Total Terpenes % is dry-weight corrected.
CARYOPHYLLENE OXIDE	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
Total (9/)			E 111							

Total (%)

5.111

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Primus Cured SGR 1 g

Primus

Matrix : Derivative Type: Sugar Wax



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31115003-003 Harvest/Lot ID: 9117 9863 0335 4856

Pacc/Fail Pocult

Batch#: 9117 9863 0335

Sampled: 11/15/23 Ordered: 11/15/23

Sample Size Received: 16 gram Total Amount : 1371 units Completed: 11/17/23 Expires: 11/17/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

LOD Unite

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	mag	5	PASS	ND	OXAMYL		0.010	nnm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND							
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL SPINETORAM		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD		ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND					0.1	PASS	ND
BIFENAZATE		ppm	0.1	PASS	ND	SPIROXAMINE		0.010				
BIFENTHRIN		ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		mag	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.2882q		tion date: 23 12:32:08		Extracted 4056	i by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101				SOP T 40 101)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	L (Odinesvine), St	3111130120	Lii L (Davie)	, 501111101202	L (Odinesvine	,,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066415PES				On:11/16/23		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003	B (PES)		Batch Date	:11/15/23 10	:11:08	
FENOXYCARB		ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE		ppm	0.1	PASS	ND	Dilution: 250 Reagent: 111323.R02; 040423.	09: 111323 D01: 11	11523 DA3	· 110023 P0	3- 101023 P01	· 111523 D01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	.00, 111323.1101, 11	1323.1103	, 110323.110	J, 101025.N01	, 111323.1101	
FLONICAMID		ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-21	19					
FLUDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents is p		quid Chron	natography T	riple-Quadrupo	le Mass Spectron	netry in
HEXYTHIAZOX		ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20	-39.					
IMAZALIL		ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
IMIDACLOPRID		ppm	0.4	PASS	ND	450, 585, 4044	0.2882g		3 12:32:08) COD T 40 15	4056	
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151 Analytical Batch: DA066416V0				:11/16/23 11:		
MALATHION		ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-010				.1/15/23 10:11		
METALAXYL		ppm	0.1	PASS	ND	Analyzed Date :11/15/23 16:15:				,		
METHIOCARB		ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL		ppm	0.1	PASS	ND	Reagent: 111323.R02; 040423.)3123.R20				
MEVINPHOS		ppm	0.1	PASS	ND	Consumables : 326250IW; 1472						
MYCLOBUTANIL		ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-2:		CI :				
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is p accordance with F.S. Rule 64ER20		as Chromat	tography Trip	ne-Quadrupole	маss Spectrome	try in
						OTELLE						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Primus Cured SGR 1 g

Primus

Matrix : Derivative Type: Sugar Wax



PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31115003-003 Harvest/Lot ID: 9117 9863 0335 4856

Batch#: 9117 9863 0335

Sampled: 11/15/23 Ordered: 11/15/23

Certificate of Analysis

Sample Size Received: 16 gram Total Amount: 1371 units Completed: 11/17/23 Expires: 11/17/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

3	л		6	
_	н	3	Е.	ш
		_	_	

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0211g	Extraction date: 11/16/23 12:01:21		E x 85	ctracted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066427SOL Instrument Used: DA-GCMS-003 Analyzed Date: 11/16/23 11:50:28

Dilution: 1 Reagent: 030420.09

Consumables: R2017.099; 172723 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 11/16/23 13:17:46 Batch Date: 11/15/23 12:26:20

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Primus Cured SGR 1 g

Primus

Matrix : Derivative Type: Sugar Wax



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31115003-003 Harvest/Lot ID: 9117 9863 0335 4856

Batch#: 9117 9863 0335

Sampled: 11/15/23 Ordered: 11/15/23

Sample Size Received: 16 gram Total Amount: 1371 units Completed: 11/17/23 Expires: 11/17/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 11/16/23 13:10:52



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066417MYC

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fai
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction da	to.		Extra
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4044	0.2882g	11/15/23 12:			4056
Analyzed by:	Weight:	Extraction	date:	Extracte	d by:	Analysis Method : SOF	.T.30.101.FL (Gai	nesville), SOP.T.	40.101.FL	(Gainesvi	lle),

Analyzed by: Weight: **Extraction date:** Extracted by: 0.9244g 3336, 3621, 585, 4044 11/15/23 11:12:35

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA066405MIC **Reviewed On:** 11/16/23

Extracted by:

3336

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 11/15/23 Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block 09:37:35

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 11/15/23 15:12:13

Dilution: 10

Reagent: 083123.115; 083123.134; 102323.R20; 081023.07; 083123.104

Consumables: 7566004024

Pipette: N/A

Instrument Used: N/A Analyzed Date: N/A	Batch Date: 11/15/23 10:12:22
Dilution: 250 Reagent: 111323.R02; 040423.08; 111323.R01 111523.R01	; 111523.R03; 110923.R03; 101023.R01;
Consumables : 3262501W Pipette : DA-093; DA-094; DA-219	

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Analytical Batch : DA066424TYM Instrument Used : Incubator (25-27C) DA-097 Reviewed On: 11/17/23 11:24:43 Batch Date: 11/15/23 11:06:25

Extraction date

Analyzed Date : 11/15/23 12:18:06 Dilution: 10

Reagent: 083123.115; 083123.134; 101723.R10 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	< 0.100	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2832g	Extraction da 11/15/23 10:		Extracted by: 1022		

Batch Date: 11/15/23 09:49:38

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 11/16/23 11:53:23

Analytical Batch : DA066411HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 11/15/23 11:57:45

Dilution: 50 Reagent: 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Primus Cured SGR 1 g

Primus

Matrix : Derivative Type: Sugar Wax



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31115003-003 Harvest/Lot ID: 9117 9863 0335 4856

Batch#: 9117 9863 0335

Sampled: 11/15/23 Ordered: 11/15/23

Sample Size Received: 16 gram Total Amount: 1371 units Completed: 11/17/23 Expires: 11/17/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 4044 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA066439FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 11/15/23 20:45:24 Batch Date: 11/15/23 20:33:17

Analyzed Date: 11/15/23 20:37:02

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.483	P/F PASS	Action Level 0.85
Analyzed by: 4371, 585, 4044	Weight: 0.513g		traction d /15/23 12		Ex : 43	tracted by:

Analysis Method: SOP.T.40.019 **Reviewed On:** 11/15/23 15:49:35 Analytical Batch: DA066414WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 11/15/23 09:56:38

Analyzed Date : N/A Dilution: N/A Reagent: 113021.09 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Signature

11/17/23

Testing 97164