

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Oil Tanker Cured SGR 1 g Oil Tanker

Matrix: Derivative Type: Distillate

Sample:DA31116004-002 Harvest/Lot ID: 5380 2279 5531 9100

Batch#: 5380 2279 5531 9100

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation

Seed to Sale# 1095 4333 8193 4543

Batch Date: 10/12/23 Sample Size Received: 16 gram

Total Amount: 2570 units Retail Product Size: 1 gram

Ordered: 11/15/23 Sampled: 11/16/23

Completed: 11/18/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Nov 18, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes **TESTED**

PASSED



Cannabinoid

Total THC

80.316% Total THC/Container: 803.16 mg



Total CBD 0.148%

Total CBD/Container: 1.48 mg



Total Cannabinoids

Total Cannabinoids/Container: 933.05 mg

		•									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
2/	1.909	89.404	ND	0.169	ND	0.169	1.562	ND	ND	ND	0.092
%											
% mg/unit	19.09	894.04	ND	1.69	ND	1.69	15.62	ND	ND	ND	0.92
	19.09 0.001	894.04 0.001	ND 0.001	1.69 0.001	ND 0.001	1.69 0.001	15.62 0.001	ND 0.001	ND 0.001	ND 0.001	0.92 0.001

Extracted by: 11/16/23 12:36:17

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066452POT Instrument Used : DA-LC-007

Analyzed Date: 11/16/23 12:37:06

Reagent: 111423.R05; 070121.27; 110723.R05 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 11/17/23 10:11:08 Batch Date: 11/16/23 09:26:34

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Oil Tanker Cured SGR 1 g

Oil Tanker Matrix : Derivative

Type: Distillate

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31116004-002 Harvest/Lot ID: 5380 2279 5531 9100

Batch#: 5380 2279 5531

Sampled: 11/16/23 **Ordered:** 11/16/23

Sample Size Received: 16 gram Total Amount: 2570 units

Completed: 11/18/23 Expires: 11/18/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	38.60	3.860		VALENCENE		0.007	ND	ND	
LIMONENE	0.007	7.90	0.790		ALPHA-CEDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.18	0.718		ALPHA-PHELLANDRENE		0.007	ND	ND	
LINALOOL	0.007	6.89	0.689		ALPHA-TERPINENE		0.007	ND	ND	
BETA-MYRCENE	0.007	6.53	0.653		ALPHA-TERPINOLENE		0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.56	0.256		CIS-NEROLIDOL		0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.34	0.234		GAMMA-TERPINENE		0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.55	0.155		TRANS-NEROLIDOL		0.007	ND	ND	
TOTAL TERPINEOL	0.007	1.21	0.121		Analyzed by:	Weight:		Extraction da		Extracted by:
BETA-PINENE	0.007	0.74	0.074		2076, 585, 1440	0.957g		11/16/23 15:	58:48	3963
BORNEOL	0.013	0.61	0.061		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL				
ALPHA-PINENE	0.007	0.32	0.032		Analytical Batch : DA066459TER Instrument Used : DA-GCMS-008					/18/23 15:25:54 6/23 10:22:46
CARYOPHYLLENE OXIDE	0.007	0.27	0.027		Analyzed Date: 11/17/23 10:07:41			battr	1 Date : 11/1	0/23 10.22.40
GERANIOL	0.007	0.26	0.026		Dilution: 10					
FARNESENE	0.001	0.24	0.024		Reagent: 121622.26					
CAMPHOR	0.007	< 0.60	< 0.060		Consumables: 210414634; MKCN9995 Pipette: N/A	; CE0123; R1KB1	4270			
ISOPULEGOL	0.007	< 0.20	< 0.020			Character annulus M	Cb-	to: Car all		es, the Total Terpenes % is dry-weight corrected.
3-CARENE	0.007	ND	ND		respendid testing is performed utilizing das	Ciromatography M	ass specin	onietry, ror an	riower sampi	es, the rotal respenses % is dry-weight corrected.
CAMPHENE	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
Total (9/)			2 960							

Total (%)

3.860

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/18/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Oil Tanker Cured SGR 1 g

Oil Tanker

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31116004-002 Harvest/Lot ID: 5380 2279 5531 9100

Batch#: 5380 2279 5531

Sampled: 11/16/23 Ordered: 11/16/23 Sample Size Received: 16 gram
Total Amount: 2570 units

Completed: 11/18/23 Expires: 11/18/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	1.1.	0.1	PASS	ND					0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010				
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	F F	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	1.1.	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
SCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND			0.010		0.1	PASS	ND
RBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *					
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
PENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	hw
IETHOATE	0.010	ppm	0.1	PASS	ND	585, 3379, 1440	0.2631q		3 17:40:31		450.585	Dy:
IOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1). SOP.T.40.10		.).
PFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)	E (Odinesvine	,, _000.10	(50010	,, _ 5	(000541110	"
DXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066473				On:11/18/23		
IHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-(Batch Dat	e:11/16/23 11	:31:05	
IOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/17/23 15:	31:21					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250	22 00: 111222 001	. 111522 002	110022 04	101022 00	. 111522 001	
RONIL	0.010	ppm	0.1	PASS	ND	Reagent: 111323.R02; 0404: Consumables: 326250IW	23.00; 111323.KU	L, 111323.KU3	, ±10925.Kl	, 101023.KU.	L, 111323.KU1	
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA	-219					
JDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents i		a Liauid Chrom	natography ¹	Friple-Ouadrupo	le Mass Spectro	metry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER			.5 .1. 9			. ,
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted	by:
DACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2631g	11/16/23			450,585	
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.1						
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA066474				:11/17/23 10:		
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS- Analyzed Date : 11/16/23 17:		Ва	itch Date :	11/16/23 11:34	00:	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	21.03					
гномуц	0.010	ppm	0.1	PASS	ND	Reagent: 111323.R02; 0404	23 08: 103122 010	a. 103123 p20				
VINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14		,, 10J1ZJ.NZU				
CLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA						
		ppm	0.25	PASS	ND	Testing for agricultural agents i		a Cas Chromat	o aranhu Tri	nla Ouadrunala	Macc Coastrons	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Oil Tanker Cured SGR 1 g

Oil Tanker Matrix : Derivative



Type: Distillate

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31116004-002 Harvest/Lot ID: 5380 2279 5531 9100

Batch#:5380 2279 5531

Sampled: 11/16/23 Ordered: 11/16/23

Sample Size Received: 16 gram Total Amount: 2570 units

Completed: 11/18/23 Expires: 11/18/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0278g	Extraction date: 11/17/23 11:52:21		Ex 85	tracted by: 0

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066486SOL Instrument Used: DA-GCMS-003

Analyzed Date: 11/16/23 15:05:56

Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$ Consumables: N/A Pipette : N/A

Reviewed On: 11/17/23 13:33:04 Batch Date: 11/16/23 14:58:58

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Oil Tanker Cured SGR 1 g

Oil Tanker

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31116004-002 Harvest/Lot ID: 5380 2279 5531 9100

Batch#:5380 2279 5531

Sampled: 11/16/23 Ordered: 11/16/23

Sample Size Received: 16 gram Total Amount : 2570 units Completed: 11/18/23 Expires: 11/18/24 Sample Method: SOP.T.20.010

Page 5 of 6

ppm

ppm

ppm

ppm

ppm

Reviewed On: 11/18/23 13:09:53

Batch Date: 11/16/23 16:18:00

LOD

0.002

0.002

0.002

0.002

0.002

11/16/23 17:40:31

Extraction date:



Microbial

PASSED



Mycotoxins

Weight:

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066491MYC

Analyzed Date: 11/17/23 15:31:15

Instrument Used: N/A

Dilution: 250

111523.R01

0.2631g

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,585

Extracted by:

Result

ND

ND

ND

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	585, 3379, 1440

Analyzed by: 3621, 3390, 585, 1440 Weight: **Extraction date:** Extracted by: 11/16/23 11:03:10 3336,3621 1.013g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA066445MIC **Reviewed On:** 11/17/23

Fxtracted by:

3336,3621

Batch Date: 11/16/23 Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block 08:40:57

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Weight:

1.013g

Analyzed Date: 11/16/23 13:45:56

Dilution: N/A

Reagent: 083123.134; 102323.R20; 081023.07; 083123.104

Consumables: 7566004030

Analyzed by: 3621, 3336, 585, 1440

Pipette: N/A

F	Mycotoxins testi	3; DA-094; DA-219 ing utilizing Liquid Chromatography with Triple-Qu	uadrupole Mass Spectrometry in
-	Hg	Heavy Metals	PASSED

Reagent: 111323.R02; 040423.08; 111323.R01; 111523.R03; 110923.R03; 101023.R01;

Analysis Method: SOP.T.40.208 (Gainesville), SOR	P.T.40.209.FL
Analytical Batch : DA066477TYM	Reviewed On: 11/18/23 15:13:26
Instrument Used : Incubator (25-27C) DA-096	Batch Date: 11/16/23 11:42:47
Applymed Date : 11/16/22 14:06:29	

Extraction date 11/16/23 11:03:10

Dilution: N/A

Reagent: 083123.134; 101723.R10 Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		I	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAL	s (0.080	ppm	ND	PASS	1.1
ARSENIC		(0.020	ppm	ND	PASS	0.2
CADMIUM			0.020	ppm	ND	PASS	0.2
MERCURY			0.020	ppm	ND	PASS	0.2
LEAD		(0.020	ppm	< 0.100	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2953g	Extraction date: 11/16/23 14:05:56			Extracted by: 1022,4306		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA066461HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 11/16/23 14:40:30

Reviewed On: 11/17/23 11:08:16 Batch Date: 11/16/23 10:24:55

Dilution: 50

Reagent: 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Oil Tanker Cured SGR 1 g

Oil Tanker

Matrix : Derivative Type: Distillate

Page 6 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31116004-002 Harvest/Lot ID: 5380 2279 5531 9100

Batch#:5380 2279 5531

Sampled: 11/16/23 Ordered: 11/16/23

Sample Size Received: 16 gram Total Amount: 2570 units Completed: 11/18/23 Expires: 11/18/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA066493FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 11/16/23 20:02:31 Batch Date: 11/16/23 19:32:09

Analyzed Date : 11/16/23 19:54:42

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD 0.010	Units	Result	P/F	Action Level
Water Activity		aw	0.483	PASS	0.85
Analyzed by: 4371, 4056, 585, 1440	Weight: 0.771g	Extraction 11/16/23	on date: 3 16:48:36		tracted by: 71,4056

Analysis Method: SOP.T.40.019 Analytical Batch: DA066457WAT

Reviewed On: 11/16/23 17:24:54 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 11/16/23 09:40:55

Analyzed Date: 11/16/23 15:23:49

Dilution: N/A Reagent: 113021.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164