

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

FTH-Grape Gas WF 3.5g (1/8oz) FTH-Grape Gas

Matrix: Flower Type: Flower-Cured

Sample:DA31121005-001 Harvest/Lot ID: HYB-GG-111623-C0116

Batch#: 9297 8066 6907 5044

Cultivation Facility: Zolfo Springs Cultivation Processing Facility: Zolfo Springs

Processing

Source Facility: Zolfo Springs Cultivation

Seed to Sale# 1824 6155 6259 8026

Batch Date: 10/09/23

Sample Size Received: 31.5 units

Total Amount: 1865 units Retail Product Size: 3.5 gram

> Ordered: 11/20/23 Sampled: 11/21/23 Completed: 11/24/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

PRODUCT IMAGE SAFETY RESULTS

Nov 24, 2023 | FLUENT



82 NE 26th street Miami, FL, 33137, US







PASSED



PASSED

PASSED



Residuals Solvents



PASSED



Water Activity **PASSED**



PASSED



MISC.

TESTED

PASSED



Cannabinoid

Total THC



Total CBD



Total Cannabinoids

Total THC

Dry Weight



Reviewed On: 11/22/23 14:19:47

Batch Date: 11/21/23 09:22:54

Analyzed by: 3335, 1665, 585, 1440 11/21/23 11:00:59

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA066623POT

Instrument Used: DA-LC-002 Analyzed Date: 11/21/23 11:11:07

Dilution: 400 Reagent: 111423.R05; 070121.27; 110723.R05

Consumables: 947.109; 280670723; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

FTH-Grape Gas WF 3.5g (1/8oz)

FTH-Grape Gas Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31121005-001 Harvest/Lot ID: HYB-GG-111623-C0116

Batch#: 9297 8066 6907

Sampled: 11/21/23 Ordered: 11/21/23

Sample Size Received: 31.5 units Total Amount: 1865 units

Completed: 11/24/23 Expires: 11/24/24 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	46.34	1.324			VALENCENE		0.007	ND	ND	
BETA-MYRCENE	0.007	10.96	0.313			ALPHA-CEDRENE		0.007	ND	ND	
IMONENE	0.007	8.40	0.240			ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.88	0.225			ALPHA-TERPINENE		0.007	ND	ND	
INALOOL	0.007	7.28	0.208			ALPHA-TERPINOLENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	2.49	0.071			CIS-NEROLIDOL		0.007	ND	ND	
ETA-PINENE	0.007	1.16	0.033			GAMMA-TERPINENE		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.74	0.021		Ï	TRANS-NEROLIDOL		0.007	ND	ND	
LPHA-PINENE	0.007	0.74	0.021		Ì	Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
LPHA-BISABOLOL	0.007	0.70	0.020		Ì	2076, 585, 1440	0.9022g		11/21/23 15	:38:58	2076
ARYOPHYLLENE OXIDE	0.007	< 0.70	< 0.020		ì	Analysis Method : SOP.T.30.061A.FL, SC	DP.T.40.061A.FL				
GERANIOL	0.007	< 0.70	< 0.020			Analytical Batch : DA066630TER Instrument Used : DA-GCMS-009					/24/23 11:32:35 1/23 09:57:20
OTAL TERPINEOL	0.007	< 0.70	< 0.020			Analyzed Date: 11/21/23 15:40:28			Batch	Date: 11/2	1/23 03.37.20
-CARENE	0.007	ND	ND			Dilution: 10					
ORNEOL	0.013	ND	ND		ĺ	Reagent: 121622.26					
AMPHENE	0.007	ND	ND			Consumables: 210414634; MKCN9995;	CE0123; R1KB14	270			
AMPHOR	0.007	ND	ND			Pipette : N/A					es, the Total Terpenes % is dry-weight corrected.
EDROL	0.007	ND	ND			rerpendid testing is performed utilizing Gas (Chromatography Ma	ss spectro	ometry. For all I	riower sampie	s, the Total Terpenes % is dry-weight corrected.
UCALYPTOL	0.007	ND	ND								
ARNESENE	0.001	ND	ND								
ENCHONE	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
ntal (%)			1.324								

Total (%)

1.324

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FTH-Grape Gas WF 3.5g (1/8oz)

FTH-Grape Gas Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA31121005-001 Harvest/Lot ID: HYB-GG-111623-C0116

Batch#: 9297 8066 6907

5044 Sampled: 11/21/23 Ordered: 11/21/23 Sample Size Received: 31.5 units
Total Amount: 1865 units
Completed: 11/24/23 Expires: 11/24/24
Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN			ppm	0.1	PASS	ND
TAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE			ppm	0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND				mag	0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR			1.1.			
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN			ppm	0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN			ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0,010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN			ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		NE (DOND) +	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) ↑				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
DFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Evtrac	tion date:		Extracte	d by:
METHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	1.0179q		23 14:43:57		3379	u by.
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1				SOP.T.40.101).
DFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066642				n:11/22/23		
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-(Batch Date	:11/21/23 10	:29:33	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date: 11/21/23 14:	47:26					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250	D12. 111522 D01.	111522 002	. 112022 020	. 111522 002	. 111222 002.	111722 00/
PRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 040423.08; 112122 Consumables: 326250IW	3.K13; 111323.KU1;	111323.KU2	; 112023.R20); 111525.RU3); 111323.KU2;	111/23.RU
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette: N/A						
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents i	s performed utilizing	Liquid Chror	natography Tr	inle-Quadrupo	le Mass Spectro	metry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER		1				,
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	l by:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.0179g		3 14:43:57		3379	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1						
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA066644				11/22/23 22:		
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS- Analyzed Date : 11/21/23 16:		В	atcn pate : 1	1/21/23 10:31	:34	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	03.43					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 111323.R02; 0404	23 08· 103123 R19·	103123 R20	1			
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14		103113.1121	,			
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA	-218					
ALED	0.010	nnm	0.25	PASS	ND	Testing for agricultural agents i	s nerformed utilizing	Gas Chroma	tography Trip	e-Ouadrunole	Macc Spectrome	stry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FTH-Grape Gas WF 3.5g (1/8oz)

FTH-Grape Gas Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31121005-001 Harvest/Lot ID: HYB-GG-111623-C0116

Batch#: 9297 8066 6907

Sampled: 11/21/23 Ordered: 11/21/23

Sample Size Received: 31.5 units Total Amount: 1865 units Completed: 11/24/23 Expires: 11/24/24 Sample Method: SOP.T.20.010

Page 4 of 5

Reviewed On: 11/22/23 13:55:57

Batch Date: 11/21/23 10:31:32



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066643MYC

Analyzed Date: 11/21/23 14:48:21

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Consumables: 326250IW

040423.08

PASSED

Action Level 0.02 0.02 0.02 0.02 0.02

Analyte	١	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Act Lev
SALMONELLA SPECIFIC GEN	E			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER				Not Present	PASS		Analyzed by:	Weight:	Extraction da	ite:		Extracted	l hv
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	3379, 585, 1440	1.0179g	11/21/23 14:			3379	ı Dy.
Analyzed by:	Weight:		Extraction da	ate:	Extracted	by:	Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					ille),	

Analyzed by: Weight: **Extraction date:** Extracted by: 3336, 3390, 585, 1440 11/21/23 12:37:10 1.1539g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA066627MIC

Reviewed On: 11/24/23

Batch Date: 11/21/23

Fxtracted by:

3336,3390

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block 09:51:11

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 11/21/23 16:52:21

Reagent: 083123.129; 083123.134; 102323.R20; 081023.07; 083123.104

Weight:

1.1539g

Consumables: 7566004015; 7566004031; 7568001031

Pipette: N/A

Analyzed by: 3336, 3963, 585, 1440

	ting utilizing Liquid Chromatography with Triple-Qua h F.S. Rule 64ER20-39.	drupole Mass Spectrometry in
Hg	Heavy Metals	PASSED

Dilution: 250
Reagent: 112023.R20; 111523.R03; 111323.R02; 111723.R06; 101023.R01; 111523.R01;

Analysis Method: SOP.T.40.208 (Gainesville), SO	P.T.40.209.FL
Analytical Batch : DA066649TYM	Reviewed On: 11/24/23 12:46:34
Instrument Used : Incubator (25-27C) DA-096	Batch Date: 11/21/23 10:59:48
Analyzed Date : 11/22/23 10:13:15	

Extraction date

11/21/23 12:37:10

Dilution: N/A Reagent: 083123.129; 083123.134; 101723.R10 Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal			LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAI	LS	0.080	ppm	ND	PASS	1.1
ARSENIC			0.020	ppm	ND	PASS	0.2
CADMIUM			0.020	ppm	ND	PASS	0.2
MERCURY			0.020	ppm	ND	PASS	0.2
LEAD			0.020	ppm	ND	PASS	0.5
. , ,			Extraction date: 11/21/23 12:01:33			tracted b 022,4306	y:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 11/22/23 13:48:03

Analytical Batch : DA066646HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 11/22/23 12:23:12

Reagent: 102723.R12; 111723.R17; 111623.R11; 111723.R15; 111723.R16; 112023.R22; 110123.49; 111023.R06

Batch Date: 11/21/23 10:34:51

Dilution: 50

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FTH-Grape Gas WF 3.5g (1/8oz)

FTH-Grape Gas Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31121005-001 Harvest/Lot ID: HYB-GG-111623-C0116

Batch#: 9297 8066 6907

5044 Sampled: 11/21/23 Ordered: 11/21/23

Sample Size Received: 31.5 units Total Amount: 1865 units

Completed: 11/24/23 Expires: 11/24/24 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	. ,		LOD	Units	Result	P/F	Action Level	
Filth and Foreign	Filth and Foreign Material 0.100 %) %	ND	PASS	1	Moisture Content		1.00	%	13.00	PASS	15	
Analyzed by: 1879, 1440	Weight: NA	_	extraction o	late:	Extra N/A	cted by:	Analyzed by: 4371, 585, 1440	Weight: 0.523g		xtraction o 1/21/23 16			tracted by: 371	
Analysis Method: SC Analytical Batch: DA Instrument Used: Fi Analyzed Date: 11/2	A066703FIL lth/Foreign Mate	Reviewed On: 11/23/23 13:04:53 terial Microscope Batch Date: 11/22/23 18:58:15					Analysis Method: SOP.T.40.021 Analytical Batch: DA066633MOI Instrument Used: DA-003 Moisture Analyzer Analyzed Date: N/A Reviewed On: 11/22/23 14:19:4 Batch Date: 11/21/23 10:10:06							
Dilution: N/A Reagent: N/A Consumables: N/A							Dilution: N/A Reagent: 031523.19; 0 Consumables: N/A Pinette: DA-066	20123.02						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.568	PASS	0.65
Analyzed by: 4371, 585, 1440	Weight: 1.228g		traction d /21/23 16		Ex 43	tracted by: 71
Analysis Method : SOF Analytical Batch : DAO				Reviewed Or	ı: 11/22/2	3 14:19:49

Analytical Batch: DA066625WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : N/A

Batch Date: 11/21/23 09:49:04

Dilution: N/A Reagent: 113021.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha