



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31122002-003
Harvest/Lot ID: 9337 1064 7642 2243
Batch#: 9337 1064 7642 2243
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 2497 6503 4688 1610
Batch Date: 08/24/23
Sample Size Received: 67.5 gram
Total Amount: 1347 units
Retail Product Size: 11.25 gram
Ordered: 11/21/23
Sampled: 11/22/23
Completed: 11/25/23
Sampling Method: SOP.T.20.010

Nov 25, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

4.054%

Total THC/Container : 456.08 mg



Total CBD

0.011%

Total CBD/Container : 1.24 mg



Total Cannabinoids

4.275%

Total Cannabinoids/Container : 480.94 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 4.049 | 0.006 | 0.011 | ND | 0.009 | 0.101 | ND | 0.042 | 0.028 | ND | 0.029 |
| mg/unit | 455.51 | 0.68 | 1.24 | ND | 1.01 | 11.36 | ND | 4.73 | 3.15 | ND | 3.26 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 4044

Weight:
3.0332g

Extraction date:
11/22/23 14:39:49

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA066675POT
Instrument Used : DA-LC-007
Analyzed Date : 11/22/23 14:40:44

Reviewed On : 11/24/23 20:01:36
Batch Date : 11/22/23 12:43:33

Dilution : 400
Reagent : 070121.27; 112223.R27; 110723.R03
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
11/25/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

OG Kush Drops 11.25g
OG Kush
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122002-003

Harvest/Lot ID: 9337 1064 7642 2243

Batch# : 9337 1064 7642
2243

Sample Size Received : 67.5 gram

Total Amount : 1347 units

Completed : 11/25/23 Expires: 11/25/24

Ordered : 11/22/23

Sample Size Received : 67.5 gram

Total Amount : 1347 units

Completed : 11/25/23 Expires: 11/25/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|--------|------------|--|---------|-------------------|---------------------------------|------------|
| TOTAL TERPENES | 0.007 | 64.69 | 0.575 | | ISOBORNEOL | 0.007 | ND | ND | |
| ALPHA-TERPINOLENE | 0.007 | 7.88 | 0.070 | | ISOPULEGOL | 0.007 | ND | ND | |
| ALPHA-CEDRENE | 0.007 | 6.86 | 0.061 | | PULEGONE | 0.007 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 5.63 | 0.050 | | SABINENE | 0.007 | ND | ND | |
| CIS-NEROLIDOL | 0.007 | 5.63 | 0.050 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| NEROL | 0.007 | 5.40 | 0.048 | | VALENENE | 0.007 | ND | ND | |
| GUAIOL | 0.007 | 4.95 | 0.044 | | ALPHA-BISABOLOL | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 4.95 | 0.044 | | TRANS-NEROLIDOL | 0.007 | ND | ND | |
| OCIMENE | 0.007 | 4.73 | 0.042 | | | | | | |
| ALPHA-HUMULENE | 0.007 | 4.05 | 0.036 | | Analysis by: | Weight: | Extraction date: | Extracted by: | |
| LIMONENE | 0.007 | 3.04 | 0.027 | | 2076, 585, 4044 | 0.9848g | 11/22/23 16:24:37 | 2076 | |
| BETA-MYRCENE | 0.007 | 3.04 | 0.027 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| TOTAL TERPINEOL | 0.007 | 2.81 | 0.025 | | Analytical Batch : DA066670TER | | | Reviewed On : 11/25/23 13:09:02 | |
| LINALOOL | 0.007 | 2.59 | 0.023 | | Instrument Used : DA-GCMS-004 | | | Batch Date : 11/22/23 12:35:01 | |
| GAMMA-TERPINENE | 0.007 | 2.36 | 0.021 | | Analyzed Date : 11/22/23 18:40:25 | | | | |
| FARNESENE | 0.001 | 0.79 | 0.007 | | Dilution : 10 | | | | |
| 3-CARENE | 0.007 | <2.25 | <0.020 | | Reagent : 121622.26 | | | | |
| ALPHA-PHELLANDRENE | 0.007 | <2.25 | <0.020 | | Consumables : 210414634; MKCN9995; CE0123; R1KB14270 | | | | |
| ALPHA-PINENE | 0.007 | <2.25 | <0.020 | | Pipette : N/A | | | | |
| ALPHA-TERPINENE | 0.007 | <2.25 | <0.020 | | | | | | |
| BETA-PINENE | 0.007 | <2.25 | <0.020 | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| CAMPHENE | 0.007 | ND | ND | | | | | | |
| CAMPHOR | 0.007 | ND | ND | | | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |

Total (%) 0.575

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/25/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

OG Kush Drops 11.25g

OG Kush

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122002-003

Harvest/Lot ID: 9337 1064 7642 2243

Batch# : 9337 1064 7642
2243

Sampled : 11/22/23

Ordered : 11/22/23

Sample Size Received : 67.5 gram

Total Amount : 1347 units

Completed : 11/25/23 Expires: 11/25/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|-------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.070 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analyzed by: 3379, 585, 4044 | Weight: 0.2104g | Extraction date: 11/22/23 18:01:56 | Extracted by: 4056,3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA066681PES | | Reviewed On : 11/25/23 12:56:24 | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date : 11/22/23 14:20:32 | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 11/22/23 19:31:01 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Reagent : 112223.R13; 040423.08; 112023.R20; 111523.R03; 111723.R06; 112123.R13; 112223.R11 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | Analyzed by: 450, 585, 4044 | Weight: 0.2104g | Extraction date: 11/22/23 18:01:56 | Extracted by: 4056,3379 | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | Analytical Batch : DA066682VOL | | Reviewed On : 11/25/23 12:54:23 | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-010 | | Batch Date : 11/22/23 14:21:18 | | | |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | Analyzed Date : 11/22/23 20:34:26 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | Reagent : 112223.R13; 040423.08; 103123.R19; 103123.R20 | | | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/25/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31122002-003

Harvest/Lot ID: 9337 1064 7642 2243

 Batch# : 9337 1064 7642
 2243

Sampled : 11/22/23

Ordered : 11/22/23

Sample Size Received : 67.5 gram

Total Amount : 1347 units

Completed : 11/25/23 Expires: 11/25/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| ETHANOL | 500.000 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0203g

 Extraction date:
 11/22/23 17:01:32

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA066691SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 11/22/23 17:01:50

 Reviewed On : 11/25/23 12:51:10
 Batch Date : 11/22/23 15:44:50

 Dilution : 1
 Reagent : N/A
 Consumables : R2017.099; 172723
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

OG Kush Drops 11.25g
OG Kush
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis


PASSED


FLUENT


82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122002-003
Harvest/Lot ID: 9337 1064 7642 2243
Batch# : 9337 1064 7642
Sample Size Received : 67.5 gram
Total Amount : 1347 units
Completed : 11/25/23 Expires: 11/25/24
Sample Method : SOP.T.20.010
Ordered : 11/22/23

Page 5 of 6

| | | | | | |
|--|------------------|------------------------------------|--------------------|---------------------------------|--------------------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | Weight: 0.9436g | Extraction date: 11/22/23 14:42:11 | Extracted by: 3336 | Reviewed On : 11/25/23 13:36:57 | Batch Date : 11/22/23 08:32:39 |
| Analytical Batch : DA066654MIC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 | | | | | |
| Analysis Date : 11/22/23 17:00:53 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 083123.111; 101123.12; 102323.R20; 081023.07; 083123.104 | | | | | |
| Consumables : 7568001004 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | Weight: 0.9436g | Extraction date: 11/22/23 14:42:11 | Extracted by: 3336 | Reviewed On : 11/24/23 20:01:39 | Batch Date : 11/22/23 08:33:29 |
| Analytical Batch : DA066655TYM | | | | | |
| Instrument Used : Incubator (25-27C) DA-096 | | | | | |
| Analysis Date : 11/22/23 17:00:24 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 083123.111; 101123.12; 101723.R10 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|-------------------|------------------------------------|-------------------------|---------------------------------|--------------------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analysis by: 3379, 585, 4044 | Weight: 0.2104g | Extraction date: 11/22/23 18:01:56 | Extracted by: 4056,3379 | | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | Reviewed On : 11/24/23 19:59:25 | Batch Date : 11/22/23 14:21:41 |
| Analytical Batch : DA066683MYC | | | | | |
| Instrument Used : N/A | | | | | |
| Analysis Date : 11/22/23 19:31:34 | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 112223.R13; 040423.08; 112023.R20; 111523.R03; 111723.R06; 112123.R13; 112223.R11 | | | | | |
| Consumables : 326250IW | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|---------------------|------------------------------------|--------------------|---------------------------------|--------------------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | ND | PASS | 3 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analysis by: 1022, 585, 4044 | Weight: 0.2478g | Extraction date: 11/22/23 13:57:57 | Extracted by: 1022 | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | Reviewed On : 11/24/23 19:43:43 | Batch Date : 11/22/23 12:30:49 |
| Analytical Batch : DA066668HEA | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | |
| Analysis Date : 11/22/23 19:30:43 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 102723.R12; 111723.R17; 111623.R11; 111723.R15; 111723.R16; 112023.R22; 110123.49; 111023.R06 | | | | | |
| Consumables : 179436; 210508058; 12594-247CD-247C | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/25/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

OG Kush Drops 11.25g
OG Kush
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122002-003

Harvest/Lot ID: 9337 1064 7642 2243

Batch# : 9337 1064 7642
2243

Sampled : 11/22/23

Ordered : 11/22/23

Sample Size Received : 67.5 gram

Total Amount : 1347 units

Completed : 11/25/23 Expires: 11/25/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 4044 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA066704FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/23/23 12:50:10

Reviewed On : 11/23/23 13:23:45

Batch Date : 11/22/23 19:43:14

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|--------|--------------|
| Water Activity | 0.010 | aw | 0.542 | TESTED | |

| | | | |
|---------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by: 4371, 585, 4044 | Weight: 0.495g | Extraction date: 11/22/23 14:17:03 | Extracted by: 4371 |
|---------------------------------|-------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA066678WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 11/24/23 20:01:38

Batch Date : 11/22/23 12:53:41

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/25/23