

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

..... Communion Cartridge Concentrate 0.5g Communion Matrix: Derivative Type: Distillate



Sample:DA31129002-010 Harvest/Lot ID: 2109 6867 4685 7423 Batch#: 2109 6867 4685 7423 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 1634 2551 6864 3719 Batch Date: 09/25/23 Sample Size Received: 15.5 gram Total Amount: 1884 units Retail Product Size: 0.5 gram Ordered: 11/28/23 Sampled: 11/29/23 Completed: 12/01/23 Sampling Method: SOP.T.20.010

Dec 01, 2023 | FLUENT 82 NE 26th street

SAFETY RESULTS

Pesticides

PASSED

Miami, FL, 33137, US

PRODUCT IMAGE

ംറ

Ha

Heavy Metals

PASSED

Microbials

PASSED



Residuals Solvents

PASSED







Pages 1 of 6



PASSED



MISC.

Terpenes

TESTED

	3 87	THC 1.834 THC/Container) 0.	al CBD 1829 CBD/Container) 91	Cannabinoid 5089 nnabinoids/Cor	6	
% ng/unit .OD	рэ-тнс 87.658 438.29 0.001	THCA 0.201 1.01 0.001	CBD 0.182 0.91 0.001	CBDA ND ND 0,001	D8-THC 0.216 1.08 0.001	свс 1.471 7.36 0.001	CBGA ND ND 0.001	CBN 0.865 4.33 0.001	тнсу 0.424 2.12 0.001	CBDV ND ND 0.001	свс 0.491 2.46 0.001	
	%	%	%	%	%	%	%	%	%	%	%	
alyzed by: 35, 3605, 585,	, 4044			Weight: 0.1032g		Extraction date: 11/29/23 11:57:2		Extracted by: 3335				
alytical Batch strument Used	: SOP.T.40.031, SOP.T.400, SOP.T.40, SOP.T.40, SOP.T.400, SOP.	DP.T.30.031				Reviewed On : 12 Batch Date : 11/2						

Mycotoxins

PASSED

Consumables : 947.109: CE0123: 12594-247CD-247C: R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/01/23



Communion Cartridge Concentrate 0.5g Communion Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA31129002-010

 Harvest/Lot ID: 2109 6867 4685
 7423

 Batch# : 2109 6867 4685
 Sample

 7423
 Total And

Sampled : 11/29/23 Ordered : 11/29/23 Sample Size Received : 15.5 gram Total Amount : 1884 units Completed : 12/01/23 Expires: 12/01/24 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	13.69	2.737			GERANYL ACETATE		0.007	ND	ND	
LPHA-TERPINOLENE	0.007	3.83	0.766			ISOBORNEOL		0.007	ND	ND	
BETA-MYRCENE	0.007	2.00	0.399			NEROL		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.91	0.182			PULEGONE		0.007	ND	ND	
IMONENE	0.007	0.71	0.142			SABINENE		0.007	ND	ND	
ETA-PINENE	0.007	0.57	0.114			VALENCENE		0.007	ND	ND	
ORNEOL	0.013	0.52	0.104			ALPHA-CEDRENE		0.007	ND	ND	
INALOOL	0.007	0.47	0.094			CIS-NEROLIDOL		0.007	ND	ND	
ALPHA-PINENE	0.007	0.42	0.083			Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
ALPHA-HUMULENE	0.007	0.41	0.082			2076, 585, 4044	0.8472g		11/29/23 14	36:11	2076
LPHA-PHELLANDRENE	0.007	0.37	0.074			Analysis Method : SOP.T.30.061A.FL, SC	DP.T.40.061A.FL				
ENCHYL ALCOHOL	0.007	0.37	0.073			Analytical Batch : DA066846TER Instrument Used : DA-GCMS-004					/01/23 09:37:06 9/23 11:33:24
DCIMENE	0.007	0.30	0.059		1	Analyzed Date : 11/30/23 16:07:44			Batch	Date : 11/2	9/23 11:33:24
-CARENE	0.007	0.29	0.057			Dilution : 10					
ARYOPHYLLENE OXIDE	0.007	0.27	0.054			Reagent : 121622.26					
ALPHA-BISABOLOL	0.007	0.27	0.054		j	Consumables : 210414634; MKCN9995;	CE0123; R1KB14	270			
GUAIOL	0.007	0.26	0.051		j	Pipette : N/A					
RANS-NEROLIDOL	0.007	0.24	0.047		j	Terpenoid testing is performed utilizing Gas (Chromatography Ma	ss Spect	rometry. For all I	Hower sample	es, the Total Terpenes % is dry-weight corrected.
LPHA-TERPINENE	0.007	0.23	0.045		j						
UCALYPTOL	0.007	0.22	0.044		j						
AMMA-TERPINENE	0.007	0.22	0.044		j						
IEXAHYDROTHYMOL	0.007	0.22	0.043		i						
OTAL TERPINEOL	0.007	0.21	0.041		i						
SOPULEGOL	0.007	0.16	0.031								
SABINENE HYDRATE	0.007	0.16	0.031		j						
ARNESENE	0.001	0.12	0.023		j						
AMPHENE	0.007	ND	ND		j						
AMPHOR	0.007	ND	ND		i i						
EDROL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/01/23



Communion Cartridge Concentrate 0.5g Communion Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31129002-010 Harvest/Lot ID: 2109 6867 4685 7423 Batch# : 2109 6867 4685

7423 Sampled : 11/29/23 Ordered : 11/29/23

Sample Size Received : 15.5 gram Total Amount : 1884 units Completed : 12/01/23 Expires: 12/01/24 Sample Method : SOP.T.20.010

Page 3 of 6

0 Pes

Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	Level 5	PASS	ND		0.010		Level	DACC	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND	OXAMYL		ppm	0.5	PASS	ND
TOTAL PERMETHRIN		mag	0.1	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL SPINETORAM		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINOSAD		ppm	0.1	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENAZATE		ppm	0.1	PASS	ND			ppm	0.1	PASS	ND
BIFENTHRIN		ppm	0.1	PASS	ND	TEBUCONAZOLE				PASS	
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID		ppm	0.1		ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND			ion date:	0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 4044 0.2926q		3 16:32:20		Extracted 1 450.3379	Jy:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville)			SOP.T.40.101).
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	,,				,,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066845PES			n:12/01/23 1		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)		Batch Date	:11/29/23 11:	:30:32	
FENOXYCARB		ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE		ppm	0.1	PASS	ND	Dilution : 250 Reagent : 112823.R13; 040423.08; 112723.R01	· 112923 B0/	1· 112823 B03	112123 B13	112923 B05	
FIPRONIL		ppm	0.1	PASS	ND	Consumables : 326250IW	., 112525.1104	+, 112025.1105	, 112125.1(15	, 112525.1105	
FLONICAMID		ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizin	g Liquid Chror	matography Tri	iple-Quadrupol	le Mass Spectror	netry in
HEXYTHIAZOX		ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL		ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted b	y:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044 0.2926g		16:32:20		450,3379	
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville) Analytical Batch : DA066849VOL		eviewed On :			
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-001		atch Date : 11			
METALAXYL		ppm	0.1	PASS	ND	Analyzed Date : 11/29/23 16:35:53			.,,		
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL		ppm	0.1	PASS	ND	Reagent: 112823.R13; 040423.08; 112723.R14	; 112723.R15	5			
MEVINPHOS		ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	0 0		0 1 1		
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizin accordance with F.S. Rule 64ER20-39.	g Gas Chroma	itography fripl	e-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/01/23



..... Communion Cartridge Concentrate 0.5g Communion Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31129002-010 Harvest/Lot ID: 2109 6867 4685 7423 Batch# : 2109 6867 4685 7423

Sampled : 11/29/23 Ordered : 11/29/23

Sample Size Received : 15.5 gram Total Amount : 1884 units Completed : 12/01/23 Expires: 12/01/24 Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 350, 585, 4044	Weight: 0.0277g	Extraction date: 11/30/23 05:13:56		E x 85	tracted by: 50				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066853SOL nstrument Used : DA-GCMS-002 Analyzed Date : 11/29/23 12:49:54		Reviewed On : 11/30/23 10:15:29 Batch Date : 11/29/23 12:44:09							

Reagent : N/A Consumables : G201.062: G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/01/23

PASSED



Communion Cartridge Concentrate 0.5g Communion Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31129002-010 Harvest/Lot ID: 2109 6867 4685 7423 Batch# : 2109 6867 4685 Sample

7423 Sampled : 11/29/23 Ordered : 11/29/23 Sample Size Received : 15.5 gram Total Amount : 1884 units Completed : 12/01/23 Expires: 12/01/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microbia	I			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL/	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	tor		xtracted	by:
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		4	0.2926g	11/29/23 16:3			50,3379	Jy.
Analyzed by: 8621, 585, 404	Weight: 4 0.907g		action date: 9/23 12:25:	41	Extracted 3621	by:	SOP.T.30.102.	FL (Davie),	SOP.T.40.102.					
	od : SOP.T.40.056C, SOF h : DA066840MIC	P.T.40.05	8.FL, SOP.T.		ved On : 11	./30/23	Analytical Bate Instrument Us Analyzed Date	ed:N/A			wed On : 1 Date : 11/			
Dilution : N/A Reagent : 1011	Block DA-021 : 11/29/23 12:50:40 123.02; 101123.08; 112 7566004024; 7568001	008		; 091523.41			accordance wit	93; DA-094 ing utilizing n F.S. Rule 6	; DA-219 Liquid Chromator 4ER20-39.	graphy with Triple	e-Quadrupo		ectrometry PAS	
Analyzed by: 3621, 585, 404	4 0.907g		action date: 9/23 12:25:	41	Extracted 3621	by:	Hg	пес	avy Me	elais			FAJ	JED
Analytical Batc	od : SOP.T.40.208 (Gain h : DA066852TYM ed : Incubator (25-27C)		Revi	9.FL ewed On : 12/0 h Date : 11/29/	-,		Metal			LOD	Units	Result	Fail	Action Level
Analyzed Date	: 11/29/23 12:56:18							AMINANT	LOAD METAL		ppm	ND	PASS	1.1
ilution : N/A										0.020	ppm	ND	PASS	0.2
	123.02; 101123.08; 112	423.R02					CADMIUM			0.020	ppm	ND ND	PASS	0.2 0.2
consumables : Pipette : N/A	N/A						LEAD			0.020	ppm ppm	ND	PASS	0.2
	mold testing is performed	utilizina M	PN and traditi	onal culture base	d techniques	s in	Analyzed by:		Weight:	Extraction da		ND	Extracted	0.0
	F.S. Rule 64ER20-39.	j · ·					1022, 585, 404	4	0.2828g	11/29/23 11:			1022	i by.
							Analysis Meth Analytical Bate Instrument Us Analyzed Date	h:DA0668 ed:DA-ICP	MS-004	Reviewe	ed On : 11, ate : 11/2			
							Dilution : 50 Reagent : 112	723.R04; 1	11623.R11; 11:	2723.R02; 1127	723.R03; 1	.12023.R2	2; 11012	3.49;

Reagent : 112723.R04; 111623.R11; 112723.R02; 112723.R03; 112023.R22; 110123.49; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/01/23



Communion Cartridge Concentrate 0.5g Communion Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

Reagent : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31129002-010 Harvest/Lot ID: 2109 6867 4685 7423 Batch# : 2109 6867 4685 Sample 7423 Total An

Sampled : 11/29/23 Ordered : 11/29/23 85 7423 Sample Size Received : 15.5 gram Total Amount : 1884 units Completed : 12/01/23 Expires: 12/01/24 Sample Method : SOP.T.20.010

		Filth/Fo Materia	PASSED						
	nalyte ilth and Fore	ign Material	LOD Units 0.100 %	Result ND	P/F PASS	Action Level			
	nalyzed by: 879, 4044	Weight: NA	Extraction N/A	date:	ate: Extracted by: N/A				
A Ir	nalytical Batch Istrument Used	: SOP.T.40.090 : DA066910FIL I: Filth/Foreign Mater 11/30/23 21:40:06	rial Microscope			0/23 21:50:38 23 20:18:42			
D	ilution : N/A								

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	.0D	Units aw	Result 0.425	P/F PASS	Action Level 0.85	
Analyzed by: 4371, 585, 4044	Weight: 0.313g		traction d L/29/23 14		Extracted by: 4371		
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : N/A	66847WAT	Iropal	lm	Reviewed Or Batch Date :	1 1		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/01/23

Page 6 of 6