



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31214005-001
Harvest/Lot ID: 2134 2509 3697 4260
Batch#: 2134 2509 3697 4260
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4499 7068 1208 5537
Batch Date: 09/25/23
Sample Size Received: 15.5 gram
Total Amount: 1896 units
Retail Product Size: 0.5 gram
Ordered: 12/13/23
Sampled: 12/14/23
Completed: 12/16/23
Sampling Method: SOP.T.20.010

Dec 16, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
91.631%

Total THC/Container : 458.16 mg


Total CBD
0.212%

Total CBD/Container : 1.06 mg


Total Cannabinoids
95.961%

Total Cannabinoids/Container : 479.81 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.553	0.090	0.212	ND	0.209	1.777	0.099	0.781	0.511	ND	0.729
mg/unit	457.77	0.45	1.06	ND	1.05	8.89	0.50	3.91	2.56	ND	3.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3605, 1665, 585, 1440

 Weight:
 0.1034g

 Extraction date:
 12/14/23 13:02:51

 Extracted by:
 3335, 3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067321POT

Instrument Used : DA-LC-007

Analyzed Date : 12/14/23 13:02:55

Reviewed On : 12/15/23 11:16:12

Batch Date : 12/14/23 09:13:09

Dilution : 400

Reagent : 120623.R28; 060723.24; 111423.R04

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 12/16/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Cartridge Concentrate 0.5g
Festivus Frost
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31214005-001

Harvest/Lot ID: 2134 2509 3697 4260

Batch# : 2134 2509 3697

4260

Sampled : 12/14/23

Ordered : 12/14/23

Sample Size Received : 15.5 gram

Total Amount : 1896 units

Completed : 12/16/23 Expires: 12/16/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	6.83	1.366		SABINENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	2.71	0.542		SABINENE HYDRATE	0.007	ND	ND	
HEXAHYDROTHYMOL	0.007	1.43	0.285		ALPHA-CEDRENE	0.007	ND	ND	
OCIMENE	0.007	0.70	0.140		ALPHA-PINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.61	0.122		ALPHA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.34	0.067		BETA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.32	0.064		CIS-NEROLIDOL	0.007	ND	ND	
FARNESENE	0.001	0.30	0.060		GAMMA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.28	0.056						
VALENCENE	0.007	0.15	0.030		Analysis by:	Weight:	Extraction date:	Extracted by:	
TOTAL TERPINEOL	0.007	<0.10	<0.020		2076, 585, 1440	1.0059g	12/14/23 17:09:50	2076	
ALPHA-BISABOLOL	0.007	<0.10	<0.020		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PHELLANDRENE	0.007	<0.10	<0.020		Analytical Batch : DA067339TER			Reviewed On : 12/16/23 11:55:50	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 12/14/23 11:00:16	
BORNEOL	0.013	ND	ND		Analyzed Date : 12/15/23 10:23:33				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 121622.26				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LIMONENE	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			1.366						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/16/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Cartridge Concentrate 0.5g

Festivus Frost

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31214005-001

Harvest/Lot ID: 2134 2509 3697 4260

Batch# : 2134 2509 3697

4260

Sampled : 12/14/23

Ordered : 12/14/23

Sample Size Received : 15.5 gram

Total Amount : 1896 units

Completed : 12/16/23 Expires: 12/16/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	4056, 3379, 585, 1440	Weight:	0.2828g	Extraction date:	12/14/23 17:39:33
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	4056,585
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA067330PES			Reviewed On :	12/15/23 11:02:22
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	12/14/23 10:28:11
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	12/14/23 17:24:53				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	121023.R04; 121323.R30; 121123.R19; 121023.R03; 112123.R13; 121323.R01; 040423.08				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	1665, 585, 1440	Weight:	0.2828g	Extraction date:	12/14/23 17:39:33
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	4056,585
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA067332VOL			Reviewed On :	12/15/23 10:56:43
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	12/14/23 10:32:16
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	12/15/23 10:36:59				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	121023.R04; 121323.R30; 121123.R19; 121023.R03; 112123.R13; 121323.R01; 040423.08				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/16/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Cartridge Concentrate 0.5g

Festivus Frost

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31214005-001

Harvest/Lot ID: 2134 2509 3697 4260

Batch# : 2134 2509 3697
4260

Sampled : 12/14/23

Ordered : 12/14/23

Sample Size Received : 15.5 gram

Total Amount : 1896 units

Completed : 12/16/23 Expires: 12/16/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0211g

Extraction date:
12/15/23 14:30:08

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA067360SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 12/14/23 16:46:45

Reviewed On : 12/15/23 15:49:15
Batch Date : 12/14/23 15:52:01

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/16/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31214005-001

Harvest/Lot ID: 2134 2509 3697 4260

 Batch# : 2134 2509 3697
 4260

Sampled : 12/14/23

Ordered : 12/14/23

Sample Size Received : 15.5 gram

Total Amount : 1896 units

Completed : 12/16/23 Expires: 12/16/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level		
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS NIGER			Not Present	PASS									
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3379, 585, 1440	Weight: 0.2828g	Extraction date: 12/14/23 17:39:33		Extracted by: 4056,585			
Analyzed by: 3336, 585, 1440	Weight: 0.967g	Extraction date: 12/14/23 12:19:28	Extracted by: 3336,3390	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)									
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA067331MYC								Reviewed On : 12/15/23 10:38:31	
Analytical Batch : DA067325MIC				Instrument Used : N/A								Batch Date : 12/14/23 10:32:13	
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP				Analyzed Date : 12/14/23 17:25:05									
RTPCR,Incubator (42°C) DA- 328				Dilution : 250									
Analyzed Date : 12/14/23 13:41:42				Reagent : 121023.R04; 121323.R30; 121123.R19; 121023.R03; 112123.R13; 121323.R01; 040423.08									
Dilution : N/A				Consumables : 326250IW									
Reagent : 103123.R11; 121123.R16				Pipette : DA-093; DA-094; DA-219									
Consumables : 2125220; 2125230				Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in									
Pipette : N/A													

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3390, 3963, 585, 1440 Weight: 0.925g Extraction date: 12/14/23 12:25:37 Extracted by: 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA067355TYM Instrument Used : Incubator (25-27°C) DA-097 Analyzed Date : 12/14/23 16:08:31 Dilution : 10 Reagent : 110723.19; 110723.22; 112423.R02 Consumables : N/A Pipette : N/A	Reviewed On : 12/16/23 18:13:01 Batch Date : 12/14/23 12:22:27					Heavy Metals PASSED
---	---	--	--	--	--	--------------------------------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

<div><div></div><div>Hg</div><div></div></div>	Heavy Metals			PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2948g	Extraction date: 12/14/23 13:08:41		Extracted by: 1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA067328HEA		Reviewed On : 12/15/23 11:03:44			
Instrument Used : DA-ICPMS-004		Batch Date : 12/14/23 09:43:40			
Analyzed Date : 12/14/23 15:48:29					
Dilution : 50					
Reagent : 120123.R17; 121123.R03; 120123.R16; 121123.R01; 121123.R02; 112023.R22; 120623.R45					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Cartridge Concentrate 0.5g

Festivus Frost

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31214005-001

Harvest/Lot ID: 2134 2509 3697 4260

Batch# : 2134 2509 3697
4260

Sampled : 12/14/23

Ordered : 12/14/23

Sample Size Received : 15.5 gram

Total Amount : 1896 units

Completed : 12/16/23 Expires: 12/16/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA067326FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 12/14/23 13:20:46

Reviewed On : 12/14/23 14:01:13

Batch Date : 12/14/23 09:39:58

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.450	PASS	0.85

Analyzed by: 4371, 585, 1440	Weight: 0.227g	Extraction date: 12/14/23 15:15:49	Extracted by: 4371
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA067354WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 12/15/23 11:16:14

Batch Date : 12/14/23 12:15:23

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/16/23