

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g Miami Vibes

Matrix: Derivative Type: Distillate

Sample:DA31214005-002 Harvest/Lot ID: 7682 8351 0737 0142

Batch#: 7682 8351 0737 0142

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 7968 1456 6937 6497

Batch Date: 09/25/23

Sample Size Received: 16 gram Total Amount: 1929 units Retail Product Size: 1 gram

> **Ordered:** 12/13/23 Sampled: 12/14/23

Completed: 12/16/23

Sampling Method: SOP.T.20.010

PASSED

Dec 16, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS







Pesticides



Heavy Metals Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

92.555% Total THC/Container: 925.55 mg



Total CBD 0.194%

Total CBD/Container: 1.94 mg

Reviewed On: 12/15/23 11:16:17 Batch Date: 12/14/23 09:13:09



Total Cannabinoids

3335,3605

Total Cannabinoids/Container: 967.15 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA067321POT Instrument Used : DA-LC-007 Analyzed Date: 12/14/23 13:02:55

Reagent: 120623.R28; 060723.24; 111423.R04

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/16/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g

Miami Vibes Matrix : Derivative



Type: Distillate

Certificate of Analysis

PASSED

ELHENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31214005-002 Harvest/Lot ID: 7682 8351 0737 0142

Batch#: 7682 8351 0737

Sampled: 12/14/23 Ordered: 12/14/23 Sample Size Received: 16 gram Total Amount: 1929 units

Completed: 12/16/23 Expires: 12/16/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.53	0.753		TOTAL TERPINEOL		0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	4.61	0.461		ALPHA-CEDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	0.92	0.092		ALPHA-PINENE		0.007	ND	ND	
OCIMENE	0.007	0.91	0.091		ALPHA-TERPINENE		0.007	ND	ND	
LIMONENE	0.007	0.45	0.045		BETA-PINENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.38	0.038		CIS-NEROLIDOL		0.007	ND	ND	
GERANIOL	0.007	0.26	0.026		GAMMA-TERPINENE		0.007	ND	ND	
FARNESENE	0.001	< 0.09	< 0.009		TRANS-NEROLIDOL		0.007	ND	ND	
VALENCENE	0.007	< 0.20	< 0.020		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
ALPHA-BISABOLOL	0.007	< 0.20	< 0.020		2076, 585, 1440	1.018g		12/14/23 17:		2076
ALPHA-HUMULENE	0.007	< 0.20	< 0.020		Analysis Method : SOP.T.30.061A.FL	, SOP.T.40.061A.FL				
ALPHA-PHELLANDRENE	0.007	< 0.20	< 0.020		Analytical Batch : DA067339TER					/16/23 11:55:54
3-CARENE	0.007	ND	ND		Instrument Used: DA-GCMS-009 Analyzed Date: 12/15/23 10:23:33			Batch	Date: 12/1	4/23 11:00:16
BORNEOL	0.013	ND	ND		Dilution: 10					
CAMPHENE	0.007	ND	ND		Reagent: 121622.26					
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN99	95; CE0123; R1KB1	4270			
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : N/A					
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing G	Gas Chromatography N	lass Specti	rometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
FENCHYL ALCOHOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
LINALOOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
Total (%)		(0.753							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/16/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31214005-002 Harvest/Lot ID: 7682 8351 0737 0142

Batch#: 7682 8351 0737

0142 Sampled: 12/14/23 Ordered: 12/14/23 Sample Size Received: 16 gram
Total Amount: 1929 units
Completed: 12/16/23 Expires: 12/16/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

|--|

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010) ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010) ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010) ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010) ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN) ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1	0.1	PASS	ND	PROPICONAZOLE) ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND				0.1	PASS	ND
CEPHATE	0.010	1.1	0.1	PASS	ND	PROPOXUR) ppm			
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN) ppm	0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN) ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010) ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010) ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010) ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010) ppm	0.1	PASS	ND
DSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM) ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN) ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND) PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
ILORMEQUAT CHLORIDE	0.010	P.P.	1	PASS	ND	PARATHION-METHYL *) PPM	0.1	PASS	ND
ILORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *) PPM	0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010) PPM	0.1	PASS	ND
DUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010) PPM	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	D PPM	0.5	PASS	ND
AZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050) PPM	0.5	PASS	ND
CHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight	E	ctraction date		Extracted	d hw
METHOATE	0.010	ppm	0.1	PASS	ND	4056, 3379, 585, 1440 0.23070		2/14/23 17:35:		4056,585	
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),					
OFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067333PES			n:12/15/23		
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:12/14/23 10	:39:12	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/14/23 17:24:52					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250	. 121022 0	02. 112122 01	2. 121222 07	1. 040422 00	
PRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 121023.R04; 121323.R30; 121123.R19 Consumables: 326250IW	; 121023.K	U3; 112123.KI	.3; 121323.KU	11; 040423.08	
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094: DA-219					
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chro	matography Tr	inle-Ouadrupo	le Mass Spectror	netry in
EXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	,	5 p)	,		,
IAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracted l	oy:
IIDACLOPRID	0.010	ppm	0.4	PASS	ND	1665, 585, 1440 0.2307g		23 17:35:01		4056,585	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesville),					
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA067335VOL		leviewed On :			
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Analyzed Date : N/A	В	Batch Date: 12	2/14/23 10:41	:43	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 121023.R04; 121323.R30; 121123.R19	· 121023 R	∩3· 112123 R1	3· 121323 BC	11 - 040423 08	
EVINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW	, 121023.N	05, 112123.NJ	.J, 121J2J.N	1, 040423.00	
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
ALED		ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	atography Tripl	e-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 12/16/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31214005-002 Harvest/Lot ID: 7682 8351 0737 0142

Batch#: 7682 8351 0737

Sampled: 12/14/23 Ordered: 12/14/23 Sample Size Received : 16 gram
Total Amount : 1929 units

Completed: 12/16/23 Expires: 12/16/24
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0242g	Extraction date: 12/15/23 14:30:09		Ext 85	racted by:

Reviewed On: 12/15/23 15:49:18

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA067360SOL Instrument Used: DA-GCMS-002

Instrument Used: DA-GCMS-002 Analyzed Date: 12/14/23 16:46:45

Dilution: 1 Reagent: N/A Consumables: N/A Pipette: N/A 002 **Batch Date :** 12/14/23 15:52:01 46:45

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino
Lab Director
State License # CMTL-0002

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 12/16/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31214005-002 Harvest/Lot ID: 7682 8351 0737 0142

Batch#: 7682 8351 0737

Sampled: 12/14/23 Ordered: 12/14/23

Sample Size Received: 16 gram Total Amount: 1929 units Completed: 12/16/23 Expires: 12/16/24

Sample Method: SOP.T.20.010

Page 5 of 6

maa



Microbial



AFLATOXIN G1

DACCED

PASS

0.02

ND

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	_
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 0.87g 3336, 585, 1440 12/14/23 12:19:28 3336,3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067325MIC Review

Reviewed On: 12/16/23 11:56:05 Instrument Used : Incubator (37*C) DA- 188,DA-265 Gene-UP Batch Date : 12/14/23 09:26:15

RTPCR.Incubator (42*C) DA- 328 Analyzed Date: 12/14/23 13:41:42

 ${\bf Dilution: N/A}$

Reagent: 103123.R11; 121123.R16 Consumables : 2125220; 2125230

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 3963, 585, 1440	0.932g	12/14/23 12:25:30	3336

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA067355TYM
Instrument Used : Incubator (25-27*C) DA-097 Reviewed On: 12/16/23 18:13:02 Batch Date: 12/14/23 12:22:27 Analyzed Date: 12/14/23 16:08:31

Reagent: 110723.19; 110723.22; 112423.R02

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

2	Mycotoxins		PASSEL					
Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02		
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN	A A	0.002	mag	ND	PASS	0.02		

AFLATOXIN G2		0.002 ppm	ND	PASS	0.02	
Analyzed by:	Weight:	Extraction date:	Extracted by:			
4056, 3379, 585, 1440	0.2307g	12/14/23 17:35:01		4056,58	5	

0.002

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville). SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA067334MYC

Reviewed On: 12/15/23 11:16:49 Instrument Used : N/A Batch Date: 12/14/23 10:41:39 **Analyzed Date:** 12/14/23 17:25:04

Dilution: 250
Reagent: 121023.R04; 121323.R30; 121123.R19; 121023.R03; 112123.R13; 121323.R01; 040423.08

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

Result Pass / Action

Metal		LOD	Offics	Result	Fail	Level	
TOTAL CONTAMINANT	0.080	ppm	ND	PASS	1.1		
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	< 0.100	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440	Weight: 0.2508g	Extraction date: 12/14/23 14:31:21		Extracted by: 1022			

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 12/15/23 11:20:34 Analytical Batch : DA067338HEA Instrument Used : DA-ICPMS-004 Batch Date: 12/14/23 10:58:23 Analyzed Date: 12/14/23 17:12:32

Dilution: 50

Reagent: 120123.R17; 121123.R03; 120123.R16; 121123.R01; 121123.R02; 112023.R22; 120623.R45

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/16/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g

Miami Vibes Matrix : Derivative



Type: Distillate

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31214005-002 Harvest/Lot ID: 7682 8351 0737 0142

Batch#: 7682 8351 0737

Sampled: 12/14/23 Ordered: 12/14/23

Sample Size Received: 16 gram Total Amount: 1929 units Completed: 12/16/23 Expires: 12/16/24 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA067326FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 12/14/23 14:01:15 Batch Date: 12/14/23 09:39:58 Analyzed Date: 12/14/23 13:20:46

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.497	P/F PASS	Action Level 0.85
Analyzed by: 4371, 585, 1440	Weight: 0.291q		Extraction date: 12/14/23 15:16:58		Ex : 43	tracted by:

Analysis Method: SOP.T.40.019 Reviewed On: 12/15/23 11:16:18

Analytical Batch : DA067354WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 12/14/23 12:15:23

Analyzed Date : N/A Dilution: N/A Reagent: 113021.09 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/16/23

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha