



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31128006-002
Harvest/Lot ID: HYB-TV-112223-C0118
Batch#: 8924 5247 2844 0006
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 8529 5748 7836 6631
Batch Date: 10/17/23
Sample Size Received: 31.5 gram
Total Amount: 2306 units
Retail Product Size: 3.5 gram
Ordered: 11/27/23
Sampled: 11/28/23
Completed: 11/30/23
Sampling Method: SOP.T.20.010

Nov 30, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
36.428%
Dry Weight



Total CBD
0.108%
Dry Weight



Total Cannabinoids
42.48%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.795	34.605	ND	0.107	0.037	0.136	0.459	0.02	ND	ND	0.158
mg/unit	27.825	1211.175	ND	3.745	1.295	4.76	16.065	0.7	ND	ND	5.53
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
31.143%
1090.005 mg /Container

Total CBD
0.093%
3.255 mg /Container

Total Cannabinoids
36.317%
1271.095 mg /Container

As Received

Analized by:
3335, 3605, 585, 1440

Weight:
0.202g

Extraction date:
11/28/23 13:36:56

Extracted by:
2076,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066801POT

Instrument Used : DA-LC-002

Analyzed Date : 11/28/23 14:04:12

Reviewed On : 11/29/23 16:29:57

Batch Date : 11/28/23 10:44:14

Dilution : 400

Reagent : 060723.24

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
11/30/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Tunnel Vision WF 3.5g (1/8oz)

FTH-Tunnel Vision

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31128006-002

Harvest/Lot ID: HYB-TV-112223-C0118

Batch# : 8924 5247 2844
0006

Sampled : 11/28/23

Ordered : 11/28/23

Sample Size Received : 31.5 gram

Total Amount : 2306 units

Completed : 11/30/23 Expires: 11/30/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	54.43	1.555		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.18	0.405		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	9.87	0.282		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	5.29	0.151		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.03	0.115		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	3.33	0.095		ALPHA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	2.73	0.078		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.28	0.065		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.58	0.045		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	1.26	0.036		2076, 585, 1440	0.9139g	11/28/23 16:17:06	2076	
ALPHA-PINENE	0.007	1.09	0.031		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TOTAL TERPINEOL	0.007	0.95	0.027		Analytical Batch : DA066803TER			Reviewed On : 11/30/23 10:12:08	
BORNEOL	0.013	<1.40	<0.040		Instrument Used : DA-GCMS-008			Batch Date : 11/28/23 10:48:27	
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Analyzed Date : 11/28/23 16:45:42				
CIS-NEROLIDOL	0.007	<0.70	<0.020		Dilution : 10				
TRANS-NEROLIDOL	0.007	<0.70	<0.020		Reagent : 121622.26				
3-CARENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CAMPHENE	0.007	ND	ND		Pipette : N/A				
CAMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			1.555						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Tunnel Vision WF 3.5g (1/8oz)

FTH-Tunnel Vision

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31128006-002

Harvest/Lot ID: HYB-TV-112223-C0118

Batch# : 8924 5247 2844
0006

Sampled : 11/28/23

Ordered : 11/28/23

Sample Size Received : 31.5 gram

Total Amount : 2306 units

Completed : 11/30/23 Expires: 11/30/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.8757g	Extraction date: 11/28/23 15:39:24	Extracted by: 450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA066808PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 11/29/23 16:13:28		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : N/A			Batch Date : 11/28/23 11:28:28		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 112723.R01; 112223.R38; 112223.R13; 112823.R03; 112123.R13; 112223.R11; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.8757g	Extraction date: 11/28/23 15:39:24	Extracted by: 450		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA066810VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Reviewed On : 11/29/23 16:09:30		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/28/23 15:55:12			Batch Date : 11/28/23 11:30:05		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 112223.R13; 040423.08; 112723.R14; 112723.R15					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Tunnel Vision WF 3.5g (1/8oz)

FTH-Tunnel Vision

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31128006-002

Harvest/Lot ID: HYB-TV-112223-C0118

Batch# : 8924 5247 2844
0006

Sampled : 11/28/23

Ordered : 11/28/23



Sample Size Received : 31.5 gram

Total Amount : 2306 units

Completed : 11/30/23 Expires: 11/30/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED							
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	160	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.8757g	Extraction date: 11/28/23 15:39:24	Extracted by: 450			
Analyzed by: 3336, 3621, 585, 1440	Weight: 0.9135g	Extraction date: 11/28/23 12:13:25	Extracted by: 3621	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA066809MYC								
Analytical Batch : DA066797MIC				Reviewed On : 11/29/23 16:10:34								
				Batch Date : 11/28/23 11:30:02								
Instrument Used : PathogenDx Scanner DA-111,Applied				Dilution : 250								
Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block				Reagent : 112723.R01; 112223.R38; 112223.R13; 112823.R03; 112123.R13; 112223.R11;								
DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific				040423.08								
Isotemp Heat Block DA-021				Consumables : 326250IW								
Analyzed Date : 11/28/23 13:02:21				Pipette : DA-093; DA-094; DA-219								
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
<div><div><div>Hg</div></div></div>						Heavy Metals						PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5							
Analyzed by: 1022, 585, 1440	Weight: 0.2605g	Extraction date: 11/28/23 11:19:55	Extracted by: 1022	Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
1022, 585, 1440	0.2605g	11/28/23 11:19:55	1022		
Analysis Method :	SOP.T.30.082.FL, SOP.T.40.082.FL				
Analytical Batch :	DA066796HEA				
Instrument Used :	DA-ICPMS-004				
Analyzed Date :	11/28/23 15:35:58				
Dilution :	50				
Reagent :	102723.R12; 112723.R04; 111623.R11; 112723.R02; 112723.R03; 112023.R22;				
110123.49; 111023.R06					
Consumables :	179436; 210508058; 12594-247CD-247C				
Pipette :	DA-061; DA-191; DA-216				
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Tunnel Vision WF 3.5g (1/8oz)

FTH-Tunnel Vision

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31128006-002

Harvest/Lot ID: HYB-TV-112223-C0118

Batch# : 8924 5247 2844
0006

Sampled : 11/28/23

Ordered : 11/28/23

Sample Size Received : 31.5 gram

Total Amount : 2306 units

Completed : 11/30/23 Expires: 11/30/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.51	PASS	15
Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4371, 585, 1440	Weight: 0.502g	Extraction date: 11/28/23 16:11:56	Extracted by: 4371		
Analysis Method : SOP.T.40.090 Analytical Batch : DA066893FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA066817MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.584	PASS	0.65
Analyzed by: 4371, 585, 1440	Weight: 1.096g	Extraction date: 11/28/23 16:01:19	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA066819WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/23