



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA31201005-009  
 Harvest/Lot ID: 8358 3735 8014 1922  
 Batch#: 8358 3735 8014 1922  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility : Tampa Processing  
 Source Facility : Tampa Cultivation  
 Seed to Sale# 4359 3131 8997 9096  
 Batch Date: 05/04/23  
 Sample Size Received: 15.5 gram  
 Total Amount: 1917 units  
 Retail Product Size: 0.5 gram  
 Ordered: 11/30/23  
 Sampled: 12/01/23  
 Completed: 12/04/23  
 Sampling Method: SOP.T.20.010

Dec 04, 2023 | FLUENT


 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
 NOT TESTED

 Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**93.347%**

Total THC/Container : 466.74 mg


**Total CBD**
**0.228%**

Total CBD/Container : 1.14 mg


**Total Cannabinoids**
**95.944%**

Total Cannabinoids/Container : 479.72 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	93.172	0.200	0.228	ND	0.349	ND	ND	0.592	0.656	ND	0.747
mg/unit	465.86	1.00	1.14	ND	1.75	ND	ND	2.96	3.28	ND	3.74
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1879

 Weight:  
 0.102g

 Extraction date:  
 12/01/23 14:20:47

 Extracted by:  
 3335

 Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA066917POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 12/01/23 14:35:50

 Reviewed On : 12/04/23 14:15:59  
 Batch Date : 12/01/23 10:35:38

 Dilution : 400  
 Reagent : 112223.R27; 070121.27; 110723.R03  
 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 12/04/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Concentrate 0.5g  
Emerald Fire OG  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31201005-009

Harvest/Lot ID: 8358 3735 8014 1922

Batch# : 8358 3735 8014  
1922

Sample Size Received : 15.5 gram

Total Amount : 1917 units

Completed : 12/04/23 Expires: 12/04/24

Ordered : 12/01/23

Sample Size Received : 15.5 gram

Total Amount : 1917 units

Completed : 12/04/23 Expires: 12/04/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	16.10	3.219		GERANYL ACETATE	0.007	ND	ND				
LIMONENE	0.007	3.96	0.792		HEXAHYDROTHYMOL	0.007	ND	ND				
BETA-MYRCENE	0.007	3.92	0.784		NEROL	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	1.58	0.315		PULEGONE	0.007	ND	ND				
LINALOOL	0.007	1.03	0.205		SABINENE	0.007	ND	ND				
ALPHA-HUMULENE	0.007	0.63	0.125		VALENCENE	0.007	ND	ND				
BETA-PINENE	0.007	0.58	0.116		CIS-NEROLIDOL	0.007	ND	ND				
FENCHYL ALCOHOL	0.007	0.58	0.115		TRANS-NEROLIDOL	0.007	ND	ND				
BORNEOL	0.013	0.55	0.109		Analysis by:	2076, 585, 1879	Weight:	0.8624g	Extraction date:	12/01/23 18:27:27	Extracted by:	1022.2076
FENCHONE	0.007	0.51	0.102		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
ALPHA-CEDRENE	0.007	0.35	0.070		Analytical Batch :	DA066922TER					Reviewed On :	12/04/23 14:16:03
ALPHA-PINENE	0.007	0.34	0.068		Instrument Used :	DA-GCMS-004					Batch Date :	12/01/23 11:30:00
ALPHA-BISABOLOL	0.007	0.29	0.057		Analyzed Date :	12/01/23 18:28:27						
CARYOPHYLLENE OXIDE	0.007	0.27	0.053		Dilution :	50						
ALPHA-TERPINOLENE	0.007	0.26	0.052		Reagent :	121622.26						
GUAJOL	0.007	0.26	0.051		Consumables :	210414634; MKCN9995; CE0123; R1KB14270						
TOTAL TERPINEOL	0.007	0.24	0.047		Pipette :	N/A						
ISOPULEGOL	0.007	0.16	0.031		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
OCIMENE	0.007	0.15	0.030									
SABINENE HYDRATE	0.007	0.15	0.029									
ISOBORNEOL	0.007	0.12	0.023									
GAMMA-TERPINENE	0.007	0.12	0.023									
FARNESENE	0.001	0.11	0.022									
CAMPHENE	0.007	<0.10	<0.020									
ALPHA-PHELLANDRENE	0.007	<0.10	<0.020									
ALPHA-TERPINENE	0.007	<0.10	<0.020									
3-CARENE	0.007	ND	ND									
CAMPHOR	0.007	ND	ND									
CEDROL	0.007	ND	ND									
EUCALYPTOL	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
Total (%)			3.219									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/04/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Concentrate 0.5g  
Emerald Fire OG  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31201005-009

Harvest/Lot ID: 8358 3735 8014 1922

Batch# : 8358 3735 8014

1922

Sampled : 12/01/23

Ordered : 12/01/23

Sample Size Received : 15.5 gram

Total Amount : 1917 units

Completed : 12/04/23 Expires: 12/04/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2806g	Extraction date: 12/01/23 16:11:57	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA066925PES			Reviewed On : 12/04/23 11:44:37		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 12/01/23 12:03:18		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/01/23 16:15:12					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 040423.R0; 120123.R03; 112923.R04; 120123.R06; 120123.R02; 112123.R13; 112923.R05					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2806g	Extraction date: 12/01/23 16:11:57	Extracted by: 3379,450		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA066927VOL			Reviewed On : 12/04/23 11:39:09		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 12/01/23 12:05:56		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/01/23 16:43:26					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 112823.R13; 040423.R0; 112723.R14; 112723.R15					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/04/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Concentrate 0.5g  
Emerald Fire OG  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31201005-009

Harvest/Lot ID: 8358 3735 8014 1922

Batch# : 8358 3735 8014  
1922

Sampled : 12/01/23

Ordered : 12/01/23

Sample Size Received : 15.5 gram

Total Amount : 1917 units

Completed : 12/04/23 Expires: 12/04/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1879

Weight:  
0.0211g

Extraction date:  
12/04/23 11:40:41

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA066948SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 12/01/23 15:47:27

Reviewed On : 12/04/23 12:41:24  
Batch Date : 12/01/23 15:44:22

Dilution : 1  
Reagent : N/A  
Consumables : R2017.099; G201.062  
Pipette : DA-310 25uL Syringe 35027

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/04/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Concentrate 0.5g  
Emerald Fire OG  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31201005-009

Harvest/Lot ID: 8358 3735 8014 1922

Batch# : 8358 3735 8014  
1922

Sampled : 12/01/23

Ordered : 12/01/23

Sample Size Received : 15.5 gram

Total Amount : 1917 units

Completed : 12/04/23 Expires: 12/04/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analized by:	3379, 585, 1879	Weight:	0.2806g	Extraction date:	12/01/23 16:11:57
Analized by:	3621, 585, 1879	Weight:	1.195g	Extraction date:	12/01/23 13:06:04	Extracted by:	3336,3621	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch :	DA066944MYC	Reviewed On :	12/04/23 11:45:28		
Analytical Batch :	DA066914MIC					Instrument Used :	N/A	Batch Date :	12/01/23 14:05:34		
Instrument Used :	PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					Analized Date :	12/01/23 16:15:36				
Analized Date :	12/01/23 13:41:11					Dilution :	250				
Dilution :	N/A					Reagent :	040423.08; 120123.R03; 112923.R04; 120123.R06; 120123.R02; 112123.R13; 112923.R05				
Reagent :	101123.05; 101123.06; 112423.R01; 081023.07; 091523.41					Consumables :	326250IW				
Consumables :	7568001003					Pipette :	DA-093; DA-094; DA-219				
Pipette :	N/A										

Analized by:	3336, 4351, 585, 1879	Weight:	1.195g	Extraction date:	12/01/23 13:06:04	Extracted by:	3336,3621
Analysis Method :	SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						
Analytical Batch :	DA066941TYM			Reviewed On :	12/04/23 12:45:23		
Instrument Used :	Incubator (25-27C) DA-097			Batch Date :	12/01/23 13:42:55		
Analized Date :	12/01/23 14:22:13						
Dilution :	N/A						
Reagent :	101123.05; 101123.06; 112423.R02						
Consumables :	N/A						
Pipette :	N/A						

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
--	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analized by:	1022, 585, 1879	Weight:	0.2727g	Extraction date:	12/01/23 13:35:00
Extracted by:	1022				
Analysis Method :	SOP.T.30.082.FL, SOP.T.40.082.FL				
Analytical Batch :	DA066915HEA			Reviewed On :	12/04/23 11:36:46
Instrument Used :	DA-ICPMS-004			Batch Date :	12/01/23 10:27:44
Analized Date :	12/01/23 18:16:20				
Dilution :	50				
Reagent :	102723.R12; 112723.R04; 111623.R11; 112723.R02; 112723.R03; 112023.R22; 110123.49; 111023.R06				
Consumables :	179436; 210508058; 12594-247CD-247C				
Pipette :	DA-061; DA-191; DA-216				

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/04/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Concentrate 0.5g  
Emerald Fire OG  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31201005-009

Harvest/Lot ID: 8358 3735 8014 1922

Batch# : 8358 3735 8014  
1922

Sampled : 12/01/23

Ordered : 12/01/23

Sample Size Received : 15.5 gram

Total Amount : 1917 units

Completed : 12/04/23 Expires: 12/04/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA066950FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 12/01/23 19:39:10

Reviewed On : 12/01/23 20:02:16

Batch Date : 12/01/23 19:35:35

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.477	PASS	0.85

Analyzed by: 4056, 585, 1879	Weight: 0.249g	Extraction date: 12/01/23 17:10:54	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA066942WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 12/01/23 16:49:31

Reviewed On : 12/04/23 12:45:24

Batch Date : 12/01/23 13:43:29

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/04/23