

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix: Derivative Type: Distillate



Sample:DA31202007-002 Harvest/Lot ID: 2488 8632 2363 9799 Batch#: 2488 8632 2363 9799 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 4536 8078 3033 1974 Batch Date: 09/25/23 Sample Size Received: 15.5 gram Total Amount: 1876 units Retail Product Size: 0.5 gram Ordered: 12/01/23 Sampled: 12/02/23 Completed: 12/05/23 Sampling Method: SOP.T.20.010

00

2200/


Dec 05, 2023 | FLUENT 82 NE 26th street

 \sim -

4 3 0 /

Miami, FL, 33137, US

PASSED



0000

Analytical Batch	<pre>a: SOP.T.40.031, SO : DA067015POT d: DA-LC-007 12/04/23 11:19:53</pre>	DP.T.30.031				Reviewed On : 12 Batch Date : 12/	2/05/23 14:15:14 04/23 07:13:51						
Analyzed by: Weight: 1665, 585, 4044 0.1173g				Extraction 12/04/23			Extracted by: 1665,3335						
	%	%	%	%	%	%	%	%	%	%	%		
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001		
mg/unit	427.19	0.61	1.19	ND	0.92	5.29	ND	6.05	2.46	ND	2.50		
%	85.437	0.121	0.237	ND	0.184	1.058	ND	1.210	0.491	ND	0.500		
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС		
E	J Total 1	THC/Container	: 427.72 mg	E	0.237% Total CBD/Container : 1.19 mg			E	E J89.238% Total Cannabinoids/Container : mg				

Reagent : 111423.R05; 070121.27; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/05/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA31202007-002

 Harvest/Lot ID: 2488 8632 2363 9799

 Batch#: 2488 8632 2363 9799

 Sample : 0799

Sampled : 12/02/23 Ordered : 12/02/23 Sample Size Received : 15.5 gram Total Amount : 1876 units Completed : 12/05/23 Expires: 12/05/24 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
DTAL TERPENES	0.007	1.89	0.378		ALPHA-PHELLANDRENE	0.007	ND	ND	
LPHA-TERPINOLENE	0.007	1.26	0.252		ALPHA-PINENE	0.007	ND	ND	
CIMENE	0.007	0.21	0.042		ALPHA-TERPINENE	0.007	ND	ND	
ETA-MYRCENE	0.007	0.19	0.038		BETA-PINENE	0.007	ND	ND	
ERANIOL	0.007	0.13	0.025		CIS-NEROLIDOL	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.11	0.021		GAMMA-TERPINENE	0.007	ND	ND	
-CARENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
ORNEOL	0.013	ND	ND		TOTAL TERPINEOL	0.007	ND	ND	
AMPHENE	0.007	ND	ND		Analyzed by:	Weight:	Extrac	tion date:	Extracted by
AMPHOR	0.007	ND	ND		1879, 2076, 585, 4044	1.069g		23 12:25:14	1879
ARYOPHYLLENE OXIDE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.0	61A.FL			
EDROL	0.007	ND	ND		Analytical Batch : DA066969TER				/05/23 14:15:16
UCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-009 Analyzed Date : 12/03/23 13:43:00		Batch	Date : 12/0	2/23 10:24:44
ARNESENE	0.001	< 0.05	< 0.009		Dilution : 10				
ENCHONE	0.007	ND	ND		Reagent : N/A				
ENCHYL ALCOHOL	0.007	ND	ND		Consumables : N/A				
ERANYL ACETATE	0.007	ND	ND		Pipette : N/A				
UAIOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromato	graphy Mass Spectro	ometry. For all	Flower sample	es, the Total Terpenes % is dry-weight correct
EXAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
OPULEGOL	0.007	ND	ND						
MONENE	0.007	< 0.10	< 0.020						
NALOOL	0.007	ND	ND						
EROL	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
ABINENE	0.007	ND	ND						
ABINENE HYDRATE	0.007	ND	ND						
	0.007	< 0.10	< 0.020						
	0.007	ND	ND						
ALENCENE	0.007								
ALENCENE LPHA-BISABOLOL	0.007	ND	ND						
ALENCENE LIPHA-BISABOLOL LIPHA-CEDRENE LIPHA-HUMULENE		ND ND	ND ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31202007-002 Harvest/Lot ID: 2488 8632 2363 9799

Batch# : 2488 8632 2363 9799 Sampled : 12/02/23 Ordered : 12/02/23 Sample Size Received : 15.5 gram Total Amount : 1876 units Completed : 12/05/23 Expires: 12/05/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE			0.1		ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.010			PASS	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND		0.010	1° P	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM				PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	T-F	0.1		
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weigh	- Ex	traction date		Extracte	a hu
DIMETHOATE	0.010	ppm	0.1	PASS	ND	4056, 3379, 585, 4044 0.246g		/03/23 17:01:		4056	eu by.
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),).
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA066975PES			n:12/05/231		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)		Batch Date :	12/02/23 12:	33:18	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :12/03/23 14:58:34					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 120123.R06; 040423.08; 120123.R03;	112923 B04	· 120123 B02·	112123 B13	112923 B05	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 3262501W	112525.1104	, 120125.1102,	, 112125.1(15,	112525.1105	
FLONICAMID	0.010	1.1.	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Trij	ple-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	1.1.	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extraction			Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044 0.246g		17:01:18		4056	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), Analytical Batch : DA066983VOL		IA.FL (Davie), eviewed On : 1			
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-001		atch Date : 12			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :12/05/23 10:30:44				-	
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 120123.R06; 040423.08; 112723.R14;	112723.R15				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Gas Chromai	tography Triple	e-Quadrupole N	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/05/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31202007-002 Harvest/Lot ID: 2488 8632 2363 9799 Batch# : 2488 8632 2363 9799 Sampled : 12/02/23

Ordered : 12/02/23

Sample Size Received : 15.5 gram Total Amount : 1876 units Completed : 12/05/23 Expires: 12/05/24 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
-PROPANOL	50.000	ppm	500	PASS	ND			
HLOROFORM	0.200	ppm	2	PASS	ND			
THANOL	500.000	ppm	5000	PASS	ND			
ETHYL ACETATE	40.000	ppm	400	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
OTAL XYLENES	15.000	ppm	150	PASS	ND			
ROPANE	500.000	ppm	5000	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
nalyzed by: 50, 585, 4044	Weight: 0.0204g	Extraction date: 12/04/23 11:14:37	,	E x 85	tracted by: 0			
Inalysis Method : SOP.T.40.041.FL Inalytical Batch : DA066985SOL Instrument Used : DA-GCMS-002 Inalyzed Date : 12/04/23 05:24:57		Reviewed On : 12/05/23 13:29:18 Batch Date : 12/02/23 13:29:21						

Reagent : N/A Consumables : R2017.099; G201.062 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/23

PASSED

Page 4 of 6



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31202007-002 Harvest/Lot ID: 2488 8632 2363 9799 Batch# : 2488 8632 2363 Sample

9799 Sampled : 12/02/23 Ordered : 12/02/23 Sample Size Received : 15.5 gram Total Amount : 1876 units Completed : 12/05/23 Expires: 12/05/24 Sample Method : SOP.T.20.010

PE.	Microl	bial			PAS	SED	ిం	Мусо	toxi	ns			PAS	SED
N							000							
Analyte		LOD	0 Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE				Not Present	PASS		Analyzed by:		Weight:	Extracti	on date:		Extracte	d by:
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	4056, 3379, 58	5, 4044	0.246g	12/03/2	3 17:01:18	}	4056	
analyzed by: 390, 3621, 58	5, 4044	Weight: 1.003g	Extraction d 12/02/23 12		Extracte 3621	d by:		d : SOP.T.30.10 FL (Davie), SOP.			.40.101.FL	. (Gainesv	ille),	
	od : SOP.T.40.0560 :h : DA066963MIC		58.FL, SOP.T.		red On : 12	/05/23	Instrument Us	:h : DA066984M ed : N/A : 12/03/23 14:5			wed On : 1 Date : 12/			
DA-020,fisherb sotemp Heat I Analyzed Date Dilution : N/A	ermocycler DA-01 brand Isotemp Hea Block DA-021 : 12/04/23 09:49: 123.01; 101123.02	at Block DA-0 13	49,Fisher Sci	entific	16		112923.R05 Consumables : Pipette : DA-0 Mycotoxins test	93; DA-094; DA-	219 I Chromatogi					
consumables : Pipette : N/A		5, 112425.NU	1, 081023.07	, 091525.41			accordance wit	n F.S. Rule 64ER20						
Analyzed by: 8621, 3390, 58	5, 4044	Weight: 1.003g	Extraction d 12/02/23 12		Extracte 3621	d by:	Hg	Heav	у Ме	tals			PAS	SED
nalytical Batc	od : SOP.T.40.208 :h : DA066977TYM ed : Incubator (25-	1	Rev	9.FL wed On : 12/05 h Date : 12/02/2			Metal			LOD	Units	Result	Fail	Action Level
nalyzed Date	: 12/02/23 16:36:	57						AMINANT LOA	D METALS		ppm	ND	PASS	1.1
ilution : N/A							ARSENIC			0.020	ppm	ND	PASS PASS	0.2 0.2
	123.01; 101123.0	3; 112423.R0	2				CADMIUM			0.020	ppm ppm	ND ND	PASS	0.2
onsumables : ipette : N/A	N/A						LEAD			0.020	ppm	ND	PASS	0.2
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						in	Analyzed by: 1022, 585, 404		eight: 2428g	Extraction d 12/04/23 10	ate:		Extracted	by:
							Analysis Metho Analytical Bato Instrument Us	od : SOP.T.30.08 h : DA066967H ed : DA-ICPMS-0 : 12/04/23 14:1	2.FL, SOP.1 EA 04	F.40.082.FL Review	ed On : 12 Date : 12/0	/05/23 13:	52:40	
							Dilution : 50	123 B17· 12012	3 B12 · 120	123 B16: 120	123 B13-1	20123 B1	A. 11202	R 822.

Reagent : 120123.R17; 120123.R15; 120123.R16; 120123.R13; 120123.R14; 112023.R22; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

 \sim

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31202007-002 Harvest/Lot ID: 2488 8632 2363 9799 Batch# : 2488 8632 2363 9799 Total Ar Sampled : 12/02/23 Complet

Batch Date : 12/02/23 10:00:18

Ordered : 12/02/23

363 9799 Sample Size Received : 15.5 gram Total Amount : 1876 units Completed : 12/05/23 Expires: 12/05/24 Sample Method : SOP.T.20.010

		Filth/For Materia	PASSED				
Analyte Filth and Foreign Material			LOD Units 0.100 %				
Analyzed by: Weight: 1879, 4044 NA			Extraction N/A	date:	Extracted by: N/A		
		: SOP.T.40.090 : DA066965FIL		Reviewed	l On : 12/02	2/23 21:00:44	

Analytical Batch : DA066965FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/02/23 20:46:36

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	-	LOD Units 0.010 aw	Result 0.476	P/F PASS	Action Level 0.85			
Analyzed by: 4371, 585, 4044	Weight: 0.738g	Extraction 12/02/23 1			tracted by: 371			
Analysis Method : SOP. Analytical Batch : DA06 Instrument Used : DA-0 Analyzed Date : 12/02/2	6973WAT 28 Rotronic Hyg	gropalm	Reviewed On : 12/05/23 14:15:19 Batch Date : 12/02/23 12:01:55					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/05/23

PASSED

Page 6 of 6