



Type: Flower-Cured




Sampling Method: SOP.T.20.010



Pages 1 of 5

MISC.

Pesticides
PASSED

Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED



Cannabinoid

PASSED



26.707%

Dry Weight



0.075%

Dry Weight



31.319%

Dry Weight

[illegible]

Analyzed by:
1665, 585, 4044

Weight:
0.2186g

Extraction date:
12/04/23 09:16:12

Extracted by:
1665.3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA067010POT
Instrument Used : DA-LC-002
Analyzed Date : 12/04/23 11:26:11

Reviewed On : 12/05/23 14:16:52
Batch Date : 12/04/23 06:51:47

Dilution : 400
Reagent : 111423.R05; 070121.27; 110723.R05
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Primus WF 3.5g (1/8 oz)
Primus WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-004

Harvest/Lot ID: ID-PRI-112023-A137

Batch# : 0823 4709 2091
2964

Sampled : 12/02/23
Ordered : 12/02/23

Sample Size Received : 91 gram

Total Amount : 6947 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	44.00	1.257		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	13.86	0.396		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	7.21	0.206		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	5.29	0.151		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.15	0.147		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	3.36	0.096		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.73	0.078		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	0.74	0.021		TRANS-NEROLIDOL	0.007	ND	ND	
FARNESENE	0.001	<0.32	<0.009		<div>Analized by: 3702, 2076, 585, 4044</div> <div>Weight: 1.0277g</div> <div>Extraction date: 12/02/23 12:33:24</div> <div>Extracted by: 1879,2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA066974TER</div> <div>Instrument Used : DA-GCMS-008</div> <div>Analyzed Date : 12/03/23 13:31:46</div> <div>Reviewed On : 12/05/23 14:16:55</div> <div>Batch Date : 12/02/23 12:05:27</div> <div>Dilution : 10</div> <div>Reagent : 121622.26</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
FENCHYL ALCOHOL	0.007	<0.70	<0.020						
TOTAL TERPINEOL	0.007	<0.70	<0.020						
ALPHA-PINENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)				1.257					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Primus WF 3.5g (1/8 oz)
Primus WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-004

Harvest/Lot ID: ID-PRI-112023-A137

Batch# : 0823 4709 2091

2964

Sampled : 12/02/23

Ordered : 12/02/23

Sample Size Received : 91 gram

Total Amount : 6947 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.8831g	Extraction date: 12/03/23 17:02:57	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA066980PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 12/05/23 13:15:15		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/03/23 14:58:39			Batch Date : 12/02/23 13:04:56		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 120123.R06; 040423.08; 120123.R03; 112923.R04; 120123.R02; 112123.R13; 112923.R05					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.8831g	Extraction date: 12/03/23 17:02:57	Extracted by: 4056		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA066981VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 12/05/23 13:07:27		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : N/A			Batch Date : 12/02/23 13:08:08		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 120123.R06; 040423.08; 112723.R14; 112723.R15					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31202007-004

Harvest/Lot ID: ID-PRI-112023-A137

 Batch# : 0823 4709 2091
 2964

 Sampled : 12/02/23
 Ordered : 12/02/23

Sample Size Received : 91 gram

Total Amount : 6947 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3379, 585, 4044	Weight: 0.8831g	Extraction date: 12/03/23 17:02:57		Extracted by: 4056	
Analyzed by: 3390, 3621, 585, 4044	Weight: 1.143g	Extraction date: 12/02/23 12:10:54		Extracted by: 3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA066982MYC		Reviewed On : 12/05/23 14:02:46			
Analytical Batch : DA066963MIC						Instrument Used : N/A		Batch Date : 12/02/23 13:08:25			
						Analyzed Date : 12/03/23 14:59:10					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					Batch Date : 12/02/23 09:39:16	Dilution : 250					
Analyzed Date : 12/04/23 09:49:13						Reagent : 120123.R06; 040423.08; 120123.R03; 112923.R04; 120123.R02; 112123.R13; 112923.R05					
						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					

Dilution : N/A Reagent : 101123.01; 101123.03; 112423.R01; 081023.07; 091523.41 Consumables : 7568001005 Pipette : N/A					
Analyzed by: 3621, 3390, 585, 4044 Weight: 1.143g Extraction date: 12/02/23 12:10:54 Extracted by: 3621					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA066977TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 12/02/23 16:36:57 Reviewed On : 12/05/23 14:16:57 Batch Date : 12/02/23 12:52:43					
Dilution : N/A Reagent : 101123.01; 101123.03; 112423.R02 Consumables : N/A Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044 Weight: 0.2673g Extraction date: 12/03/23 12:29:48 Extracted by: 1022, 4306					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA066995HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 12/04/23 14:43:23 Reviewed On : 12/05/23 14:16:03 Batch Date : 12/03/23 09:50:59					
Dilution : 50 Reagent : 120123.R17; 120123.R15; 120123.R16; 120123.R13; 120123.R14; 112023.R22; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Primus WF 3.5g (1/8 oz)
Primus WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-004

Harvest/Lot ID: ID-PRI-112023-A137

Batch# : 0823 4709 2091
2964

Sampled : 12/02/23
Ordered : 12/02/23

Sample Size Received : 91 gram

Total Amount : 6947 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.93	PASS	15
Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4371, 585, 4044	Weight: 0.518g	Extraction date: 12/02/23 17:07:59	Extracted by: 4371		
Analysis Method : SOP.T.40.090 Analytical Batch : DA066965FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/02/23 20:46:36						Analysis Method : SOP.T.40.021 Analytical Batch : DA066971MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.547	PASS	0.65
Analyzed by: 4371, 585, 4044	Weight: 1.335g	Extraction date: 12/02/23 17:18:46	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA066972WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 12/02/23 17:19:00					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23