



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA31202007-005  
**Harvest/Lot ID:** ID-CHC-111323-A136  
**Batch#:** 6029 4817 0048 7693  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 3725 6384 6074 6082  
**Batch Date:** 11/08/23  
**Sample Size Received:** 91 gram  
**Total Amount:** 2501 units  
**Retail Product Size:** 1 gram  
**Ordered:** 12/01/23  
**Sampled:** 12/02/23  
**Completed:** 12/05/23  
**Sampling Method:** SOP.T.20.010

Dec 05, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 5

**PRODUCT IMAGE**

**SAFETY RESULTS**

Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**NOT TESTED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**PASSED**

Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**  
**17.734%**  
Dry Weight

**Total CBD**  
**0.111%**  
Dry Weight

**Total Cannabinoids**  
**20.869%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.589	17.464	ND	0.115	0.042	0.083	0.378	<0.010	ND	ND	0.045
mg/unit	5.89	174.64	ND	1.15	0.42	0.83	3.78	<0.10	ND	ND	0.45
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

**Total THC**  
**15.904%**  
159.04 mg /Container

**Total CBD**  
**0.1%**  
1 mg /Container

**Total Cannabinoids**  
**18.716%**  
187.16 mg /Container

**As Received**

Analyzed by:  
1665, 585, 4044

Weight:  
0.1834g

Extraction date:  
12/04/23 09:16:13

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067010POT

Instrument Used : DA-LC-002

Analyzed Date : 12/04/23 11:26:11

Reviewed On : 12/05/23 14:17:01

Batch Date : 12/04/23 06:51:47

Dilution : 400

Reagent : 111423.R05; 070121.27; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
12/05/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cherry Platinum Wedding Cake Pre-Rolls 1 g  
Cherry Platinum Wedding Cake  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-005

Harvest/Lot ID: ID-CHC-111323-A136

Batch# : 6029 4817 0048  
7693

Sampled : 12/02/23

Ordered : 12/02/23

Sample Size Received : 91 gram

Total Amount : 2501 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	3.69	0.369		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.89	0.089		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	0.65	0.065		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	0.51	0.051		ALPHA-PHELLANDRENE	0.007	ND	ND	
GUAIOL	0.007	0.39	0.039		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.32	0.032		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.30	0.030		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.25	0.025		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	<0.09	<0.009						
FENCHYL ALCOHOL	0.007	<0.20	<0.020						
TOTAL TERPINEOL	0.007	<0.20	<0.020						
ALPHA-PINENE	0.007	<0.20	<0.020						
BETA-PINENE	0.007	<0.20	<0.020						
TRANS-NEROLIDOL	0.007	<0.20	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			0.369						

Analyzed by: 3702, 2076, 585, 4044 Weight: 1.0935g Extraction date: 12/02/23 12:31:42 Extracted by: 1879, 2076  
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA066974TER  
Instrument Used : DA-GCMS-008  
Analyzed Date : 12/03/23 13:31:46  
Dilution : 10  
Reagent : 121622.26  
Consumables : 210414634; MKN9995; CE0123; R1KB14270  
Pipette : N/A

Reviewed On : 12/05/23 14:17:03  
Batch Date : 12/02/23 12:05:27

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/05/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cherry Platinum Wedding Cake Pre-Rolls 1 g  
Cherry Platinum Wedding Cake  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-005

Harvest/Lot ID: ID-CHC-111323-A136

Batch# : 6029 4817 0048  
7693

Sampled : 12/02/23

Ordered : 12/02/23

Sample Size Received : 91 gram

Total Amount : 2501 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	4056, 3379, 585, 4044	Weight:	0.951g	Extraction date:	12/03/23 17:02:58
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	4056
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA066980PES			Reviewed On :	12/05/23 13:15:18
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	12/02/23 13:04:56
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	12/03/23 14:58:39				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	120123.R06; 040423.08; 120123.R03; 112923.R04; 120123.R02; 112123.R13; 112923.R05				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by:	450, 585, 4044	Weight:	0.951g	Extraction date:	12/03/23 17:02:58
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	4056
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA066981VOL			Reviewed On :	12/05/23 13:07:28
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	12/02/23 13:08:08
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date :	N/A				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution :	250				
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent :	120123.R06; 040423.08; 112723.R14; 112723.R15				
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/05/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31202007-005

Harvest/Lot ID: ID-CHC-111323-A136

 Batch# : 6029 4817 0048  
 7693

 Sampled : 12/02/23  
 Ordered : 12/02/23



Sample Size Received : 91 gram


Total Amount : 2501 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	60	PASS	100000	Analyzed by: 4056, 3379, 585, 4044	Weight: 0.951g	Extraction date: 12/03/23 17:02:58		Extracted by: 4056	
Analyzed by: 3390, 3621, 585, 4044	Weight: 0.8892g	Extraction date: 12/02/23 12:10:54		Extracted by: 3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Reviewed On : 12/05/23 14:04:27	Analytical Batch : DA066982MYC					
Analytical Batch : DA066963MIC						Reviewed On : 12/05/23 14:02:47					
						Batch Date : 12/02/23 13:08:25					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					Batch Date : 12/02/23 09:39:16	Dilution : 250					
Analyzed Date : 12/04/23 09:49:13						Reagent : 120123.R06; 040423.08; 120123.R03; 112923.R04; 120123.R02; 112123.R13; 112923.R05					
						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent : 101123.01; 101123.03; 112423.R01; 081023.07; 091523.41											
Consumables : 7568001005											
Pipette : N/A											
Analyzed by: 3621, 3390, 585, 4044	Weight: 0.8892g	Extraction date: 12/02/23 12:10:54		Extracted by: 3621							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA066977TYM					Reviewed On : 12/05/23 14:17:06						
Instrument Used : Incubator (25-27C) DA-096					Batch Date : 12/02/23 12:52:43						
Analyzed Date : 12/02/23 16:36:57											
Dilution : N/A											
Reagent : 101123.01; 101123.03; 112423.R02											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2923g	Extraction date: 12/03/23 12:36:23		Extracted by: 1022, 4306	



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cherry Platinum Wedding Cake Pre-Rolls 1 g  
Cherry Platinum Wedding Cake  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-005

Harvest/Lot ID: ID-CHC-111323-A136

Batch# : 6029 4817 0048  
7693

Sampled : 12/02/23  
Ordered : 12/02/23

Sample Size Received : 91 gram

Total Amount : 2501 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.32	PASS	15
Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4371, 585, 4044	Weight: 0.523g	Extraction date: 12/02/23 17:07:59	Extracted by: 4371		
Analysis Method : SOP.T.40.090 Analytical Batch : DA066965FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/02/23 20:46:36						Analysis Method : SOP.T.40.021 Analytical Batch : DA066971MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.500	PASS	0.65
Analyzed by: 4371, 585, 4044	Weight: 1.893g	Extraction date: 12/02/23 17:18:46	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA066972WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 12/02/23 17:19:00					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/05/23