



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Osiris WF 3.5g (1/8 oz)

Osiris WF

Matrix: Flower

Type: Flower-Cured

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31202007-006

Harvest/Lot ID: HYB-OSI-112723-A138

Batch#: 1316 0658 4168 9226

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation

Seed to Sale# 8489 3710 9577 3774

Batch Date: 11/22/23

Sample Size Received: 31.5 gram

Total Amount: 502 units

Retail Product Size: 3.5 gram

Ordered: 12/01/23

Sampled: 12/02/23

Completed: 12/05/23

Sampling Method: SOP.T.20.010

Dec 05, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
22.08%
Dry Weight



Total CBD
0.048%
Dry Weight



Total Cannabinoids
26.613%
Dry Weight

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-------|-------|--------|-------|--------|-------|-------|-------|-------|
| % | 0.716 | 21.122 | ND | 0.049 | 0.031 | 0.092 | 1.137 | ND | ND | ND | 0.041 |
| mg/unit | 25.06 | 739.27 | ND | 1.715 | 1.085 | 3.22 | 39.795 | ND | ND | ND | 1.435 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |

Total THC
19.239%
673.365 mg /Container

Total CBD
0.042%
1.47 mg /Container

Total Cannabinoids
23.188%
811.58 mg /Container

As Received

Analyzed by:
1665, 585, 4044

Weight:
0.2219g

Extraction date:
12/04/23 09:16:13

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067010POT

Instrument Used : DA-LC-002

Analyzed Date : 12/04/23 11:26:11

Reviewed On : 12/05/23 14:17:11

Batch Date : 12/04/23 06:51:47

Dilution : 400

Reagent : 111423.R05; 070121.27; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Osiris WF 3.5g (1/8 oz)
Osiris WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-006

Harvest/Lot ID: HYB-OSI-112723-A138

Batch# : 1316 0658 4168
9226

Sampled : 12/02/23
Ordered : 12/02/23

Sample Size Received : 31.5 gram

Total Amount : 502 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|--------|------------|--|---------|-------------------|---------------------------------|------------|
| TOTAL TERPENES | 0.007 | 57.30 | 1.637 | | NEROL | 0.007 | ND | ND | |
| ALPHA-TERPINOLENE | 0.007 | 15.19 | 0.434 | | PULEGONE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 6.13 | 0.175 | | SABINENE | 0.007 | ND | ND | |
| OCIMENE | 0.007 | 6.02 | 0.172 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 5.74 | 0.164 | | VALENCENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 5.18 | 0.148 | | ALPHA-CEDRENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 2.59 | 0.074 | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| GUAJOL | 0.007 | 1.82 | 0.052 | | TRANS-NEROLIDOL | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 1.61 | 0.046 | | Analysis by: | Weight: | Extraction date: | Extracted by: | |
| ALPHA-BISABOLOL | 0.007 | 1.54 | 0.044 | | 3702, 2076, 585, 4044 | 0.9723g | 12/02/23 12:32:25 | 1879,2076 | |
| LINALOOL | 0.007 | 1.30 | 0.037 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| ALPHA-PINENE | 0.007 | 1.19 | 0.034 | | Analytical Batch : DA066974TER | | | Reviewed On : 12/05/23 14:17:15 | |
| ALPHA-PHELLANDRENE | 0.007 | 0.95 | 0.027 | | Instrument Used : DA-GCMS-008 | | | Batch Date : 12/02/23 12:05:27 | |
| TOTAL TERPINEOL | 0.007 | 0.70 | 0.020 | | Analyzed Date : 12/03/23 13:31:46 | | | | |
| 3-CARENE | 0.007 | <0.70 | <0.020 | | Dilution : 10 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | <0.70 | <0.020 | | Reagent : 121622.26 | | | | |
| FARNESENE | 0.001 | <0.32 | <0.009 | | Consumables : 210414634; MKCN9995; CE0123; R1KB14270 | | | | |
| FENCHYL ALCOHOL | 0.007 | <0.70 | <0.020 | | Pipette : N/A | | | | |
| ALPHA-TERPINENE | 0.007 | <0.70 | <0.020 | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| GAMMA-TERPINENE | 0.007 | <0.70 | <0.020 | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| CAMPENE | 0.007 | ND | ND | | | | | | |
| CAMPHOR | 0.007 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 1.637 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Osiris WF 3.5g (1/8 oz)
Osiris WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-006

Harvest/Lot ID: HYB-OSI-112723-A138

Batch# : 1316 0658 4168
9226

Sampled : 12/02/23
Ordered : 12/02/23

Sample Size Received : 31.5 gram

Total Amount : 502 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|--|---------|--------------|------------------|-------------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 4056, 3379, 585, 4044 | Weight: | 0.853g | Extraction date: | 12/03/23 17:02:58 |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | Extracted by: | 4056 |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA066980PES | | | Reviewed On : | 12/05/23 13:15:20 |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : | DA-LCMS-003 (PES) | | | Batch Date : | 12/02/23 13:04:56 |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | 12/03/23 14:58:39 | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : | 250 | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 120123.R06; 040423.08; 120123.R03; 112923.R04; 120123.R02; 112123.R13; 112923.R05 | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 326250IW | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | DA-093; DA-094; DA-219 | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 450, 585, 4044 | Weight: | 0.853g | Extraction date: | 12/03/23 17:02:58 |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | Extracted by: | 4056 |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA066981VOL | | | Reviewed On : | 12/05/23 13:07:29 |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Instrument Used : | DA-GCMS-010 | | | Batch Date : | 12/02/23 13:08:08 |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | N/A | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Dilution : | 250 | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 120123.R06; 040423.08; 112723.R14; 112723.R15 | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 326250IW; 14725401 | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | DA-080; DA-146; DA-218 | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Osiris WF 3.5g (1/8 oz)
Osiris WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-006

Harvest/Lot ID: HYB-OSI-112723-A138

Batch# : 1316 0658 4168
9226


Sampled : 12/02/23
Ordered : 12/02/23


Sample Size Received : 31.5 gram


Total Amount : 502 units

Completed : 12/05/23 Expires: 12/05/24
Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|--|------------------|------------------------------------|--------------------|---|---------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 20 | PASS | 100000 |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | Weight: 0.8185g | Extraction date: 12/02/23 12:10:55 | Extracted by: 3621 | Reviewed On : 12/05/23 14:04:28 Batch Date : 12/02/23 09:39:16 | |
| Analytical Batch : DA066963MIC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 | | | | | |
| Analyzed Date : 12/04/23 09:49:13 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 101123.01; 101123.03; 112423.R01; 081023.07; 091523.41 | | | | | |
| Consumables : 7568001005 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | Weight: 0.8185g | Extraction date: 12/02/23 12:10:55 | Extracted by: 3621 | Reviewed On : 12/05/23 14:17:17 Batch Date : 12/02/23 12:52:43 | |
| Analytical Batch : DA066977TYM | | | | | |
| Instrument Used : Incubator (25-27C) DA-096 | | | | | |
| Analyzed Date : 12/02/23 16:36:57 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 101123.01; 101123.03; 112423.R02 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|-------------------|------------------------------------|--------------------|---|---------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | Weight: 0.853g | Extraction date: 12/03/23 17:02:58 | Extracted by: 4056 | Reviewed On : 12/05/23 14:02:48 Batch Date : 12/02/23 13:08:25 | |
| Analytical Batch : DA066982MYC | | | | | |
| Instrument Used : N/A | | | | | |
| Analyzed Date : 12/03/23 14:59:10 | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 120123.R06; 040423.08; 120123.R03; 112923.R04; 120123.R02; 112123.R13; 112923.R05 | | | | | |
| Consumables : 326250IW | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|---------------------|------------------------------------|-------------------------|---|---------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | Weight: 0.2782g | Extraction date: 12/03/23 12:37:16 | Extracted by: 1022,4306 | Reviewed On : 12/05/23 14:16:05 Batch Date : 12/03/23 09:50:59 | |
| Instrument Used : DA-ICPMS-004 | | | | | |
| Analyzed Date : 12/04/23 14:43:23 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 120123.R17; 120123.R15; 120123.R16; 120123.R13; 120123.R14; 112023.R22; 111023.R06 | | | | | |
| Consumables : 179436; 210508058; 12594-247CD-247C | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Osiris WF 3.5g (1/8 oz)
Osiris WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31202007-006

Harvest/Lot ID: HYB-OSI-112723-A138

Batch# : 1316 0658 4168
9226

Sampled : 12/02/23
Ordered : 12/02/23

Sample Size Received : 31.5 gram

Total Amount : 502 units

Completed : 12/05/23 Expires: 12/05/24

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign
Material**

PASSED



Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|--|---------------|-------------------------|----------------------|------|--------------|---|-------------------|---------------------------------------|-----------------------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 12.87 | PASS | 15 |
| Analyzed by: 1879, 4044 | Weight: NA | Extraction date: N/A | Extracted by: N/A | | | Analyzed by: 4371, 585, 4044 | Weight: 0.504g | Extraction date: 12/02/23 17:08:00 | Extracted by: 4371 | | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA066965FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/02/23 20:46:36 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA066971MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|-------------------|---------------------------------------|-----------------------|------|--------------|
| Water Activity | 0.010 | aw | 0.507 | PASS | 0.65 |
| Analyzed by: 4371, 585, 4044 | Weight: 1.237g | Extraction date: 12/02/23 17:18:47 | Extracted by: 4371 | | |
| Analysis Method : SOP.T.40.019 Analytical Batch : DA066972WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 12/02/23 17:19:00 | | | | | |
| Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/05/23