

# **Certificate of Analysis**

COMPLIANCE FOR RETAIL

**Kaycha Labs** 

Miami Vibes Disposable Pen 1g

Miami Vibes Matrix: Derivative Type: Distillate

Sample:DA31206003-002 Harvest/Lot ID: 7681 4643 4499 0507

Batch#: 7681 4643 4499 0507

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Source Facility: Tampa Cultivation** Seed to Sale# 8624 5866 8369 7104

Batch Date: 06/01/23

Sample Size Received: 16 gram Total Amount: 1962 units

Retail Product Size: 1 gram **Ordered:** 12/05/23 Sampled: 12/06/23

**Completed: 12/08/23** 

Sampling Method: SOP.T.20.010

## **PASSED**

Dec 08, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

**PASSED** 



### Cannabinoid

**Total THC** 

93.032% Total THC/Container: 930.32 mg



Total CBD 0.217% Total CBD/Container: 2.17 mg

> Reviewed On: 12/07/23 11:00:12 Batch Date: 12/06/23 08:34:39



**Total Cannabinoids** 

Total Cannabinoids/Container: 975.32 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA067073POT Instrument Used : DA-LC-007 Analyzed Date: 12/06/23 11:27:12

Reagent: 120623.R28; 060723.24; 110723.R03

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





#### Kaycha Labs

Miami Vibes Disposable Pen 1g

Miami Vibes Matrix : Derivative Type: Distillate



**PASSED** 

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31206003-002

Batch#: 7681 4643 4499

Sampled: 12/06/23 Ordered: 12/06/23

Harvest/Lot ID: 7681 4643 4499 0507 Sample Size Received: 16 gram Total Amount: 1962 units

Completed: 12/08/23 Expires: 12/08/24 Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.45	1.645			SABINENE		0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	8.96	0.896			SABINENE HYDRATE		0.007	ND	ND	
BETA-MYRCENE	0.007	2.07	0.207			TOTAL TERPINEOL		0.007	ND	ND	
OCIMENE	0.007	1.70	0.170			VALENCENE		0.007	ND	ND	
LIMONENE	0.007	1.23	0.123			ALPHA-CEDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.86	0.086			CIS-NEROLIDOL		0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.39	0.039			GAMMA-TERPINENE		0.007	ND	ND	
BETA-PINENE	0.007	0.38	0.038			TRANS-NEROLIDOL		0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.36	0.036			Analyzed by:	Weight:		Extraction d	ator	Extracted by:
ALPHA-PINENE	0.007	0.27	0.027			2076, 585, 1440	1.0363g		12/07/23 10		2076
ALPHA-BISABOLOL	0.007	0.23	0.023		İ	Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
3-CARENE	0.007	< 0.20	< 0.020			Analytical Batch : DA067076TER					/08/23 14:47:02
FENCHYL ALCOHOL	0.007	< 0.20	< 0.020			Instrument Used: DA-GCMS-008 Analyzed Date: 12/07/23 13:04:58			Batch	Date: 12/0	6/23 09:11:22
ALPHA-TERPINENE	0.007	< 0.20	< 0.020			Dilution: 10					
BORNEOL	0.013	ND	ND			Reagent: 121622.26					
CAMPHENE	0.007	ND	ND			Consumables : 210414634; MKCN999	95; CE0123; R1KB1	4270			
CAMPHOR	0.007	ND	ND			Pipette : N/A					
CARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Ga	as Chromatography M	lass Spectr	ometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.001	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
LINALOOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
Total (%)			1.645								

Total (%)

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### Kaycha Labs

Miami Vibes Disposable Pen 1g

Miami Vibes Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

LOD Unite

**PASSED** 

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31206003-002 Harvest/Lot ID: 7681 4643 4499 0507

Batch#: 7681 4643 4499

Sampled: 12/06/23 Ordered: 12/06/23

Pacc/Eail Pocult

Sample Size Received: 16 gram
Total Amount: 1962 units

Completed: 12/08/23 Expires: 12/08/24 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

### **PASSED**

Dage/Eail Beauth

Pesticide	LOD Unit	ts Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm		PASS	ND	evenu.		0.010	nnm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm		PASS	ND	OXAMYL						
TOTAL PERMETHRIN	0.010 ppm		PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010 ppm		PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010 ppm		PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010 ppm		PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm		PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm		PASS	ND	PROPOXUR		0.010	mag	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm		PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010 ppm		PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB	0.010 ppm		PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm		PASS	ND						PASS	
BIFENAZATE	0.010 ppm		PASS	ND	SPIROXAMINE		0.010		0.1		ND
BIFENTHRIN	0.010 ppm		PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID	0.010 ppm		PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL	0.010 ppm		PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010 ppm		PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm		PASS	ND	PENTACHLORONITROBENZENE (F	PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE	0.010 ppm		PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm		PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm		PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010 ppm		PASS	ND			0.010		0.1	PASS	ND
DAMINOZIDE	0.010 ppm		PASS	ND	CHLORFENAPYR *				0.5		
DIAZINON	0.010 ppm		PASS	ND	CYFLUTHRIN *		0.050			PASS	ND
DICHLORVOS	0.010 ppm		PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DIMETHOATE	0.010 ppm		PASS	ND		Neight:	Extraction			Extracted by:	
ETHOPROPHOS	0.010 ppm		PASS	ND		0.2351g	12/06/23			4056,450,3379	
ETOFENPROX	0.010 ppm		PASS	ND	Analysis Method : SOP.T.30.101.Fl	L (Gainesville),	SOP.T.30.10	2.FL (Davie	, SOP.T.40.10	1.FL (Gainesville	),
ETOXAZOLE	0.010 ppm		PASS	ND	SOP.T.40.102.FL (Davie)  Analytical Batch: DA067088PES			Paviawad	On :12/07/23	11.00.57	
FENHEXAMID	0.010 ppm		PASS	ND	Analytical Batch : DA067088PES Reviewed On : 12/07/23 11:00:57 Instrument Used : DA-LCMS-003 (PES) Batch Date : 12/06/23 10:28:38						
FENOXYCARB	0.010 ppm		PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.010 ppm		PASS	ND	Dilution: 250						
FIPRONIL	0.010 ppm		PASS	ND	Reagent: 120123.R06; 040423.08	3; 120623.R34;	120623.R25	; 120423.R0	4; 112123.R1	3; 120623.R01	
FLONICAMID	0.010 ppm		PASS	ND	Consumables: 326250IW						
FLUDIOXONIL	0.010 ppm		PASS	ND	Pipette : DA-093; DA-094; DA-219		Limital Charac		-:-!- 0	la Mara Caratas	
HEXYTHIAZOX	0.010 ppm		PASS	ND	Testing for agricultural agents is peri accordance with F.S. Rule 64ER20-39		Liquid Chron	natograpny	ripie-Quadrupo	ne mass spectror	netry in
IMAZALIL	0.010 ppm		PASS	ND		eight:	Extraction	date:		Extracted by:	
IMIDACLOPRID	0.010 ppm		PASS	ND		2351g	12/06/23 14			4056,450,3379	
KRESOXIM-METHYL	0.010 ppm		PASS	ND	Analysis Method: SOP.T.30.151.Fl	L (Gainesville),	SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.1	51.FL	
MALATHION	0.010 ppm		PASS	ND	Analytical Batch : DA067089VOL				:12/07/23 10:		
METALAXYL	0.010 ppm		PASS	ND	Instrument Used : DA-GCMS-001		Ba	atch Date :	12/06/23 10:29	9:33	
METHIOCARB	0.010 ppm		PASS	ND	Analyzed Date : N/A						
METHOWYL	0.010 ppm		PASS	ND	Dilution: 250	0. 112722 014.	112722 015				
MEVINPHOS	0.010 ppm		PASS	ND	Reagent: 120123.R06; 040423.08 Consumables: 326250IW; 147254		112/23.KI5				
MYCLOBUTANIL	0.010 ppm		PASS	ND	Pipette: DA-080; DA-146; DA-218						
NALED	0.010 ppm		PASS	ND	Testing for agricultural agents is per	formed utilizina	Gas Chromat	tography Tri	ole-Quadrupole	Mass Spectrome	try in
	pp				accordance with F.S. Rule 64ER20-39			J 16 7 111			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



#### **Kaycha Labs**

Miami Vibes Disposable Pen 1g

Miami Vibes Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31206003-002 Harvest/Lot ID: 7681 4643 4499 0507

Batch#: 7681 4643 4499

Sampled: 12/06/23 Ordered: 12/06/23 Sample Size Received: 16 gram Total Amount: 1962 units

Completed: 12/08/23 Expires: 12/08/24 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Analyzed by:	Weight:	Extraction date:		Ex	ctracted by:	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
Solvents	LOD	Units	Action Level	Pass/Fail	Result	

850, 585, 1440 0.0262g 12/07/23 14:42:10

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067101SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 12/07/23 14:51:36

Dilution: 1  $\textbf{Reagent:} \ \, \textbf{N/A}$ 

Consumables: R2017.099; G201.167 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Reviewed On: 12/07/23 15:20:01 Batch Date: 12/06/23 13:58:26

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### Kaycha Labs

Miami Vibes Disposable Pen 1g

Miami Vibes Matrix : Derivative

Type: Distillate

**Certificate of Analysis** 

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31206003-002 Harvest/Lot ID: 7681 4643 4499 0507

Batch#: 7681 4643 4499

Sampled: 12/06/23 **Ordered**: 12/06/23

Sample Size Received: 16 gram Total Amount : 1962 units

Completed: 12/08/23 Expires: 12/08/24 Sample Method: SOP.T.20.010

Page 5 of 6



#### **Microbial**



# **Mycotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		_
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 0.96g 3621, 585, 1440 12/06/23 10:56:03

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA067079MIC

**Reviewed On: 12/07/23** 

10:44:48 Batch Date: 12/06/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block 09:24:21

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

**Analyzed Date :** 12/06/23 14:00:30

Dilution: N/A

Reagent: 110723.08; 110723.09; 112423.R01; 081023.07; 091523.41

Consumables: 7568001017

Pipet

ette : N/A				_ rh
lyzed by: 1, 3336, 585, 1440	Weight: 0.96g	Extraction date: 12/06/23 10:56:03	Extracted by: 3621	[ Hg
lysis Mothod , SOP T 40	208 (Gainesville	) SOPT 40 200 FI		

Analytical Batch : DA067097TYM Instrument Used : Incubator (25-27C) DA-096 **Analyzed Date :** 12/06/23 12:49:59

Dilution: N/A Reagent: 110723.08; 110723.09; 112423.R02 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Reviewed On: 12/08/23 13:49:20 Batch Date: 12/06/23 11:03:07



Analyzed by:	Weight:	Extraction date:		Fortun	acted by:	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
Analyte		LOD	Units	Result	Pass / Fail	Action Level

3379, 585, 1440 0.2351g 12/06/23 14:24:31 4056,450,3379 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA067090MYC Reviewed On: 12/07/23 10:21:59 Instrument Used: N/A Batch Date: 12/06/23 10:30:59

Analyzed Date : N/A

Dilution: 250
Reagent: 120123.R06; 040423.08; 120623.R34; 120623.R25; 120423.R04; 112123.R13;

120623.R01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 



## **Heavy Metals**

## **PASSED**

1022,4306

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINA	NT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction date	e:	F)	tracted l	nv:	

12/06/23 12:01:16

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 12/07/23 10:42:57 Analytical Batch : DA067086HEA Instrument Used : DA-ICPMS-004 Batch Date: 12/06/23 10:15:50 Analyzed Date: 12/07/23 10:32:59

0.2719g

Dilution: 50

1022, 585, 1440

Reagent : 120123.R17; 120123.R15; 120123.R16; 120123.R13; 120123.R14; 112023.R22; 111023.R06; 120623.01

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



#### **Kaycha Labs**

Miami Vibes Disposable Pen 1g

Miami Vibes Matrix : Derivative Type: Distillate

Page 6 of 6



PASSED

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31206003-002 Harvest/Lot ID: 7681 4643 4499 0507

Batch#: 7681 4643 4499

Sampled: 12/06/23 Ordered: 12/06/23

Sample Size Received: 16 gram Total Amount: 1962 units Completed: 12/08/23 Expires: 12/08/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material** 

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA067100FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 12/06/23 13:08:21 Batch Date: 12/06/23 12:56:08 Analyzed Date: 12/06/23 12:57:26

Dilution: N/AReagent: N/A Consumables : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

### **Water Activity**

Analyte Water Activity		<b>LOD Units</b> 0.010 aw	Result 0.375	P/F PASS	Action Level 0.85
Analyzed by: 4371, 585, 1440	Weight: 0.664a	Extraction 12/06/23 1		<b>Ex</b> 43	tracted by: 71

Analysis Method: SOP.T.40.019 Analytical Batch: DA067084WAT

Reviewed On: 12/07/23 11:00:13 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 12/06/23 10:09:20 Analyzed Date : N/A

Dilution: N/A Reagent: 113021.09 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164