



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31207006-002
Harvest/Lot ID: HYB-B-120423-C0120
Batch#: 9728 6484 4355 2317
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale#: 7867 3626 8450 6119
Batch Date: 10/20/23
Sample Size Received: 31.5 gram
Total Amount: 1584 units
Retail Product Size: 3.5 gram
Ordered: 12/06/23
Sampled: 12/07/23
Completed: 12/09/23
Sampling Method: SOP.T.20.010

Dec 09, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
36.91%
Dry Weight



Total CBD
0.089%
Dry Weight



Total Cannabinoids
43.853%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.329	35.652	ND	0.088	0.038	0.22	1.147	ND	ND	ND	0.065
mg/unit	11.515	1247.82	ND	3.08	1.33	7.7	40.145	ND	ND	ND	2.275
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Total THC
31.595%
1105.825 mg /Container

Total CBD
0.077%
2.695 mg /Container

Total Cannabinoids
37.539%
1313.865 mg /Container

As Received

Analyzed by:
1665, 585, 1440

Weight:
0.2045g

Extraction date:
12/07/23 12:32:52

Extracted by:
1665

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA067116POT

Instrument Used: DA-LC-002

Analyzed Date: 12/07/23 12:34:10

Reviewed On: 12/08/23 10:11:29

Batch Date: 12/07/23 10:17:16

Dilution: 400

Reagent: 120623.R29; 060723.24; 120623.R27

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
12/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Biscotti WF 3.5g (1/8oz)

FTH Biscotti

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207006-002

Harvest/Lot ID: HYB-B-120423-C0120

Batch# : 9728 6484 4355
2317

Sample Size Received : 31.5 gram

Completed : 12/09/23 Expires: 12/09/24

Ordered : 12/07/23

Total Amount : 1584 units

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	77.49	2.214		SABINENE	0.007	ND	ND	
LIMONENE	0.007	17.08	0.488		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.63	0.418		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.90	0.197		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	5.78	0.165		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	5.29	0.151		CIS-NEROLIDOL	0.007	ND	ND	
FARNESENE	0.001	3.96	0.113		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.77	0.079		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.14	0.061		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	2.03	0.058		Analytical Batch : DA067112TER				
ALPHA-PINENE	0.007	2.00	0.057		Instrument Used : DA-GCMS-004				
TOTAL TERPINEOL	0.007	1.47	0.042		Analysis Date : 12/07/23 15:18:21				
ALPHA-CEDRENE	0.007	0.84	0.024		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.81	0.023		Reagent : 121622.26				
GERANIOL	0.007	0.70	0.020		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
BORNEOL	0.013	<1.40	<0.040		Pipette : N/A				
CAMPHENE	0.007	<0.70	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	<0.70	<0.020						
FENCHONE	0.007	<1.40	<0.040						
ISOPULEGOL	0.007	<0.70	<0.020						
OCIMENE	0.007	<0.70	<0.020						
ALPHA-TERPINOLENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			2.214						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Biscotti WF 3.5g (1/8oz)

FTH Biscotti

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207006-002

Harvest/Lot ID: HYB-B-120423-C0120

Batch# : 9728 6484 4355

2317

Sampled : 12/07/23

Ordered : 12/07/23

Sample Size Received : 31.5 gram

Total Amount : 1584 units

Completed : 12/09/23 Expires: 12/09/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	1.0055g	12/07/23 14:19:43	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067120PES		Reviewed On : 12/08/23 12:49:06			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 12/07/23 10:32:29			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/07/23 14:23:46					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 120623.R34; 120623.R25; 120123.R06; 120423.R04; 112123.R13; 120623.R01; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.0055g	12/07/23 14:19:43	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA067122VOL		Reviewed On : 12/08/23 11:50:02			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 12/07/23 10:34:03			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/07/23 14:25:14					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 120123.R06; 040423.08; 112723.R14; 112723.R15					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/09/23



Type: Flower-Cured






PASSED

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207006-002
Harvest/Lot ID: HYB-B-120423-C0120

Batch# : 9728 6484 4355 2317	Sample Size Received : 31.5 gram
Sampled : 12/07/23	Total Amount : 1584 units
Ordered : 12/07/23	Completed : 12/09/23 Expires: 12/09/24
	Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																																																																																																																																									
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3336, 3621, 585, 1440</td><td>Weight: 0.8334g</td><td>Extraction date: 12/07/23 11:31:25</td><td>Extracted by: 3336</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA067109MIC</td><td>Reviewed On : 12/08/23 12:04:02</td><td colspan="2"></td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td><td>Batch Date : 12/07/23 09:08:17</td><td colspan="2"></td></tr><tr><td colspan="6">Analyzed Date : 12/07/23 16:32:41</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 110723.07; 110723.08; 112423.R01; 081023.07; 100223.10</td></tr><tr><td colspan="6">Consumables : 7568001016</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6"></td></tr><tr><td>Analyzed by: 3621, 3336, 585, 1440</td><td>Weight: 0.8334g</td><td>Extraction date: 12/07/23 11:31:25</td><td>Extracted by: 3336</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA067138TYM</td><td>Reviewed On : 12/09/23 12:31:38</td><td colspan="2"></td></tr><tr><td colspan="3">Instrument Used : Incubator (25-27C) DA-097</td><td>Batch Date : 12/07/23 11:36:12</td><td colspan="2"></td></tr><tr><td colspan="6">Analyzed Date : 12/07/23 13:06:04</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 110723.07; 110723.08; 112423.R02</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3336, 3621, 585, 1440	Weight: 0.8334g	Extraction date: 12/07/23 11:31:25	Extracted by: 3336			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA067109MIC			Reviewed On : 12/08/23 12:04:02			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 12/07/23 09:08:17			Analyzed Date : 12/07/23 16:32:41						Dilution : N/A						Reagent : 110723.07; 110723.08; 112423.R01; 081023.07; 100223.10						Consumables : 7568001016						Pipette : N/A												Analyzed by: 3621, 3336, 585, 1440	Weight: 0.8334g	Extraction date: 12/07/23 11:31:25	Extracted by: 3336			Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA067138TYM			Reviewed On : 12/09/23 12:31:38			Instrument Used : Incubator (25-27C) DA-097			Batch Date : 12/07/23 11:36:12			Analyzed Date : 12/07/23 13:06:04						Dilution : N/A						Reagent : 110723.07; 110723.08; 112423.R02						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							<h1>Mycotoxins</h1>	<h2>PASSED</h2>
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																						
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																							
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																							
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																							
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																							
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																							
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																						
Analyzed by: 3336, 3621, 585, 1440	Weight: 0.8334g	Extraction date: 12/07/23 11:31:25	Extracted by: 3336																																																																																																																																																																								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																											
Analytical Batch : DA067109MIC			Reviewed On : 12/08/23 12:04:02																																																																																																																																																																								
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 12/07/23 09:08:17																																																																																																																																																																								
Analyzed Date : 12/07/23 16:32:41																																																																																																																																																																											
Dilution : N/A																																																																																																																																																																											
Reagent : 110723.07; 110723.08; 112423.R01; 081023.07; 100223.10																																																																																																																																																																											
Consumables : 7568001016																																																																																																																																																																											
Pipette : N/A																																																																																																																																																																											
Analyzed by: 3621, 3336, 585, 1440	Weight: 0.8334g	Extraction date: 12/07/23 11:31:25	Extracted by: 3336																																																																																																																																																																								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																																																																																																																																											
Analytical Batch : DA067138TYM			Reviewed On : 12/09/23 12:31:38																																																																																																																																																																								
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 12/07/23 11:36:12																																																																																																																																																																								
Analyzed Date : 12/07/23 13:06:04																																																																																																																																																																											
Dilution : N/A																																																																																																																																																																											
Reagent : 110723.07; 110723.08; 112423.R02																																																																																																																																																																											
Consumables : N/A																																																																																																																																																																											
Pipette : N/A																																																																																																																																																																											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																											
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 1.0055g</td><td>Extraction date: 12/07/23 14:19:43</td><td>Extracted by: 3379</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA067121MYC</td><td>Reviewed On : 12/08/23 09:55:18</td><td colspan="2"></td></tr><tr><td colspan="3">Instrument Used : N/A</td><td>Batch Date : 12/07/23 10:34:00</td><td colspan="2"></td></tr><tr><td colspan="6">Analyzed Date : 12/07/23 14:23:57</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 120623.R34; 120623.R25; 120123.R06; 120423.R04; 112123.R13; 120623.R01; 040423.08</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440	Weight: 1.0055g	Extraction date: 12/07/23 14:19:43	Extracted by: 3379			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA067121MYC			Reviewed On : 12/08/23 09:55:18			Instrument Used : N/A			Batch Date : 12/07/23 10:34:00			Analyzed Date : 12/07/23 14:23:57						Dilution : 250						Reagent : 120623.R34; 120623.R25; 120123.R06; 120423.R04; 112123.R13; 120623.R01; 040423.08						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																																																								
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																						
Analyzed by: 3379, 585, 1440	Weight: 1.0055g	Extraction date: 12/07/23 14:19:43	Extracted by: 3379																																																																																																																																																																								
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																											
Analytical Batch : DA067121MYC			Reviewed On : 12/08/23 09:55:18																																																																																																																																																																								
Instrument Used : N/A			Batch Date : 12/07/23 10:34:00																																																																																																																																																																								
Analyzed Date : 12/07/23 14:23:57																																																																																																																																																																											
Dilution : 250																																																																																																																																																																											
Reagent : 120623.R34; 120623.R25; 120123.R06; 120423.R04; 112123.R13; 120623.R01; 040423.08																																																																																																																																																																											
Consumables : 326250IW																																																																																																																																																																											
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																											
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2627g</td><td>Extraction date: 12/07/23 11:48:02</td><td>Extracted by: 1022</td><td colspan="2"></td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2627g	Extraction date: 12/07/23 11:48:02	Extracted by: 1022																																																																																																																																			
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																						
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																						
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																						
Analyzed by: 1022, 585, 1440	Weight: 0.2627g	Extraction date: 12/07/23 11:48:02	Extracted by: 1022																																																																																																																																																																								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
12/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Biscotti WF 3.5g (1/8oz)
FTH Biscotti
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207006-002

Harvest/Lot ID: HYB-B-120423-C0120

Batch# : 9728 6484 4355
2317

Sampled : 12/07/23
Ordered : 12/07/23

Sample Size Received : 31.5 gram

Total Amount : 1584 units

Completed : 12/09/23 Expires: 12/09/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.40	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 1440	Weight: 0.514g	Extraction date: 12/08/23 12:12:22	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA067140FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/07/23 14:42:09						Analysis Method : SOP.T.40.021 Analytical Batch : DA067133MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 12/08/23 12:09:53					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.560	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 1.092g	Extraction date: 12/08/23 12:27:35	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA067134WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 12/08/23 12:07:59					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/09/23