



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31207005-002
 Harvest/Lot ID: HYB-GAP-102923
 Batch#: 5541 0657 9511 4427
 Cultivation Facility: Tampa Cultivation
 Processing Facility : Tampa Processing
 Source Facility : Tampa Cultivation
 Seed to Sale# 9748 8352 8111 1589
 Batch Date: 11/15/23
 Sample Size Received: 59.5 gram
 Total Amount: 4372 units
 Retail Product Size: 3.5 gram
 Ordered: 12/06/23
 Sampled: 12/07/23
 Completed: 12/09/23
 Sampling Method: SOP.T.20.010

Dec 09, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
27.695%
 Dry Weight

Total CBD
0.089%
 Dry Weight

Total Cannabinoids
32.481%
 Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.222	24.868	ND	0.09	0.031	0.115	0.759	0.014	ND	ND	0.085
mg/unit	77.77	870.38	ND	3.15	1.085	4.025	26.565	0.49	ND	ND	2.975
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
24.031%
 841.085 mg /Container

Total CBD
0.078%
 2.73 mg /Container

Total Cannabinoids
28.184%
 986.44 mg /Container

As Received

 Analyzed by:
 1665, 585, 1440

 Weight:
 0.2095g

 Extraction date:
 12/07/23 12:32:46

 Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067116POT

Instrument Used : DA-LC-002

Analyzed Date : 12/07/23 12:34:10

Reviewed On : 12/08/23 10:11:17

Batch Date : 12/07/23 10:17:16

Dilution : 400

Reagent : 120623.R29; 060723.24; 120623.R27

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 12/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Gastro Pop WF 3.5g (1.8 oz)
Gastro Pop WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207005-002
Harvest/Lot ID: HYB-GAP-102923

Batch# : 5541 0657 9511
Sample Size Received : 59.5 gram
Total Amount : 4372 units
Completed : 12/09/23 Expires: 12/09/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	80.54	2.301		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	28.28	0.808		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.60	0.417		SABINENE HYDRATE	0.007	ND	ND	
LINALOOL	0.007	8.05	0.230		VALENCENE	0.007	ND	ND	
OCIMENE	0.007	7.88	0.225		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.97	0.142		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	2.49	0.071		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.19	0.034		GAMMA-TERPINENE	0.007	ND	ND	
CARYOPHYLLENE OXIDE	0.007	0.91	0.026						
FARNESENE	0.001	0.77	0.022						
TRANS-NEROLIDOL	0.007	0.77	0.022						
CAMPHOR	0.007	<2.10	<0.060						
EUCALYPTOL	0.007	<0.70	<0.020						
FENCHONE	0.007	<1.40	<0.040						
FENCHYL ALCOHOL	0.007	<0.70	<0.020						
GERANIOL	0.007	<0.70	<0.020						
GUAJOL	0.007	<0.70	<0.020						
TOTAL TERPINEOL	0.007	<0.70	<0.020						
ALPHA-CEDRENE	0.007	<0.70	<0.020						
ALPHA-PINENE	0.007	<0.70	<0.020						
ALPHA-TERPINOLENE	0.007	<0.70	<0.020						
BETA-PINENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						

Total (%) 2.301

Analyzed by: 2076, 585, 1440 Weight: 1.0754g Extraction date: 12/07/23 15:19:58 Extracted by: 2076
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA067112TER
Instrument Used : DA-GCMS-004
Analyzed Date : 12/07/23 15:18:21
Reviewed On : 12/09/23 12:14:14
Batch Date : 12/07/23 09:51:39
Dilution : 10
Reagent : 121622.26
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Gastro Pop WF 3.5g (1.8 oz)

Gastro Pop WF

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207005-002

Harvest/Lot ID: HYB-GAP-102923

Batch# : 5541 0657 9511
4427

Sampled : 12/07/23

Ordered : 12/07/23

Sample Size Received : 59.5 gram

Total Amount : 4372 units

Completed : 12/09/23 Expires: 12/09/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9993g	Extraction date: 12/07/23 14:19:41	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067120PES		Reviewed On : 12/08/23 12:49:05			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 12/07/23 10:32:29			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/07/23 14:23:46					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 120623.R34; 120623.R25; 120123.R06; 120423.R04; 112123.R13; 120623.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9993g	Extraction date: 12/07/23 14:19:41	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067122VOL		Reviewed On : 12/08/23 11:49:59			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 12/07/23 10:34:03			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 12/07/23 14:25:14					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 120123.R06; 040423.08; 112723.R14; 112723.R15					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Gastro Pop WF 3.5g (1.8 oz)
Gastro Pop WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED



FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207005-002
Harvest/Lot ID: HYB-GAP-102923

Batch# : 5541 0657 9511
Sample Size Received : 59.5 gram
Total Amount : 4372 units
Completed : 12/09/23 Expires: 12/09/24
Sample Method : SOP.T.20.010
Ordered : 12/07/23

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED									
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.002	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.002	ppm	ND	PASS	0.02					
ECOLI SHIGELLA								Not Present	PASS																	
TOTAL YEAST AND MOLD						10	CFU/g	20	PASS	100000	Analyzed by: 3379, 585, 1440						Weight: 0.9993g	Extraction date: 12/07/23 14:19:41		Extracted by: 3379						
Analyzed by: 3336, 3621, 585, 1440						Weight: 0.8281g	Extraction date: 12/07/23 11:31:25		Extracted by: 3336		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											Analytical Batch : DA067121MYC						Reviewed On : 12/08/23 09:55:16									
Analytical Batch : DA067109MIC						Reviewed On : 12/08/23 12:04:00					Instrument Used : N/A						Batch Date : 12/07/23 10:34:00									
											Analyzed Date : 12/07/23 14:23:57															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 12/07/23 09:08:17					Dilution : 250															
Analyzed Date : 12/07/23 16:32:41											Reagent : 120623.R34; 120623.R25; 120123.R06; 120423.R04; 112123.R13; 120623.R01; 040423.08															
											Consumables : 326250IW															
											Pipette : DA-093; DA-094; DA-219															
Dilution : N/A											Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Reagent : 110723.07; 110723.08; 112423.R01; 081023.07; 100223.10																										
Consumables : 7568001016																										
Pipette : N/A																										
Analyzed by: 3621, 3336, 585, 1440						Weight: 0.8281g	Extraction date: 12/07/23 11:31:25		Extracted by: 3336		<div><div></div><div>Hg</div><div></div></div>						Heavy Metals					PASSED				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											Metal						LOD	Units	Result	Pass / Fail	Action Level					
Analytical Batch : DA067138TYM						Reviewed On : 12/09/23 12:31:35					TOTAL CONTAMINANT LOAD METALS						0.080	ppm	ND	PASS	1.1					
Instrument Used : Incubator (25-27C) DA-097						Batch Date : 12/07/23 11:36:12					ARSENIC						0.020	ppm	ND	PASS	0.2					
Analyzed Date : 12/07/23 13:06:04											CADMIUM						0.020	ppm	ND	PASS	0.2					
											MERCURY						0.020	ppm	ND	PASS	0.2					
Dilution : N/A											LEAD						0.020	ppm	ND	PASS	0.5					
Reagent : 110723.07; 110723.08; 112423.R02																										
Consumables : N/A																										
Pipette : N/A																										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											Analyzed by: 1022, 585, 1440						Weight: 0.2705g	Extraction date: 12/07/23 11:45:23		Extracted by: 1022						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Gastro Pop WF 3.5g (1.8 oz)
Gastro Pop WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31207005-002
Harvest/Lot ID: HYB-GAP-102923

Batch# : 5541 0657 9511
Sample Size Received : 59.5 gram
Total Amount : 4372 units
Completed : 12/09/23 Expires: 12/09/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.23	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 1440	Weight: 0.514g	Extraction date: 12/08/23 12:12:21	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA067140FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/07/23 14:42:09						Analysis Method : SOP.T.40.021 Analytical Batch : DA067133MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 12/08/23 12:09:53					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.495	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 1.111g	Extraction date: 12/08/23 12:27:34	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA067134WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 12/08/23 12:07:59					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/09/23