



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA31208002-002  
**Harvest/Lot ID:** 5856 2582 3729 7272  
**Batch#:** 5856 2582 3729 7272  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 7535 4871 2530 6577  
**Batch Date:** 08/24/23  
**Sample Size Received:** 15.3 gram  
**Total Amount:** 2105 units  
**Retail Product Size:** 0.3 gram  
**Ordered:** 12/07/23  
**Sampled:** 12/08/23  
**Completed:** 12/11/23  
**Sampling Method:** SOP.T.20.010

Dec 11, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
 NOT TESTED

 Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**85.926%**

Total THC/Container : 257.78 mg


**Total CBD**
**2.533%**

Total CBD/Container : 7.60 mg


**Total Cannabinoids**
**93.503%**

Total Cannabinoids/Container : 280.51 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.775	0.173	2.533	ND	0.231	2.735	ND	1.379	0.393	ND	0.284
mg/unit	257.33	0.52	7.60	ND	0.69	8.21	ND	4.14	1.18	ND	0.85
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.1079g

 Extraction date:  
 12/08/23 13:12:00

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067153POT

Instrument Used : DA-LC-007

Analyzed Date : 12/08/23 13:12:13

Reviewed On : 12/11/23 11:18:13

Batch Date : 12/08/23 09:04:14

Dilution : 400

Reagent : 120623.R28; 060723.24; 110723.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

 Signature  
 12/11/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

GMO Disposable Pen 0.3g

GMO

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31208002-002

Harvest/Lot ID: 5856 2582 3729 7272

Batch# : 5856 2582 3729 7272

Sampled : 12/08/23

Ordered : 12/08/23

Sample Size Received : 15.3 gram

Total Amount : 2105 units

Completed : 12/11/23 Expires: 12/11/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.20	2.733		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	3.62	1.206		ALPHA-HUMULENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.52	0.841		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.66	0.220		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.44	0.146		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	0.38	0.127		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	0.29	0.095		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.20	0.066		TRANS-NEROLIDOL	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.06	0.020						
FARNESENE	0.001	0.04	0.012		Analysis by:	Weight:	Extraction date:	Extracted by:	
OCIMENE	0.007	<0.06	<0.020		2076, 585, 1440	1.0449g	12/09/23 10:56:59	2076	
ALPHA-BISABOLOL	0.007	<0.06	<0.020		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA067168TER			Reviewed On : 12/11/23 11:20:01	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 12/08/23 10:57:19	
CAMPHENE	0.007	ND	ND		Analyzed Date : 12/09/23 10:57:20				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 121622.26				
CEDROL	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
EUCALYPTOL	0.007	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						

Total (%)

2.733

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/11/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

GMO Disposable Pen 0.3g

GMO

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31208002-002

Harvest/Lot ID: 5856 2582 3729 7272

Batch# : 5856 2582 3729 7272

Sampled : 12/08/23

Ordered : 12/08/23

Sample Size Received : 15.3 gram

Total Amount : 2105 units

Completed : 12/11/23 Expires: 12/11/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analysis by: 3379, 585, 1440	Weight: 0.2826g	Extraction date: 12/08/23 15:29:06	Extracted by: 3379,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067175PES			Reviewed On : 12/11/23 12:21:36		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 12/08/23 11:14:40		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/08/23 15:34:17					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 120123.R06; 040423.08; 120623.R34; 120623.R25; 120723.R11; 112123.R13; 120623.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2826g	Extraction date: 12/08/23 15:29:06	Extracted by: 3379,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA067176VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Reviewed On : 12/11/23 12:17:25		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/08/23 16:54:22			Batch Date : 12/08/23 11:16:48		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 120123.R06; 040423.08; 112723.R14; 112723.R15					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/11/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....  
GMO Disposable Pen 0.3g

GMO

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31208002-002

Harvest/Lot ID: 5856 2582 3729 7272

Batch# : 5856 2582 3729  
7272

Sampled : 12/08/23

Ordered : 12/08/23

Sample Size Received : 15.3 gram

Total Amount : 2105 units

Completed : 12/11/23 Expires: 12/11/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0264g

Extraction date:  
12/11/23 12:54:11

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA06718850L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 12/11/23 10:02:21

Reviewed On : 12/11/23 13:43:05  
Batch Date : 12/08/23 16:27:06

Dilution : 1  
Reagent : N/A  
Consumables : G201.062; G201.167  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/11/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31208002-002

Harvest/Lot ID: 5856 2582 3729 7272

Batch# : 5856 2582 3729 7272

Sampled : 12/08/23

Ordered : 12/08/23




Sample Size Received : 15.3 gram

Total Amount : 2105 units

Completed : 12/11/23 Expires: 12/11/24

Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 585, 1440 Weight: NA Extraction date: N/A Extracted by: 3336, 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067157MIC Reviewed On : 12/11/23 11:19:22 Batch Date : 12/08/23 09:18:24 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 12/08/23 12:24:18 Dilution : N/A Reagent : 110723.07; 110723.11; 112423.R01; 081023.07; 100223.10 Consumables : N/A Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2826g Extraction date: 12/08/23 15:29:06 Extracted by: 3379, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA067182MYC Instrument Used : N/A Analyzed Date : 12/08/23 15:34:03 Reviewed On : 12/11/23 10:11:03 Batch Date : 12/08/23 11:56:03 Dilution : 250 Reagent : 120123.R06; 040423.08; 120623.R34; 120623.R25; 120723.R11; 112123.R13; 120623.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 4351, 585, 1440 Weight: NA Extraction date: N/A Extracted by: 3336, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA067170TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 12/08/23 13:04:03 Reviewed On : 12/11/23 11:20:03 Batch Date : 12/08/23 10:58:25 Dilution : N/A Reagent : 110723.07; 110723.11; 112423.R02 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2236g Extraction date: 12/08/23 11:42:59 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA067162HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 12/08/23 19:10:38 Reviewed On : 12/11/23 10:16:52 Batch Date : 12/08/23 10:14:44 Dilution : 50 Reagent : 120123.R17; 120123.R15; 120123.R16; 120123.R13; 120123.R14; 112023.R22; 120623.R45; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....  
GMO Disposable Pen 0.3g  
GMO  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31208002-002

Harvest/Lot ID: 5856 2582 3729 7272

Batch# : 5856 2582 3729  
7272

Sampled : 12/08/23

Ordered : 12/08/23

Sample Size Received : 15.3 gram

Total Amount : 2105 units

Completed : 12/11/23 Expires: 12/11/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA067209FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 12/09/23 22:16:28

Reviewed On : 12/09/23 22:24:50

Batch Date : 12/09/23 11:53:00

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.445	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.321g	Extraction date: 12/08/23 18:05:24	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA067187WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 12/08/23 15:14:18

Reviewed On : 12/11/23 11:18:16

Batch Date : 12/08/23 12:01:30

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/11/23