

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Golden Hour Disposable Pen 1g Golden Hour Matrix: Derivative Type: Distillate



Sample:DA31208002-005 Harvest/Lot ID: 2177 1349 9617 0494 Batch#: 2177 1349 9617 0494 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 9883 1241 8340 9161 Batch Date: 08/24/23 Sample Size Received: 16 gram Total Amount: 675 units Retail Product Size: 1 gram Ordered: 12/07/23 Sampled: 12/08/23 Completed: 12/11/23 Sampling Method: SOP.T.20.010

Moisture

Dec 11, 2023 | FLUENT

Miami, FL, 33137, US

PRODUCT IMAGE

82 NE 26th street

SAFETY RESULTS

Pesticides

PASSED

Ha

Heavy Metals

PASSED

Microbials

PASSED



Residuals Solvents

PASSED

Filth

PASSED

Water Activity

PASSED



MISC.



Terpenes

TESTED

Cannabinoid

PASSED

	3 92	THC 1566 THC/Container) O.	al CBD 2679 CBD/Containe			<u>)</u> 96	Cannabinoid 8309 nnabinoids/Con		
% mg/unit LOD	D9-THC 92.566 925.66 0.001 %	THCA ND ND 0.001 %	свр 0.267 2.67 0.001 %	CBDA ND ND 0.001 %	D8-THC 0.191 1.91 0.001 %	свс 2.063 20.63 0.001 %	CBGA ND ND 0.001 %	CBN 0.757 7.57 0.001 %	тнсv 0.584 5.84 0.001 %	своу ND ND 0.001 %	свс 0.402 4.02 0.001 %	
alyzed by: 35, 1665, 585,	, 1440			Weight: 0.1004g		Extraction date: 12/08/23 13:12:	01			Extracted by: 3335		
alytical Batch strument Used	: SOP.T.40.031, SC : DA067153POT : DA-LC-007 12/08/23 13:12:13	DP.T.30.031				Reviewed On : 1 Batch Date : 12/	2/11/23 11:20:44 08/23 09:04:14					
lution : 400	23 R28· 060723 24·	110723 B03										

Mycotoxins

PASSED

Reagent : 120623.R28; 060723.24; 110723.R03 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

m L.

Anal 3335 Anal Anal Insti Δnal Dilut

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/11/23



Golden Hour Disposable Pen 1g Golden Hour Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Terpenes

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA31208002-005

 Harvest/Lot ID: 2177 1349 9617
 O494

 Batch# : 2177 1349 9617
 Sample O494

Sampled : 12/08/23 Ordered : 12/08/23 Sample Size Received : 16 gram Total Amount : 675 units Completed : 12/11/23 Expires: 12/11/24 Sample Method : SOP.T.20.010

Page 2 of 6

TESTED

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LO (%		t %	Result (%)
OTAL TERPENES	0.007	22.43	2.243			SABINENE HYDRATE	0.0	07 ND	ND	
PHA-TERPINOLENE	0.007	12.64	1.264			TOTAL TERPINEOL	0.0	07 ND	ND	
ETA-MYRCENE	0.007	2.83	0.283			ALPHA-CEDRENE	0.0	07 ND	ND	
CIMENE	0.007	2.37	0.237			ALPHA-TERPINENE	0.0)7 ND	ND	
MONENE	0.007	1.52	0.152			BETA-PINENE	0.0)7 ND	ND	
TA-CARYOPHYLLENE	0.007	1.18	0.118			CIS-NEROLIDOL	0.0)7 ND	ND	
PHA-PHELLANDRENE	0.007	0.48	0.048		1	GAMMA-TERPINENE	0.0)7 ND	ND	
BINENE	0.007	0.45	0.045		i	TRANS-NEROLIDOL	0.0)7 ND	ND	
PHA-HUMULENE	0.007	0.42	0.042		i	Analyzed by:	Weight:	Extraction	date:	Extracted by:
PHA-PINENE	0.007	0.32	0.032		i	2076, 585, 1440	1.0292g	12/09/23		2076
LENCENE	0.007	0.22	0.022		1	Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL			
XAHYDROTHYMOL	0.007	< 0.20	< 0.020			Analytical Batch : DA067168TER				2/11/23 11:20:46
PHA-BISABOLOL	0.007	< 0.20	< 0.020			Instrument Used : DA-GCMS-009 Analyzed Date : 12/09/23 10:57:20		Bat	ch Date : 12/	08/23 10:57:19
CARENE	0.007	ND	ND			Dilution : 10				
RNEOL	0.013	ND	ND			Reagent : 121622.26				
MPHENE	0.007	ND	ND			Consumables : 210414634; MKCN9995;	CE0123; R1KB1427			
MPHOR	0.007	ND	ND			Pipette : N/A				
RYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas (Chromatography Mass S	pectrometry. For a	II Flower samp	les, the Total Terpenes % is dry-weight corrected.
DROL	0.007	ND	ND							
CALYPTOL	0.007	ND	ND							
RNESENE	0.001	ND	ND							
NCHONE	0.007	ND	ND							
NCHYL ALCOHOL	0.007	ND	ND							
RANIOL	0.007	ND	ND							
RANYL ACETATE	0.007	ND	ND							
JAIOL	0.007	ND	ND							
DBORNEOL	0.007	ND	ND							
PULEGOL	0.007	ND	ND							
IALOOL	0.007	ND	ND							
ROL	0.007	ND	ND							
ILEGONE	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/11/23



..... Golden Hour Disposable Pen 1g Golden Hour Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31208002-005 Harvest/Lot ID: 2177 1349 9617 0494 Batch# : 2177 1349 9617

0494 Sampled : 12/08/23 Ordered : 12/08/23

Sample Size Received : 16 gram Total Amount : 675 units Completed : 12/11/23 Expires: 12/11/24 Sample Method : SOP.T.20.010

Page 3 of 6

Ъ
6

Pesticides

Pesticide			Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
FOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
FOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010	P.P.	0.1	PASS	ND
FOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010	nnm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010	1.1.	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND			0.010		0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN						
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2611g		3 15:29:08		3379.585	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1				SOP T 40 101)
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	counte (countestine	,, 5011150120	211 2 (20010))	001111101202		
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067175				n:12/11/23		
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-(Batch Date	:12/08/23 11	:14:40	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/08/23 15:	34:17					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 120123.R06; 0404	22 00. 120622 02/	1. 120622 026	. 120722 011	. 112122 012	. 120622 001	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	23.00, 120023.634	+, 120025.R25	, 120725.R11	, 112125.R13	, 120025.R01	
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA	-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents i		iq Liquid Chron	natography Tri	iple-Quadrupo	le Mass Spectro	metry in
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64EP		5 11 1 1				
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted b	by:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2611g	12/08/23			3379,585	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1						
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA067176			eviewed On :			
IETALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS- Analyzed Date : 12/08/23 16:		Ba	atch Date : 12	2/00/23 11:10	.40	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250	57.22					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 120123.R06: 0404	23.08: 112723.R14	1: 112723.R15				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14		., _12, 20,1110				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA	-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents i accordance with F.S. Rule 64ER		ig Gas Chroma	tography Tripl	e-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/11/23



Page 4 of 6

Golden Hour Disposable Pen 1g Golden Hour Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA31208002-005

 Harvest/Lot ID: 2177 1349 9617 0494

 Batch# : 2177 1349 9617
 Sample

 0494
 Total Ar

 Sampled : 12/08/23
 Compler

Ordered : 12/08/23

9617 0494 Sample Size Received :16 gram Total Amount :675 units Completed :12/11/23 Expires:12/11/24 Sample Method : SOP.T.20.010

Ä

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
ETHANOL	500.000	ppm	5000	PASS	ND		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
ETHYL ETHER	50.000	ppm	500	PASS	ND		
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND		
HEPTANE	500.000	ppm	5000	PASS	ND		
METHANOL	25.000	ppm	250	PASS	ND		
N-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
Analyzed by: 350, 585, 1440	Weight: 0.0199g	Extraction date: 12/11/23 11:00:32		Extract 850,58			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067189SOL Instrument Used : DA-GCMS-003 Analyzed Date : 12/11/23 09:58:30	ical Batch : DA067189SOL Reviewed On : 12/11/23 12:29:16 ment Used : DA-GCMS-003 Batch Date : 12/08/23 16:33:26						

Dilution : 1

Reagent : N/A Consumables : 125773; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/11/23

PASSED

PASSED



Golden Hour Disposable Pen 1g Golden Hour Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31208002-005 Harvest/Lot ID: 2177 1349 9617 0494 Batch# : 2177 1349 9617 Sample

0494 Sampled : 12/08/23 Ordered : 12/08/23 Sample Size Received : 16 gram Total Amount : 675 units Completed : 12/11/23 Expires: 12/11/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ç,	Microb	ial			PAS	SED	သို့	ſ	Mycotoxi	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	S TERREUS			Not Present		Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present			AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S FLAVUS			Not Present	PASS	100000	AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GENE			Not Present			AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		10	CFU/g	Not Present <10	PASS PASS		Analyzed by: 3379, 585, 144	10	Weight: 0.2611g	Extraction dat 12/08/23 15:2			xtracted 379,585	oy:
Analyzed by: 3621, 3336, 58	5, 1440	Weight: NA	Extraction N/A		Extracted by 3336,3390	/:			OP.T.30.101.FL (Gain avie), SOP.T.40.102.F		.40.101.FL	. (Gainesvi	ille),	
	d:SOP.T.40.056C, h:DA067157MIC	SOP.T.40.05	B.FL, SOP.T.		wed On : 12/	/11/23	Analytical Bate	ch:D ed:N	A067182MYC	Review		.2/11/23 1 08/23 11:		
DA-020,fisherb Isotemp Heat E Analyzed Date Dilution : N/A	: 12/08/23 12:24:18 723.07; 110723.11;	Block DA-049	9,Fisher Scie	entific	:24		120623.R01 Consumables : Pipette : DA-0 Mycotoxins test	: 3262 93; D	806; 040423.08; 1206 250IW A-094; DA-219 Illizing Liquid Chromatog Rule 64ER20-39.					
Analyzed by: 3390, 4351, 58	5, 1440	Weight: NA	Extraction N/A		Extracted by 3336,3390	/:	Hg	H	leavy Me	etals			PAS	SED
Analytical Batc	d: SOP.T.40.208 (G h: DA067170TYM		Revi	ewed On : 12/3			Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (25-2) : 12/08/23 13:04:03		ватс	h Date : 12/08	23 10:30:25)	TOTAL CONT		NANT LOAD METAL	.s 0.080	ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	723.07; 110723.11;	112423.R02					CADMIUM			0.020	ppm	ND	PASS	0.2
consumables :	N/A						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perform F.S. Rule 64ER20-39.	ned utilizing MI	PN and traditi	onal culture base	ed techniques	in	Analyzed by: 1022, 585, 144	10	Weight: 0.2411g	Extraction dat 12/08/23 13:3			ctracted k 022,4306	y:
							Analytical Bate	ch:D ed:D		Reviewe		/11/23 10: 8/23 10:14		
							Dilution : 50							

Reagent : 120123.R17; 120123.R15; 120123.R16; 120123.R13; 120123.R14; 112023.R22; 120623.R45; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/11/23



Golden Hour Disposable Pen 1g Golden Hour Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31208002-005 Harvest/Lot ID: 2177 1349 9617 0494 Batch#: 2177 1349 9617 Sample 0494 Total Ar

Sampled : 12/08/23 Ordered : 12/08/23 Sample Size Received : 16 gram Total Amount : 675 units Completed : 12/11/23 Expires: 12/11/24 Sample Method : SOP.T.20.010

		Filth/Foi Material		n		PA	SSED
	nalyte ilth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
	nalyzed by: 379, 1440	Weight: NA	E) N/	traction of	date:	Extra N/A	cted by:
Aı In	nalytical Batch strument Used	: SOP.T.40.090 : DA067209FIL I: Filth/Foreign Mater 12/09/23 22:16:28	ial Micro	scope			0/23 22:24:53 3 11:53:00
Re Ce	llution : N/A eagent : N/A onsumables : N pette : N/A	I/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	-	OD .010	Units aw		sult 0.385	P/F PASS	Action Level 0.85
Analyzed by: 4056, 585, 1440		traction d 2/08/23 18	n date: 18:05:25			tracted by: 56	
Analysis Method : SOP. Analytical Batch : DA06 Instrument Used : DA-0 Analyzed Date : 12/08/2	ropal	m			12/11/2 12/08/23	3 11:20:49 12:01:30	
Dilution : N/A Reagent : 113021.09 Consumables : PS-14							

Consumables : PS-Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/11/23

PASSED

Page 6 of 6