



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA31209003-001
 Harvest/Lot ID: HYB-120323 C0120
 Batch#: 2334 4124 3371 2002
 Cultivation Facility: Zolfo Springs Cultivation
 Processing Facility: Zolfo Springs Processing
 Source Facility: Zolfo Springs Cultivation
 Seed to Sale#: 9869 7413 8257 4097
 Batch Date: 10/20/23
 Sample Size Received: 31.5 gram
 Total Amount: 1909 units
 Retail Product Size: 3.5 gram
 Ordered: 12/08/23
 Sampled: 12/09/23
 Completed: 12/12/23
 Sampling Method: SOP.T.20.010


Dec 12, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US






PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 32.528% Dry Weight		Total CBD 0.073% Dry Weight		Total Cannabinoids 39.576% Dry Weight
--	--	---	---	---	---

	Total THC 28.173% 986.055 mg /Container										Total CBD 0.064% 2.24 mg /Container
	Total Cannabinoids 34.277% 1199.695 mg /Container										As Received
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.403	31.665	ND	0.073	0.044	0.181	1.843	ND	ND	ND	0.068
mg/unit	14.105	1108.275	ND	2.555	1.54	6.335	64.505	ND	ND	ND	2.38
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by: 1665, 585, 1440	Weight: 0.1999g	Extraction date: 12/11/23 10:17:05	Extracted by: 3335
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA067240POT
 Instrument Used : DA-LC-002
 Analyzed Date : 12/11/23 11:22:09

Reviewed On : 12/12/23 14:42:26
 Batch Date : 12/11/23 08:14:24

Dilution : 400
 Reagent : 111423.R05; 070621.18; 111423.R04
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 12/12/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Origins Platinum TK WF 3.5g
FTH-Origins Platinum TK
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31209003-001
Harvest/Lot ID: HYB-120323 C0120

Batch# : 2334 4124 3371
Sample Size Received : 31.5 gram
Total Amount : 1909 units
Completed : 12/12/23 Expires: 12/12/24
Ordered : 12/09/23
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	92.54	2.644		SABINENE	0.007	ND	ND	
LIMONENE	0.007	29.72	0.849		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.98	0.228		ALPHA-CEDRENE	0.007	ND	ND	
LINALOOL	0.007	6.90	0.197		ALPHA-PHELLANDRENE	0.007	ND	ND	
OCIMENE	0.007	6.65	0.190		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.06	0.173		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	4.62	0.132		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	4.38	0.125		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	3.15	0.090						
GUAJOL	0.007	2.94	0.084		Analysis by:	Weight:	Extraction date:	Extracted by:	
TOTAL TERPENEOL	0.007	2.52	0.072		2076, 585, 1440	0.9477g	12/09/23 12:23:53	1879.3702	
ALPHA-HUMULENE	0.007	2.52	0.072		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	1.23	0.035		Analytical Batch : DA067211TER			Reviewed On : 12/12/23 14:42:28	
FARNESENE	0.001	0.81	0.023		Instrument Used : DA-GCMS-009			Batch Date : 12/09/23 11:53:19	
CAMPHENE	0.007	0.70	0.020		Analyzed Date : N/A				
BORNEOL	0.013	<1.40	<0.040		Dilution : 10				
FENCHONE	0.007	<1.40	<0.040		Reagent : 121622.26				
GERANIOL	0.007	<0.70	<0.020		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
VALENCENE	0.007	<0.70	<0.020		Pipette : N/A				
ALPHA-TERPINOLENE	0.007	<0.70	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			2.644						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/12/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Origins Platinum TK WF 3.5g
FTH-Origins Platinum TK
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31209003-001
Harvest/Lot ID: HYB-120323 C0120

Batch# : 2334 4124 3371
2002
Sample Size Received : 31.5 gram
Total Amount : 1909 units
Completed : 12/12/23 Expires: 12/12/24
Ordered : 12/09/23
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.9591g	Extraction date: 12/10/23 15:25:31	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA067207PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 12/12/23 13:17:37		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/10/23 14:58:18			Batch Date : 12/09/23 11:48:53		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 120123.R06; 040423.08; 120623.R34; 120623.R25; 120723.R11; 112123.R13; 120623.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.9591g	Extraction date: 12/10/23 15:25:31	Extracted by: 4056		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA067222VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 12/12/23 13:15:56		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/11/23 15:28:37			Batch Date : 12/10/23 10:16:06		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 120123.R06; 040423.08; 112723.R14; 112723.R15					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/12/23



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31209003-001
 Harvest/Lot ID: HYB-120323 C0120

 Batch# : 2334 4124 3371 Sample Size Received : 31.5 gram
 2002 Total Amount : 1909 units
 Sampled : 12/09/23 Completed : 12/12/23 Expires: 12/12/24
 Ordered : 12/09/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 4056, 3379, 585, 1440 Weight: 0.9591g Extraction date: 12/10/23 15:25:31 Extracted by: 4056					
TOTAL YEAST AND MOLD	10	CFU/g	90	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA067223MYC Reviewed On : 12/12/23 13:35:04 Instrument Used : N/A Batch Date : 12/10/23 10:16:24 Analyzed Date : 12/10/23 14:58:08					
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.8143g Extraction date: 12/09/23 12:45:45 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067195MIC Reviewed On : 12/12/23 13:32:59 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 12/11/23 10:17:34						Dilution : 250 Reagent : 120123.R06; 040423.08; 120623.R34; 120623.R25; 120723.R11; 112123.R13; 120623.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : N/A Reagent : 110723.11; 110723.24; 112423.R01; 081023.07; 100223.10 Consumables : 7568502059 Pipette : N/A						<div>  Heavy Metals PASSED </div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2914g Extraction date: 12/09/23 12:00:16 Extracted by: 1022, 4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA067201HEA Reviewed On : 12/12/23 09:50:18 Instrument Used : DA-ICPMS-004 Batch Date : 12/09/23 10:13:12 Analyzed Date : 12/11/23 15:01:02						Dilution : 50 Reagent : 120123.R17; 120123.R16; 112123.R01; 121123.R02; 112023.R22; 120623.R45 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Origins Platinum TK WF 3.5g
FTH-Origins Platinum TK
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31209003-001
Harvest/Lot ID: HYB-120323 C0120

Batch# : 2334 4124 3371
2002
Sample Size Received : 31.5 gram
Total Amount : 1909 units
Completed : 12/12/23 Expires: 12/12/24
Ordered : 12/09/23
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.39	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4371, 585, 1440	Weight: 0.512g	Extraction date: 12/10/23 14:32:51	Extracted by: 4371		
Analysis Method : SOP.T.40.090 Analytical Batch : DA067209FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/09/23 22:16:28						Analysis Method : SOP.T.40.021 Analytical Batch : DA067219MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.555	PASS	0.65
Analyzed by: 4371, 585, 1440	Weight: 1.05g	Extraction date: 12/10/23 13:09:10	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA067220WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/12/23