

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**COMPLIANCE FOR RETAIL** 

# **Certificate of Analysis**

### **Kaycha Labs**

Reindeer Reefer Cartridge Concentrate 0.5g **Reindeer Reefer** Matrix: Derivative Type: Distillate




Sample:DA31213001-004 Harvest/Lot ID: 3416 9054 6341 4788 Batch#: 3416 9054 6341 4788 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 6680 6783 7647 4369 Batch Date: 09/25/23 Sample Size Received: 15.5 gram Total Amount: 1866 units Retail Product Size: 0.5 gram Ordered: 12/12/23 Sampled: 12/13/23 Completed: 12/15/23 Sampling Method: SOP.T.20.010

Pages 1 of 6

Dec 15, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

### PASSED



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	88.909	0.106	0.241	ND	0.234	1.836	0.084	0.850	0.535	ND	0.731
mg/unit	444.55	0.53	1.21	ND	1.17	9.18	0.42	4.25	2.68	ND	3.66
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	5, 4044			Weight: 0.1046g		Extraction date: 12/13/23 11:53:0	)1			Extracted by: 3335	
Analytical Batch Instrument Use	d:SOP.T.40.031, SO h:DA067286POT d:DA-LC-007 :12/13/23 11:53:19					Reviewed On : 12 Batch Date : 12/2	2/13/23 21:49:55 13/23 09:48:25				

Dilution : 400

Reagent : 120623.R28; 060723.24; 111423.R04 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/15/23



Reindeer Reefer Cartridge Concentrate 0.5g Reindeer Reefer Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31213001-004 Harvest/Lot ID: 3416 9054 6341 4788 Batch# : 3416 9054 6341 Sample 4788 Total Ar

Sampled : 12/13/23 Ordered : 12/13/23 A1 4788 Sample Size Received : 15.5 gram Total Amount : 1866 units Completed : 12/15/23 Expires: 12/15/24 Sample Method : SOP.T.20.010

Page 2 of 6

## **(**

Ter	'be	nec
		103

TOTAL TERPENES BETA-CARYOPHYLLENE			%	Result (%)	Terpenes		LOD (%)	mg/unit		Result (%)
ETA-CARYOPHYLLENE	0.007	8.65	1.729		SABINENE HYDRATE		0.007	ND	ND	
	0.007	2.58	0.515		ALPHA-CEDRENE		0.007	ND	ND	
EXAHYDROTHYMOL	0.007	1.52	0.304		ALPHA-PHELLANDRENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.79	0.158		ALPHA-PINENE		0.007	ND	ND	
RANS-NEROLIDOL	0.007	0.77	0.153		ALPHA-TERPINENE		0.007	ND	ND	
MONENE	0.007	0.71	0.142		BETA-PINENE		0.007	ND	ND	
INALOOL	0.007	0.51	0.102		CIS-NEROLIDOL		0.007	ND	ND	
ARNESENE	0.001	0.44	0.087		GAMMA-TERPINENE		0.007	ND	ND	
ALENCENE	0.007	0.39	0.077		Analyzed by:	Weight:		Extraction da	ite:	Extracted by:
ETA-MYRCENE	0.007	0.35	0.069		2076, 585, 4044	1.0133g		12/13/23 15:		2076
LPHA-BISABOLOL	0.007	0.25	0.050		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
LPHA-TERPINOLENE	0.007	0.14	0.027		Analytical Batch : DA067287TER Instrument Used : DA-GCMS-009					2/15/23 10:28:51 3/23 10:14:13
OTAL TERPINEOL	0.007	0.12	0.023		Analyzed Date : 12/13/23 15:43:52			Batch	Date : 12/1	3/23 10:14:13
ARYOPHYLLENE OXIDE	0.007	0.11	0.022		Dilution : 10					
ENCHYL ALCOHOL	0.007	<0.10	<0.020		Reagent : 121622.26					
CARENE	0.007	ND	ND		Consumables : 210414634; MKCN999	95; CE0123; R1KB14	270			
DRNEOL	0.013	ND	ND		Pipette : N/A					
AMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Ga	as Chromatography Ma	ss Spectr	ometry. For all F	lower sample	es, the Total Terpenes % is dry-weight corrected.
AMPHOR	0.007	ND	ND							
EDROL	0.007	ND	ND							
JCALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/15/23

### TESTED

PASSED



Reindeer Reefer Cartridge Concentrate 0.5g Reindeer Reefer Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31213001-004 Harvest/Lot ID: 3416 9054 6341 4788

Batch#: 3416 9054 6341 4788 Sampled: 12/13/23 Ordered: 12/13/23 Sample Size Received :15.5 gram Total Amount : 1866 units Completed : 12/15/23 Expires: 12/15/24 Sample Method : SOP.T.20.010

Page 3 of 6



### Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND				3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.010				
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	maa	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010		0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND				0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010				
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	maa	0.1	PASS	ND				0.5		
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight:		on date:		Extracted by	y:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	3379, 585, 4044 0.2138g Analysis Method : SOP.T.30.101.FL (Gainesville). S		3 15:22:59	COD T 40 101 1	4056,3379	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	OP.1.30.10	2.FL (Davie), 3	50P.1.40.101.1	FL (Gamesville)	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067297PES		Reviewed O	n:12/14/23 13	1:39:13	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	12/13/23 10:5	50:20	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/13/23 15:25:29					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 121123.R19; 040423.08; 121023.R04; 1	.20623.R25	; 120723.R11;	112123.R13;	121323.R01	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Consumables : 3262501W Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iquid Chron	natography Trij	ole-Ouadrupole	Mass Spectron	otry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	iquiu cirron	lacography m	one quadrapore	indus opecation	icci y ili
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Ext	raction date:		Extracted	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	3379, 1665, 585, 4044 0.2138g	12/	13/23 15:22:5	9	4056,3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), S					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA067298VOL		eviewed On :			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001	Ba	atch Date : 12	/13/23 10:51:0	00	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/13/23 15:26:37					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 121123.R19; 040423.08; 112723.R14; 1	12723 B15				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 3262501W; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing O	Gas Chroma	tography Triple	-Quadrupole M	lass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/15/23

PASSED

PASSED



Page 4 of 6

Reindeer Reefer Cartridge Concentrate 0.5g Reindeer Reefer Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31213001-004 Harvest/Lot ID: 3416 9054 6341 4788 Batch# : 3416 9054 6341 4788 Sampled : 12/13/23

Ordered : 12/13/23

Sample Size Received : 15.5 gram Total Amount : 1866 units Completed : 12/15/23 Expires: 12/15/24 Sample Method : SOP.T.20.010

## ñ

### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
TEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0255g	Extraction date: 12/14/23 11:32:40	)	<b>E</b> x 85	<b>tracted by:</b>
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067315SOL Instrument Used : DA-GCMS-002 Analyzed Date : 12/14/23 11:33:10			<b>1 On :</b> 12/14/23 16:04:00 <b>te :</b> 12/13/23 14:03:44		
Dilution : 1					

**Dilution**: 1

Reagent : N/A Consumables : G201.062; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/15/23

PASSED

PASSED



Reindeer Reefer Cartridge Concentrate 0.5g Reindeer Reefer Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31213001-004 Harvest/Lot ID: 3416 9054 6341 4788 Batch# : 3416 9054 6341 Sample

4788 Sampled : 12/13/23 Ordered : 12/13/23 Sample Size Received : 15.5 gram Total Amount : 1866 units Completed : 12/15/23 Expires: 12/15/24 Sample Method : SOP.T.20.010

Page 5 of 6

🥵 Micro	bial			PAS	SED	ڳ	Μ	/cotox	ins				PAS	SED
Analyte	LO	D Units	Result	Pass / Fail	Action Level	Analyte			L	OD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GE	NE		Not Present	PASS	Level	AFLATOXIN I	32		0	002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN				002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXI				002	ppm	ND	PASS	0.02
SPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN				002	ppm	ND	PASS	0.02
SPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN	52		0.	002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:		Weinht	Extractio			E	chun aha al h	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 404	4	Weight: 0.2138g	12/13/23				<b>ctracted b</b> 056,3379	y:
nalyzed by: 336, 3390, 585, 4044	Weight: 0.89g	Extraction da 12/13/23 12:		Extracted 3390,333				.30.101.FL (Gai ), SOP.T.40.102			40.101.FL	(Gainesvi	ille),	
nalysis Method : SOP.T.40.05 nalytical Batch : DA067284M Istrument Used : Incubator (: TPCR,Incubator (42*C) DA-3	56C, SOP.T.40. IIC 37*C) DA- 188,	058.FL, SOP.T.	40.209.FL Reviewed C	<b>Dn :</b> 12/15/2	3 15:38:52	Analytical Bate Instrument Use Analyzed Date	h:DA067 ed:N/A	7299MYC	F	Reviev		2/14/23 1 13/23 10:		
nalyzed Date : 12/13/23 12:2							.23.R19; (	040423.08; 121	.023.R04; 1	L2062	3.R25; 12	0723.R11	; 112123.	R13;
Dilution : N/A Reagent : 103123.R11; 12112 Consumables : 2125220; 2125						121323.R01 Consumables : Pipette : DA-09								
Pipette : N/A						_ Mycotoxins test accordance wit		g Liquid Chromato	ography with	n Triple	-Quadrupo	le Mass Spe	ctrometry	in
Analyzed by: 3336, 3390, 585, 4044	Weight: 0.863g	Extraction da 12/13/23 12:		Extracted 3390,333				0421120 33.						
Analysis Method : SOP.T.40.20 Analytical Batch : DA067314T nstrument Used : Incubator (/ Analyzed Date : 12/13/23 12:3	YM 25-27*C) DA-09	Rev	9.FL iewed On : 12/1 ch Date : 12/13,			Hg	Не	avy M	etals	5			PAS	SED
	1.05					Metal			L	OD	Units	Result	Pass /	Action
vilution : 10 .eagent : 110723.21; 110723	22· 112423 R	02				TOTAL CONT				000		ND	Fail PASS	Level
onsumables : N/A		~_					AMINAN	T LOAD META		080	ppm	ND	PASS	1.1 0.2
ipette : N/A						ARSENIC				020	ppm	ND	PASS	
otal yeast and mold testing is pe	rformed utilizing	MPN and traditi	onal culture base	d techniques	in	- CADMIUM MERCURY				020	ppm	ND ND	PASS	0.2 0.2
ccordance with F.S. Rule 64ER20		,				LEAD				020 020	ppm ppm	ND	PASS	0.2
						Analyzed by: 1022, 585, 404	4	Weight: 0.2319g	Extract 12/13/2				Extracted 1022	by:
						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA067 ed:DA-IC	PMS-004	Re	viewe		/14/23 11: 3/23 10:25		
						Dilution ( EO								

Dilution: 50

Reagent : 121123.R03; 120123.R16; 121123.R01; 121123.R02; 112023.R22; 120623.R45 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/15/23



Reindeer Reefer Cartridge Concentrate 0.5g Reindeer Reefer Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31213001-004 Harvest/Lot ID: 3416 9054 6341 4788 Batch# : 3416 9054 6341 4788 Sampled : 12/13/23

Sample Size Received : 15.5 gram Ordered : 12/13/23

PASSED

Total Amount : 1866 units Completed : 12/15/23 Expires: 12/15/24 Sample Method : SOP.T.20.010

Analyte Filth and Foreign Ma	terial	<b>LOD</b> 0.100	Units	Result ND	P/F PASS	Action Leve
Analyzed by: 1879, 585, 4044	Weig NA		Po Extraction N/A			acted by:
Analysis Method : SOP.T Analytical Batch : DA067 Instrument Used : Filth/F Analyzed Date : 12/13/2	7312FIL Foreign Mater	rial Micro	oscope			3/23 12:02:23 23 11:44:53
Dilution : N/A Reagent : N/A						
Pipette : N/A Filth and foreign material in				spection utilizi	ng naked ey	ve and microscope
Pipette : N/A Filth and foreign material in technologies in accordance		64ER20-3	39.	spection utilizi		re and microscope
Pipette : N/A Filth and foreign material in technologies in accordance	with F.S. Rule	64ER20-3	39.	spection utilizi		
Consumables : N/A Pipette : N/A Filth and foreign material in technologies in accordance (Construction) (Constr	with F.S. Rule	otiv	ity Units		PA	SSED

Analysis Method : SOP.T.40.019 Analytical Batch : DA067306WAT Instrument Used : DA-028 Rotronic Hygropalm Reviewed On : 12/13/23 21:40:11 Batch Date : 12/13/23 11:02:07 Analyzed Date : N/A Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/15/23

### PASSED

Page 6 of 6