

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Disposable Pen 0.3g Miami Vibes

Matrix: Derivative Type: Distillate



Sample:DA31215002-007 Harvest/Lot ID: 9678 8365 4185 0285

Batch#: 9678 8365 4185 0285

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 9809 5611 8636 7294

Batch Date: 08/24/23

Sample Size Received: 15.3 gram

Total Amount: 1895 units Retail Product Size: 0.3 gram

> **Ordered:** 12/14/23 Sampled: 12/15/23

Completed: 12/19/23

Sampling Method: SOP.T.20.010

PASSED

Dec 19, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides





Heavy Metals Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 274.17 mg

91.390%



Total CBD 0.250%

Total CBD/Container: 0.75 mg

Reviewed On: 12/18/23 12:57:18 Batch Date: 12/15/23 09:16:58



Total Cannabinoids 96.435%

Total Cannabinoids/Container: 289.31 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA067373POT Instrument Used : DA-LC-007 Analyzed Date: 12/15/23 13:33:46

Reagent: 120623.R28; 060723.24; 111423.R04

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/19/23



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31215002-007 Harvest/Lot ID: 9678 8365 4185 0285

Batch#: 9678 8365 4185

0285 Sampled: 12/15/23 Ordered: 12/15/23 Sample Size Received: 15.3 gram
Total Amount: 1895 units

Completed: 12/19/23 Expires: 12/19/24
Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes		LOD (%)	mg/unit	: %	Result (%)
TOTAL TERPENES	0.007	3.76	1.254			SABINENE HYDRATE		0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	2.16	0.721			TOTAL TERPINEOL		0.007	ND	ND	
BETA-MYRCENE	0.007	0.44	0.147			VALENCENE		0.007	ND	ND	
OCIMENE	0.007	0.41	0.136			ALPHA-BISABOLOL		0.007	ND	ND	
LIMONENE	0.007	0.26	0.087			ALPHA-CEDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.23	0.078			CIS-NEROLIDOL		0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.10	0.033			GAMMA-TERPINENE		0.007	ND	ND	
BETA-PINENE	0.007	0.09	0.029		The state of the s	TRANS-NEROLIDOL		0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.07	0.023		İ	Analyzed by:	Weight:		Extraction d	late:	Extracted by:
CAMPHOR	0.007	< 0.18	< 0.060			2076, 585, 4044	1.0266g		12/15/23 17		2076
FENCHYL ALCOHOL	0.007	< 0.06	< 0.020			Analysis Method : SOP.T.30.061A.FL,	, SOP.T.40.061A.FL				
GERANIOL	0.007	< 0.06	< 0.020			Analytical Batch : DA067384TER Instrument Used : DA-GCMS-008					/18/23 12:57:20 5/23 10:49:05
ALPHA-PINENE	0.007	< 0.06	< 0.020			Analyzed Date: 12/15/23 18:12:58			Batti	n Date: 12/1	5/23 10:49:05
ALPHA-TERPINENE	0.007	< 0.06	< 0.020			Dilution: 10					
3-CARENE	0.007	ND	ND			Reagent: 121622.26					
BORNEOL	0.013	ND	ND			Consumables: 210414634; MKCN99	95; CE0123; R1KB	L4270			
CAMPHENE	0.007	ND	ND			Pipette : N/A					
CARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing G	ias Chromatography I	Aass Specti	ometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.001	ND	ND								
FENCHONE	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
LINALOOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
Total (%)			1.254								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/19/23



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative

Type: Distillate



PASSED

Certificate of Analysis

ELHENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31215002-007 Harvest/Lot ID: 9678 8365 4185 0285

Batch#: 9678 8365 4185

0285 Sampled: 12/15/23 Ordered: 12/15/23 Sample Size Received: 15.3 gram
Total Amount: 1895 units

Total Amount: 1895 units Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010) ppm	Level 5	PASS	ND		0.010		Level	2466	ND
TOTAL DIMETHOMORPH		ppm ppm	0.2	PASS	ND	OXAMYL		ppm	0.5	PASS	ND
TOTAL PERMETHRIN		ppm ppm	0.1	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
		ppm ppm	0.5	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS		ppm ppm	0.3	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINGSAR) ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD		1.1.		PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm ppm	0.1	PASS	ND ND	PROPOXUR		ppm	0.1	PASS	ND
ACEPHATE		ppm ppm	0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACEQUINOCYL) ppm	0.1	PASS	ND				0.1	PASS	ND
ACETAMIPRID		ppm ppm	0.1	PASS	ND	SPIROMESIFEN		ppm			
ALDICARB			0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENAZATE) ppm) ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN		1.1.	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL		ppm ppm	0.5	PASS	ND ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBOFURAN			1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE		ppm ppm	0.1	PASS	ND	CAPTAN *		PPM	0.7	PASS	ND
CHLORPYRIFOS			0.1	PASS	ND			PPM	0.1	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *					
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *		PPM	0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *		PPM	0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS		ppm ppm	0.1	PASS	ND	Analyzed by: Weight:	Е	xtraction da	ite:	Extract	ed by:
DIMETHOATE) ppm	0.1	PASS	ND	4056, 3379, 585, 4044 0.2843g	1	2/15/23 15:4	0:15	3379	
ETHOPROPHOS		1.1.	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesville), S	OP.T.30.10	02.FL (Davie)	, SOP.T.40.101	FL (Gainesville),
ETOFENPROX		ppm ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)			• 12/10/22	15 10 40	
ETOXAZOLE			0.1	PASS	ND	Analytical Batch : DA067386PES Instrument Used : DA-LCMS-003 (PES)			On:12/18/23 1 e:12/15/23 11		
FENHEXAMID		ppm	0.1	PASS	ND	Analyzed Date: 12/15/23 17:05:36		Dateil Date	6 • 12/13/23 11	.23.40	
FENOXYCARB		ppm	0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE		ppm	0.1	PASS	ND	Reagent: 121023.R04; 121323.R30; 121123.R19;	121023.R0	03; 112123.F	13; 121323.R0	1; 040423.08	
FIPRONIL		ppm	0.1	PASS	ND	Consumables: 3262501W					
FLONICAMID) ppm) ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL		ppm ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iquid Chroi	matography T	riple-Quadrupo	le Mass Spectror	netry in
HEXYTHIAZOX			0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL		ppm ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 450, 585, 4044 0.2843q		traction dat 1/15/23 15:40		Extracto 3379	ea by:
IMIDACLOPRID KRESOXIM-METHYL		ppm ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), S					
) ppm	0.1	PASS	ND	Analytical Batch : DA067388VOL			:12/18/23 13:		
MALATHION		ppm ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-010			12/15/23 11:32		
METALAXYL METHIOCARB		ppm ppm	0.1	PASS	ND	Analyzed Date :12/15/23 15:55:55					
METHOCARB		ppm ppm	0.1	PASS	ND	Dilution: 250					
		ppm (0.1	PASS	ND	Reagent: 121023.R04; 121323.R30; 121123.R19;	121023.R	03; 112123.F	R13; 121323.R0	01; 040423.08	
MEVINPHOS MYCLOBUTANIL		ppm ppm	0.1	PASS	ND ND	Consumables: 3262501W Pipette: DA-093: DA-094: DA-219					
NALED		ppm ppm	0.1	PASS	ND ND	Testing for agricultural agents is performed utilizing G	ac Chroms	tography Trie	ole-Ouadrupolo	Macc Spectromo	try in
NALED	0.010	phili	0.23	FM33	ND	accordance with F.S. Rule 64ER20-39.	as Cill Ullic	itograpily III	ne-Quadrupole	mass spectrome	ci y iii

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/19/23



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31215002-007 Harvest/Lot ID: 9678 8365 4185 0285

Batch#: 9678 8365 4185

Sampled: 12/15/23 Ordered: 12/15/23

Sample Size Received: 15.3 gram Total Amount: 1895 units

Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0244g	Extraction date: 12/18/23 12:40:29		Ext 850	racted by:)

Reviewed On: 12/19/23 14:39:08

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067403SOL Instrument Used: DA-GCMS-003

Analyzed Date: 12/15/23 15:04:23

Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$

Consumables: G201.062; G201.062 **Pipette :** DA-309 25 uL Syringe 35028

Batch Date: 12/15/23 15:02:33

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/19/23



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31215002-007 Harvest/Lot ID: 9678 8365 4185 0285

Batch#: 9678 8365 4185

Sampled: 12/15/23 Ordered: 12/15/23

Sample Size Received: 15.3 gram Total Amount: 1895 units

Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		1
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	2

Analyzed by: Weight: **Extraction date:** Extracted by: 0.897g 3336, 3390, 585, 4044 12/15/23 12:29:16

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067379MIC Review

Reviewed On: 12/18/23 18:28:17

Instrument Used: Incubator (37*C) DA- 188,DA-265 Gene-UP Batch Date: 12/15/23 10:19:25 RTPCR,Incubator (42*C) DA- 328

Analyzed Date : 12/15/23 14:48:39

 ${\bf Dilution: N/A}$

Reagent: 103123.R11; 121123.R17 Consumables : 2125220; 2125230

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 3963, 585, 4044	0.891g	12/15/23 12:43:42	3336,3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA067396TYM
Instrument Used : Incubator (25-27*C) DA-096 Reviewed On: 12/18/23 12:57:22 Batch Date: 12/15/23 12:42:01 Analyzed Date: 12/15/23 14:50:33

Reagent: 112423.R02; 110723.19; 110723.22

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 4044	Weight: 0.2843g	Extractio 12/15/23	n date: 15:40:15		Extracte 3379	ed by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA067387MYC Reviewed On: 12/18/23 15:17:21 Instrument Used : N/A Batch Date: 12/15/23 11:32:10 **Analyzed Date:** 12/15/23 17:05:47

Dilution: 250
Reagent: 121023.R04; 121323.R30; 121123.R19; 121023.R03; 112123.R13; 121323.R01;

040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT I	OAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 4044	Weight: 0.2812g	Extraction dat 12/15/23 12:5			Extracted 1022	by:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA067376HEA

Instrument Used : DA-ICPMS-004 Analyzed Date: 12/15/23 15:28:31 Reviewed On: 12/18/23 12:19:41 Batch Date: 12/15/23 10:11:42

Dilution: 50

Reagent: 120123.R17; 121123.R03; 120123.R16; 121123.R01; 121123.R02; 112023.R22; 120623.R45

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/19/23



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative

Type: Distillate

Page 6 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31215002-007 Harvest/Lot ID: 9678 8365 4185 0285

Batch#: 9678 8365 4185

Sampled: 12/15/23 Ordered: 12/15/23

Sample Size Received: 15.3 gram Total Amount: 1895 units Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA067400FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 12/15/23 16:13:30 Batch Date: 12/15/23 12:49:43 Analyzed Date: 12/15/23 16:07:58

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.388	P/F PASS	Action Level 0.85
Analyzed by: 1879, 585, 4044	Weight: 0.56g		raction d 15/23 16		Ext 43	racted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA067399WAT

Reviewed On: 12/15/23 23:45:00 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 12/15/23 12:45:46

Analyzed Date: 12/15/23 18:07:49

Dilution : N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/19/23

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha