



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31219006-005
Harvest/Lot ID: ID-NOL-120523-A138
Batch#: 5567 6853 2115 2454
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4730 1286 8272 5129
Batch Date: 11/30/23
Sample Size Received: 31.5 gram
Total Amount: 1446 units
Retail Product Size: 3.5 gram
Ordered: 12/18/23
Sampled: 12/19/23
Completed: 12/21/23
Sampling Method: SOP.T.20.010

Dec 21, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
23.231%
Dry Weight



Total CBD
0.066%
Dry Weight



Total Cannabinoids
27.675%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.278	23.317	ND	0.068	0.031	0.199	0.765	ND	ND	ND	0.034
mg/unit	9.73	816.095	ND	2.38	1.085	6.965	26.775	ND	ND	ND	1.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
20.727%
725.445 mg /Container

Total CBD
0.059%
2.065 mg /Container

Total Cannabinoids
24.692%
864.22 mg /Container

As Received

Analyzed by:
1665, 585, 4351

Weight:
0.2155g

Extraction date:
12/19/23 15:09:59

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067500POT

Instrument Used : DA-LC-002

Analyzed Date : 12/19/23 15:16:45

Reviewed On : 12/20/23 14:44:30

Batch Date : 12/19/23 13:33:49

Dilution : 400

Reagent : 121523.R01; 060723.24; 121523.R02

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
12/21/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Northern Lights WF 3.5 g
Northern Lights
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31219006-005

Harvest/Lot ID: ID-NOL-120523-A138

Batch# : 5567 6853 2115
2454

Sampled : 12/19/23

Ordered : 12/19/23

Sample Size Received : 31.5 gram

Total Amount : 1446 units

Completed : 12/21/23 Expires: 12/21/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	39.10	1.117		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	13.72	0.392		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	10.08	0.288		ALPHA-PINENE	0.007	ND	ND	
LIMONENE	0.007	5.04	0.144		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.89	0.111		ALPHA-TERPINOLENE	0.007	ND	ND	
GUAIOL	0.007	2.17	0.062		CIS-NEROLIDOL	0.007	ND	ND	
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	<0.32	<0.009		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	<0.70	<0.020						
ALPHA-BISABOLOL	0.007	<0.70	<0.020						
BETA-PINENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TOTAL TERPINEOL	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			1.117						

Analyzed by: 2076, 585, 4351 Weight: 1.1568g Extraction date: 12/19/23 18:39:04 Extracted by: 2076
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA067494TER Reviewed On : 12/21/23 10:30:20
Instrument Used : DA-GCMS-008 Batch Date : 12/19/23 12:37:33
Analyzed Date : 12/19/23 18:49:23
Dilution : 10
Reagent : 121622.26
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Northern Lights WF 3.5 g
Northern Lights
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31219006-005

Harvest/Lot ID: ID-NOL-120523-A138

Batch# : 5567 6853 2115
2454

Sampled : 12/19/23
Ordered : 12/19/23

Sample Size Received : 31.5 gram

Total Amount : 1446 units

Completed : 12/21/23 Expires: 12/21/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4351 Weight: 0.9446g Extraction date: 12/19/23 17:27:16 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA067498PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 12/19/23 13:00:34 Analyzed Date : N/A Dilution : 250 Reagent : 121123.R19; 040423.08; 121923.R04; 121323.R30; 121923.R03; 112123.R13; 121323.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31219006-005

Harvest/Lot ID: ID-NOL-120523-A138

 Batch# : 5567 6853 2115
 2454

 Sampled : 12/19/23
 Ordered : 12/19/23




Sample Size Received : 31.5 gram

Total Amount : 1446 units

Completed : 12/21/23 Expires: 12/21/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div>Microbial</div> <div>PASSED</div>						<div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4351	Weight: 0.9446g	Extraction date: 12/19/23 17:27:16		Extracted by: 3379	
Analyzed by: 3336, 585, 4351	Weight: 0.8431g	Extraction date: 12/19/23 15:12:09	Extracted by: 2076,3336	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA067511MYC Instrument Used : N/A Analyzed Date : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067479MIC Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328 Analyzed Date : N/A						Reviewed On : 12/21/23 15:33:17 Batch Date : 12/19/23 10:05:31					
Dilution : N/A Reagent : 103123.R11; 121123.R15 Consumables : 2125220; 2125230 Pipette : N/A						Dilution : 250 Reagent : 121123.R19; 040423.08; 121923.R04; 121323.R30; 121923.R03; 112123.R13; 121323.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
<div>Heavy Metals</div> <div>PASSED</div>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	<0.100	PASS	0.5						
Analyzed by:		Weight:		Extraction date:		Extracted by:					
1022, 585, 4351		0.2385g		12/19/23 14:33:46		1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA067482HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 12/19/23 17:17:27 Dilution : 50 Reagent : 120123.R17; 121823.R06; 121723.R01; 121823.R04; 121823.R05; 112023.R22; 120623.R45 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31219006-005

Harvest/Lot ID: ID-NOL-120523-A138

 Batch# : 5567 6853 2115
 2454

Sampled : 12/19/23

Ordered : 12/19/23

Sample Size Received : 31.5 gram

Total Amount : 1446 units

Completed : 12/21/23 Expires: 12/21/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.78	PASS	15
Analyzed by: 1879, 585, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 795, 585, 4351	Weight: 0.502g	Extraction date: 12/19/23 21:13:11	Extracted by: 795		
Analysis Method : SOP.T.40.090 Analytical Batch : DA067523FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/20/23 07:42:19						Analysis Method : SOP.T.40.021 Analytical Batch : DA067513MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Reviewed On : 12/20/23 07:49:38 Batch Date : 12/20/23 07:39:55						Reviewed On : 12/20/23 14:44:32 Batch Date : 12/19/23 15:20:36					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.477	PASS	0.65
Analyzed by: 795, 585, 4351	Weight: 1.014g	Extraction date: 12/19/23 21:41:11			Extracted by: 795,4371	
Analysis Method : SOP.T.40.019						
Analytical Batch : DA067504WAT				Reviewed On : 12/20/23 14:44:32		
Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe)				Batch Date : 12/19/23 14:43:13		
Analyzed Date : N/A						
Dilution : N/A						
Reagent : 113021.09						
Consumables : PS-14						
Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.