

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

Cherry Platinum Wedding Cake WF 3.5g Cherry Platinum Wedding Cake WF Matrix: Flower Type: Flower-Cured



Sample:DA31231002-001 Harvest/Lot ID: ID-CHC-121223-A140 Batch#: 2818 2646 8461 7348 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 7026 9883 7604 2078 Batch Date: 12/07/23 Sample Size Received: 56 gram Total Amount: 4198 units Retail Product Size: 3.5 gram Ordered: 12/30/23 Sampled: 12/31/23 Completed: 01/03/24 Sampling Method: SOP.T.20.010

#### Jan 03, 2024 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

LUEN

PRODUCT IMAGE

SAFETY RESULTS

0

Pesticides

PASSED

٦a

Heavy Metals

PASSED

Microbials

PASSED









PASSED

Pages 1 of 5

Moisture PASSED




TESTED

MISC.

PASSED

### PASSED



**Mycotoxins** 

PASSED

												Lizos ing /container
%	D9-ТНС 0.659	тнса 17.064	CBD ND	CBDA 0.072	D8-ТНС 0.035	св <b>д</b> 0.097	CBGA 0.36	CBN ND	тнсv ND	CBDV ND	свс 0.044	Total Cannabinoid 18.331%
mg/unit	23.065	597.24	ND	2.52	1.225	3.395	12.6	ND	ND	ND	1.54	641.585 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
	%	%	%	%	%	%	%	%	%	%	%	As Received
Analyzed by: 1665, 585, 435	1			Weight: 0.2055g			tion date: 24 08:12:59				Extract 1665	ted by:
	d:SOP.T.40.031	L, SOP.T.30.031 T					Reviewed On :	01/03/24 14:19	:08			

Batch Date : 01/02/24 06:46:20

Instrument Used : DA-LC-002 Analyzed Date : 01/02/24 08:13:27

Dilution : 400

Reagent : 122223.R01; 060723.24; 121223.R01 Consumables : 927.100; LLS-00-0005; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 01/03/24

20.304%

15.624% 546.84 mg /Container

## 2 205 mg /Container

ds

er



Cherry Platinum Wedding Cake WF 3.5g Cherry Platinum Wedding Cake WF Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA31231002-001

 Harvest/Lot ID: ID-CHC-121223-A140

 Batch# : 2818 2646 8461
 Sample

 7348
 Total A

Sampled : 12/31/23 Ordered : 12/31/23 Sample Size Received : 56 gram Total Amount : 4198 units Completed : 01/03/24 Expires: 01/03/25 Sample Method : SOP.T.20.010

Page 2 of 5

6
$\langle \mathcal{S} \rangle$

### Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	16.52	0.472		VALENCENE		0.007	ND	ND		
IMONENE	0.007	3.89	0.111		ALPHA-CEDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	3.54	0.101		ALPHA-PHELLANDRENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	2.91	0.083		ALPHA-TERPINENE		0.007	ND	ND		
INALOOL	0.007	2.52	0.072		ALPHA-TERPINOLENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	1.09	0.031		CIS-NEROLIDOL		0.007	ND	ND		
UAIOL	0.007	1.02	0.029		GAMMA-TERPINENE		0.007	ND	ND		
ARYOPHYLLENE OXIDE	0.007	< 0.70	< 0.020		TRANS-NEROLIDOL		0.007	ND	ND		
ARNESENE	0.001	< 0.32	< 0.009		Analyzed by:	Weight:		Extraction da	ate:		Extracted by:
ENCHYL ALCOHOL	0.007	<0.70	< 0.020		2076, 585, 4351	0.9613g		12/31/23 10	24:03		1879
OTAL TERPINEOL	0.007	<0.70	<0.020		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL					
LPHA-BISABOLOL	0.007	<0.70	<0.020		Analytical Batch : DA067884TER Instrument Used : DA-GCMS-009					01/02/24 10:30:19 /30/23 11:48:00	
LPHA-PINENE	0.007	<0.70	<0.020		Analyzed Date : 12/30/23 16:52:10			batch	Date : 12	/50/25 11.40.00	
ETA-PINENE	0.007	<0.70	<0.020		Dilution : N/A						
-CARENE	0.007	ND	ND		Reagent : 121622.26						
DRNEOL	0.013	ND	ND		Consumables : 210414634; MKCN99 Pipette : N/A	95; CE0123; R1KB1	4270				
AMPHENE	0.007	ND	ND								
AMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing G	as Chromatography M	ass spect	rometry. For all F	-lower sam	pies, the Total Terpenes % is di	ry-weight corrected.
EDROL	0.007	ND	ND								
JCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE											
SABINENE SABINENE HYDRATE	0.007	ND	ND								

Total (%)

0.472

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/03/24

### PASSED

TESTED



Cherry Platinum Wedding Cake WF 3.5g Cherry Platinum Wedding Cake WF Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31231002-001 Harvest/Lot ID: ID-CHC-121223-A140

Batch# : 2818 2646 8461 7348 Sampled : 12/31/23 Ordered : 12/31/23 Sample Size Received : 56 gram Total Amount : 4198 units Completed : 01/03/24 Expires: 01/03/25 Sample Method : SOP.T.20.010

Page 3 of 5

R Ø

## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LC	DD Uni	nits	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.0	010 ppn	m	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.0	010 ppn	m	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		010 ppn		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		010 ppn		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND							
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		010 ppn		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		010 ppn		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.0	010 ppn	m	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.0	010 ppn	m	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.0	010 ppn	m	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.0	010 ppn	m	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.0	010 ppn	m	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		010 ppn		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		010 ppn		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND					0.5		ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		010 ppn			PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		010 ppn		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.0	010 PPM	M	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.0	010 PPM	M	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.0	070 PPM	M	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.0	010 PPM	M	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.0	010 PPM	M	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		050 PPM		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		050 PPM		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND		Veight: .8357g		tion date:		Extracted	by:
	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine			24 13:11:05		4056,450	
ETHOPROPHOS					ND			J.102.FL	L (Davie), Si	0F.1.40.101.F	L (Gamesville)	
ETHOPROPHOS ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP T 40 102 EL (Davie)						
ETOFENPROX	0.010 0.010		0.1 0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA067875PES		Rev	viewed On	:01/03/24 14	1:20:00	
		ppm				SOP.T.40.102.FL (Davie) Analytical Batch :DA067875PES Instrument Used :DA-LCMS-003 (PES)				:01/03/24 14 12/30/23 11:3		
ETOFENPROX ETOXAZOLE	0.010	ppm ppm	0.1	PASS	ND	Analytical Batch :DA067875PES Instrument Used :DA-LCMS-003 (PES) Analyzed Date :12/31/23 11:56:45						
ETOFENPROX ETOXAZOLE FENHEXAMID	0.010 0.010	ppm ppm ppm	0.1 0.1	PASS PASS	ND ND	Analytical Batch : DA067875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250		Bat	tch Date : 1	12/30/23 11:3	3:27	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB	0.010 0.010 0.010	ppm ppm ppm ppm	0.1 0.1 0.1	PASS PASS PASS	ND ND ND	Analytical Batch :DA067875PES Instrument Used :DA-LCM5-003 (PES) Analyzed Date :12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262		Bat	tch Date : 1	12/30/23 11:3	3:27	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOXYCARB	0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND ND	Analytical Batch         DA067875PES           Instrument Used         DA-LCMS-003 (PES)           Analyzed Date         12/31/23 11:56:45           Dilution         : 250           Reagent         : 12623.R03; 040423.08; 12262           Consumables         : 326250W		Bat	tch Date : 1	12/30/23 11:3	3:27	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPPRONIL	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND ND	Analytical Batch         :DA067875PES           Instrument Used         :DA-LCMS-003 (PES)           Analyzed Date         :12/31/23 11:56:45           Dilution         :250           Reagent         :122633.R03; 040423.08; 12262           Consumables         :326250W           Pipette         :DA-093; DA-094; DA-219	3.R01; 122723.	<b>Bat</b> R30; 122	tch Date : 1	12/30/23 11:3 112123.R13;	13:27 122723.R01	etry in
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND	Analytical Batch         DA067875PES           Instrument Used         DA-LCMS-003 (PES)           Analyzed Date         12/31/23 11:56:45           Dilution         : 250           Reagent         : 12623.R03; 040423.08; 12262           Consumables         : 326250W	3.R01; 122723.	<b>Bat</b> R30; 122	tch Date : 1	12/30/23 11:3 112123.R13;	13:27 122723.R01	etry in
ETOFENPROX ETOXAZOLE FENHEXAMID FENOYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND	Analytical Batch : DA067875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 326250/W Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u	3.R01; 122723.	Bat R30; 122	tch Date : 1	12/30/23 11:3 112123.R13; le-Quadrupole	13:27 122723.R01	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOYCARB FINPONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Analytical Batch :DA067875PES Instrument Used :DA-LCMS-003 (PES) Analyzed Date :12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 3262501W Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39. Analyzed by:	3.R01; 122723. Itilizing Liquid Ch	Bat R30; 122	2623.R02; graphy Tripl	12/30/23 11:3 112123.R13; le-Quadrupole	13:27 122723.R01 Mass Spectrom	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOYCOXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND	Analytical Batch : DA067875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 3262501W Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 1665, 585, 4351 Analysis Method : SOP.T.30.151.FL (Gaine	3.R01; 122723.I tilizing Liquid Ch Weight: 0.8357g	Bat R30; 122 nromatog Extr N/A 0.151A.FI	2623.R02; graphy Tripl raction dat FL (Davie),	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151	3:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOYYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND	Analytical Batch : DA06/7875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed L accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 1665, 585, 4351 Analysis Method : SOP.T.30.151.FL (Gaine Analytical Batch : DA067876VOL	3.R01; 122723.I tilizing Liquid Ch Weight: 0.8357g	Bate R30; 122 nromatog Extr. N/A 0.151A.FI Review	2623.R02; graphy Tripl raction dat FL (Davie), wed On : 0.	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151 1/03/24 12:06	3:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL 5:03	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOYCARB FENPYROXIMATE FIPRONIL FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND	Analytical Batch : DA06/7875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 1665, 585, 4351 Analysis Method : SOP.T.30.151.FL (Gaine Analytical Batch : DA067876VOL Instrument Used : DA-6CMS-001	3.R01; 122723.I tilizing Liquid Ch Weight: 0.8357g	Bate R30; 122 nromatog Extr. N/A 0.151A.FI Review	2623.R02; graphy Tripl raction dat FL (Davie), wed On : 0.	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151	3:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL 5:03	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOYCOXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ррт ррт ррт ррт ррт ррт ррт ррт ррт ррт	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND	Analytical Batch : DA067875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 3262501W Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 1665, 585, 4351 Analysis Method : SOP.T.30.151.FL (Gaine Analytical Batch : DA067876/VOL Instrument Used : DA-6CMS-001 Analyzed Date : 01/02/24 13:24:30	3.R01; 122723.I tilizing Liquid Ch Weight: 0.8357g	Bate R30; 122 nromatog Extr. N/A 0.151A.FI Review	2623.R02; graphy Tripl raction dat FL (Davie), wed On : 0.	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151 1/03/24 12:06	3:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL 5:03	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ррт ррт ррт ррт ррт ррт ррт ррт	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND	Analytical Batch 1DA067875PES Instrument Used :DA-LCMS-003 (PES) Analyzed Date :12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 326250/W Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39. Analyzed by: Analyzed Batch :DA067876V0L Instrument Used :DA-6CMS-001 Analyzed Date :01/02/24 13:24:30 Dilution : 25	3.R01; 122723. Itilizing Liquid CH Weight: 0.8357g sville), SOP.T.30	Bat R30; 122 nromatog Extr N/A ).151A.FI Review Batch	2623.R02; graphy Tripl raction dat FL (Davie), wed On : 0.	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151 1/03/24 12:06	3:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL 5:03	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIAXYL METHIAZA	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ррт ррт ррт ррт ррт ррт ррт ррт ррт ррт	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	Analytical Batch : DA067875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 3262501W Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 1665, 585, 4351 Analysis Method : SOP.T.30.151.FL (Gaine Analytical Batch : DA067876/VOL Instrument Used : DA-6CMS-001 Analyzed Date : 01/02/24 13:24:30	3.R01; 122723. Itilizing Liquid CH Weight: 0.8357g sville), SOP.T.30	Bat R30; 122 nromatog Extr N/A ).151A.FI Review Batch	2623.R02; graphy Tripl raction dat FL (Davie), wed On : 0.	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151 1/03/24 12:06	3:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL 5:03	·
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENOYCOXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ррт ррт ррт ррт ррт ррт ррт ррт ррт ррт	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	Analytical Batch : DAOG'7875PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 3262501W Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 1665, 585, 4351 Analyzed by: d50, 1665, 585, 4351 Analysis Method : SOP.T.30.151.FL (Gaine Analytical Batch : DA067876V0L Instrument Used : DA-6CMS-001 Analyzed Date : 01/02/24 13:24:30 Dilution : 25 Reagent : 122623.R03; 040423.08; 12142	3.R01; 122723. Itilizing Liquid CH Weight: 0.8357g sville), SOP.T.30	Bat R30; 122 nromatog Extr N/A ).151A.FI Review Batch	2623.R02; graphy Tripl raction dat FL (Davie), wed On : 0.	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151 1/03/24 12:06	3:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL 5:03	·
ETOFENPROX ETOXAZOLE FENNEXAMID FENOXYCARB FENOYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL MEVINPHOS	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ррт ррт ррт ррт ррт ррт ррт ррт ррт ррт	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	Analytical Batch 1DA067875PES Instrument Used :DA-LCMS-003 (PES) Analyzed Date :12/31/23 11:56:45 Dilution : 250 Reagent : 122623.R03; 040423.08; 12262 Consumables : 3262501W Testing for agricultural agents is performed L accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 1665, 585, 4351 Analysis Method :SOP.T.30.151.FL (Gaine Analytical Batch :DA067876V0L Instrument Used :DA-GCMS-001 Analyzed Date :01/02/24 13:24:30 Dilution : 25 Reagent : 122623.R03; 040423.08; 12142 Consumables : 3262501W; 14725401	3.R01; 122723. tillizing Liquid CP <b>Weight:</b> 0.8357g sville), SOP.T.3C 3.R01; 112723.	Bate R30; 122 nromatog Extr: N/A ).151A.FI Review Batch I R15	tch Date : 1 2223.R02; graphy Tripl craction dat FL (Davie), Newed On :01	12/30/23 11:3 112123.R13; le-Quadrupole te: SOP.T.40.151 1/03/24 12:06 30/23 11:34:2	13:27 122723.R01 Mass Spectrom Extracted by 4056,450 .FL :03 :8	r:

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/03/24

### PASSED

PASSED



Cherry Platinum Wedding Cake WF 3.5g Cherry Platinum Wedding Cake WF Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31231002-001 Harvest/Lot ID: ID-CHC-121223-A140 Batch# : 2818 2646 8461 Sample

7348 Sampled : 12/31/23 Ordered : 12/31/23 Sample Size Received : 56 gram Total Amount : 4198 units Completed : 01/03/24 Expires: 01/03/25 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial				PAS	SED	င်္သီး	Mycot	oxin	S			PAS	SED
Analyte	L	LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TH	ERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS N				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FU	UMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FI	AVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA SP	PECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:		Weight:	Extra	ction date	: F	xtracted	nv:
TOTAL YEAST AN	ND MOLD	10	CFU/g	50	PASS	100000	4056, 3379, 58	5, 4351	0.8357g	N/A			056,450	
Analyzed by: 3621, 3390, 585, 4 Analysis Method : 5 Analytical Batch : [	SOP.T.40.056C, SOP.T.4	12	traction d /31/23 12 FL, SOP.T.	:43:17 .40.209.FL	Extracted 4351,362	1	SOP.T.30.102. Analytical Bate Instrument Us	od:SOP.T.30.101.Fl FL (Davie), SOP.T.4 h:DA067877MYC ed:N/A :12/31/23 11:56:39	).102.FL (I	Davie) Review	ved On : 0	(Gainesvi 1/03/24 1 30/23 11:	2:10:44	
Analyzed Date : 01 Dilution : N/A Reagent : 110723. 100223.10 Consumables : 756 Pipette : N/A	19; 111623.09; 111623	3.10; 11	11623.16;	112423.R01; 08	1023.07; (	091523.46	Mycotoxins tesi accordance wit	93; DA-094; DA-219 ing utilizing Liquid Chi h F.S. Rule 64ER20-39	romatograp		-Quadrupo			
Analyzed by: 3621, 585, 4351	<b>Weight:</b> 0.8374g		xtraction o		<b>xtracted b</b>	y:	Hg	Heavy	Met	als			PAS	SED
	SOP.T.40.208 (Gainesvi	ille), SC					Metal			LOD	Units	Result	Pass / Fail	Action Level
Analytical Batch :		0.06		viewed On : 01/0 ch Date : 12/31/			TOTAL CONT	AMINANT LOAD	IETALS	0.080	ppm	ND	PASS	1.1
Analyzed Date : N/	Incubator (25-27*C) DA A	4-090	ват	cn Date : 12/31/	23 10:30:1	.0	ARSENIC			0.020	ppm	ND	PASS	0.2
Dilution : 10							CADMIUM			0.020	ppm	ND	PASS	0.2
Reagent : N/A							MERCURY			0.020	ppm	<0.100	PASS	0.2
Consumables : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	testing is performed utiliz	zing MPN	l and tradit	ional culture base	techniques	; in	Analyzed by: 1879, 585, 435	Weight 0.2558		traction dat /31/23 10:2			<b>tracted b</b> 379,1022	y:
accordance with F.S.	Rule 64ER20-39.						Analytical Bate	od : SOP.T.30.082.Fl :h : DA067895HEA ed : DA-ICPMS-004 : 12/31/23 20:49:1:		Reviewe		/03/24 14: 1/23 09:50		
							120623.R45	123.R17; 122623.R( 179436; 21050805				.22623.R0	5; 12202	3.R43;

Consumables : 179436; 210508058; 12594-247CD-24 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/03/24



Cherry Platinum Wedding Cake WF 3.5g Cherry Platinum Wedding Cake WF Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31231002-001 Harvest/Lot ID: ID-CHC-121223-A140 Batch# : 2818 2646 8461

7348 Sampled : 12/31/23 Ordered : 12/31/23

Sample Size Received : 56 gram Total Amount : 4198 units Completed : 01/03/24 Expires: 01/03/25 Sample Method : SOP.T.20.010



**Filth/Foreign Material** 





PA	S	S	E	D

PASSED

Action Level

Page 5 of 5

Analyte Filth and Foreign Mate	rial 0.10	Units 0 %	<b>Result</b> ND	P/F PASS	Action Level	Analyte Moisture Content		<b>LOD</b> 1.00	Units %	Result 9.72	P/F PASS	Action Le 15
Analyzed by: 1879, 585, 4351	Weight: NA	Extractio N/A	n date:	<b>Extra</b> N/A	cted by:		eight: 504g		traction d		<b>Ex</b> 43	tracted by: 71
Analysis Method : SOP.T.4 Analytical Batch : DA0678 Instrument Used : Filth/Fo Analyzed Date : 12/30/23	90FIL reign Material Mic	roscope		<b>On :</b> 12/31/ <b>e :</b> 12/30/23	23 20:46:37 3 17:23:40	Analysis Method : SOP.T.40.021 Analytical Batch : DA067898MC Instrument Used : DA-003 Moist Analyzed Date : N/A	01	alyzer		Reviewed On Batch Date :		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.0 Consumables : N/A Pipette : DA-066	.02					
Filth and foreign material ins technologies in accordance v			pection utilizi	ng naked eye	and microscope	Moisture Content analysis utilizing	loss-on-	drying	echnology	in accordance	with F.S. Rul	le 64ER20-39.
() wa	ter Activ	vity		PAS	SSED							

Analyte Water Activity	-	<b>.0D</b>	<b>Units</b> aw	<b>Result</b> 0.474	P/F PASS	Action Level 0.65
Analyzed by: 4371, 585, 4351	Weight: 1.977g		traction 0			tracted by: 371
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : N/A	67899WAT	gropal	m	Reviewed O Batch Date		
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 01/03/24