



# Certificate of Analysis

COMPLIANCE FOR RETAIL

**Sample:** DA40106005-004  
**Harvest/Lot ID:** 9155 0925 0076 9720  
**Batch#:** 5202 5254 1319 2991  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** HYB-BH-113023-C0120  
**Batch Date:** 08/24/23  
**Sample Size Received:** 21.9 units  
**Total Amount:** 928 units  
**Retail Product Size:** 0.35 gram  
**Ordered:** 01/05/24  
**Sampled:** 01/06/24  
**Completed:** 01/09/24  
**Sampling Method:** SOP.T.20.010

Jan 09, 2024 | FLUENT

82 NE 26th street  
 Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**30.015%**  
 Dry Weight



**Total CBD**  
**0.068%**  
 Dry Weight



**Total Cannabinoids**  
**35.33%**  
 Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.045	28.763	ND	0.069	0.041	0.095	0.835	<0.010	ND	ND	0.073
mg/unit	3.657	100.67	ND	0.241	0.143	0.332	2.922	<0.04	ND	ND	0.255
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

**Total THC**  
**26.27%**  
 91.945 mg /Container

**Total CBD**  
**0.06%**  
 0.21 mg /Container

**Total Cannabinoids**  
**30.921%**  
 108.223 mg /Container

**As Received**

Analized by:  
1665, 585, 4044

Weight:  
0.2031g

Extraction date:  
01/08/24 10:11:47

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA068082POT

Instrument Used : DA-LC-002

Analyzed Date : 01/08/24 10:18:13

Reviewed On : 01/09/24 14:11:07

Batch Date : 01/08/24 06:46:33

Dilution : 400

Reagent : 010224.R01; 070121.27; 010224.R03

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
01/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40106005-004  
Harvest/Lot ID: 9155 0925 0076 9720  
Batch# : 5202 5254 1319  
Sample Size Received : 21.9 units  
Total Amount : 928 units  
Completed : 01/09/24 Expires: 01/09/25  
Sample Method : SOP.T.20.010  
Ordered : 01/06/24

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.55	1.585		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.02	0.577		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.82	0.235		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.50	0.142		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.47	0.135		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	0.26	0.073		CIS-NEROLIDOL	0.007	ND	ND	
OCIMENE	0.007	0.23	0.065		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.22	0.063		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	0.21	0.060						
ALPHA-BISABOLOL	0.007	0.13	0.038		Analysis by:	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	<0.07	<0.020		1879, 2076, 585, 4044	0.9048g	01/06/24 16:46:38	1879	
FENCHYL ALCOHOL	0.007	<0.07	<0.020		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA068029TER			Reviewed On : 01/09/24 14:11:09	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 01/06/24 12:48:27	
CAMPHENE	0.007	ND	ND		Analyzed Date : 01/07/24 17:23:55				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 121622.26				
EUCALYPTOL	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FARNESENE	0.001	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TOTAL TERPINEOL	0.007	ND	ND						

Total (%) 1.585

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40106005-004

Harvest/Lot ID: 9155 0925 0076 9720

Batch# : 5202 5254 1319

2991

Sampled : 01/06/24

Ordered : 01/06/24

Sample Size Received : 21.9 units

Total Amount : 928 units

Completed : 01/09/24 Expires: 01/09/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 4044	0.949g	01/08/24 15:16:23	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068074PES		Reviewed On : 01/09/24 13:42:08			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 01/07/24 18:51:06			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/08/24 15:17:20					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 010324.R30; 010324.R03; 010324.R04; 122623.R02; 112123.R13; 010324.R01; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 4044	0.949g	01/08/24 15:16:23	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA068076VOL		Reviewed On : 01/09/24 13:40:19			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 01/07/24 18:53:16			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/08/24 16:05:03					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 010324.R04; 040423.08; 121423.R01; 010524.R01					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40106005-004

Harvest/Lot ID: 9155 0925 0076 9720

Batch# : 5202 5254 1319  
2991

Sampled : 01/06/24  
Ordered : 01/06/24

Sample Size Received : 21.9 units

Total Amount : 928 units

Completed : 01/09/24 Expires: 01/09/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	19000	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3336, 3621, 3390, 585, 4044		0.949g		01/08/24 15:16:23	Extracted by:
										3379	
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),				
3336, 3621, 3390, 585, 4044	1.0116g	01/06/24 14:43:24	3336			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch :	DA068075MYC			Reviewed On :	01/09/24 13:43:09
Analytical Batch :	DA068026MIC					Instrument Used :	N/A			Batch Date :	01/07/24 18:53:13
Instrument Used :	Incubator (37°C) DA- 188, DA-265 Gene-UP					Analyzed Date :	01/08/24 15:18:20				
RTPCR, Incubator (42°C) DA- 328											
Analyzed Date :	01/06/24 15:40:42					Dilution :	250				
Dilution :	N/A					Reagent :	010324.R30; 010324.R03; 010324.R04; 122623.R02; 112123.R13; 010324.R01;				
Reagent :	010524.R11; 103123.R11; 010324.R36; 121923.R21					040423.08					
Consumables :	2256280					Consumables :	326250IW				
Pipette :	N/A					Pipette :	DA-093; DA-094; DA-219				

Analyzed by:	Weight:	Extraction date:	Extracted by:
3336, 3963, 585, 4044	1.0327g	01/06/24 14:50:21	3336
Analysis Method :	SOP.T.40.208 (Gainesville), SOP.T.40.209.FL		
Analytical Batch :	DA068043TYM	Reviewed On :	01/08/24 17:47:32
Instrument Used :	Incubator (25-27°C) DA-096	Batch Date :	01/06/24 14:47:40
Analyzed Date :	01/06/24 17:53:29		
Dilution :	N/A		
Reagent :	111623.15; 010524.R10; 112423.R02; 110723.15; 110723.17; 111623.12		
Consumables :	N/A		
Pipette :	N/A		

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
--	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by:	Weight:	Extraction date:	Extracted by:
1022, 585, 4044	0.2666g	01/07/24 12:21:28	4306,1022

Analysis Method :	SOP.T.30.082.FL, SOP.T.40.082.FL		
Analytical Batch :	DA068039HEA	Reviewed On :	01/09/24 13:58:25
Instrument Used :	DA-ICPMS-004	Batch Date :	01/06/24 14:27:08
Analyzed Date :	01/08/24 14:55:49		

Dilution :	50		
Reagent :	010824.R08; 010424.R18; 010824.R07; 010424.R16; 010424.R17; 122023.R43; 120623.R45		
Consumables :	179436; A191022C; 210508058		
Pipette :	DA-061; DA-191; DA-216		

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
FTH-Buddha's Hand Pre-Filled Pipe 0.35g  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40106005-004

Harvest/Lot ID: 9155 0925 0076 9720

Batch# : 5202 5254 1319  
2991

Sampled : 01/06/24  
Ordered : 01/06/24

Sample Size Received : 21.9 units

Total Amount : 928 units

Completed : 01/09/24 Expires: 01/09/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.48	PASS	15
Analyzed by: 1879, 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4371, 585, 4044	Weight: 0.52g	Extraction date: 01/07/24 16:28:57	Extracted by: 4371		
Analysis Method : SOP.T.40.090 Analytical Batch : DA068049FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/06/24 21:16:42						Analysis Method : SOP.T.40.021 Analytical Batch : DA068028MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Reviewed On : 01/06/24 21:31:42 Batch Date : 01/06/24 21:13:45						Reviewed On : 01/08/24 13:01:35 Batch Date : 01/06/24 11:52:08					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.477	PASS	0.65
Analyzed by: 4371, 585, 4044	Weight: 2.059g	Extraction date: 01/07/24 16:04:40	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA068034WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A					
Reviewed On : 01/08/24 14:27:49 Batch Date : 01/06/24 13:32:26					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/09/24