

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

:

Sour Diesel Cartridge Concentrate 0.5g Sour Diesel

Matrix: Derivative Type: Distillate

Sample:DA31216002-004

Harvest/Lot ID: 3003 2959 9656 1562 Batch#: 3003 2959 9656 1562

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

> **Source Facility: Tampa Cultivation** Seed to Sale# 9835 0625 0017 0205

> > Batch Date: 09/25/23

Sample Size Received: 15.5 gram

Total Amount: 1915 units Retail Product Size: 0.5 gram

> **Ordered:** 12/15/23 Sampled: 12/16/23

Completed: 12/19/23

Sampling Method: SOP.T.20.010

PASSED

Dec 19, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS















Water Activity

mg



Moisture



MISC.

Terpenes **TESTED**





Heavy Metals

Microbials

PASSED



Residuals Solvents PASSED

Filth

PASSED



Cannabinoid

Total THC 90.732%

Total THC/Container: 453.66 mg



Total CBD 0.231%

Total CBD/Container: 1.16 mg



Total Cannabinoids 5.073%

Extracted by:

Total Cannabinoids/Container: 475.37

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	_{D9-ТНС} 90.563	THCA 0.193	CBD 0.231	CBDA ND	_{D8-ТНС}	св с 1.848	CBGA ND	CBN 0.815	тнсv 0.516	CBDV ND	свс 0.618
% mg/unit											
	90.563	0.193	0.231	ND	0.289	1.848	ND	0.815	0.516	ND	0.618

Extraction date: 12/18/23 11:42:59

Reviewed On: 12/19/23 09:48:50 Batch Date: 12/17/23 19:16:08

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA067453POT Instrument Used : DA-LC-007 Analyzed Date: 12/18/23 12:15:29

Reagent: 121523.R01; 060723.24; 121223.R01

Consumables: 927.100; LLS-00-0005; 280670723; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g

Sour Diesel Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31216002-004 Harvest/Lot ID: 3003 2959 9656 1562

Batch#: 3003 2959 9656

Sampled: 12/16/23 Ordered: 12/16/23

Sample Size Received: 15.5 gram Total Amount: 1915 units

Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LOD (%)	mg/uɪ	nit %	Result (%)
TOTAL TERPENES	0.007	0.78	0.155			ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.40	0.079			ALPHA-PINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.18	0.036			ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.15	0.029			ALPHA-TERPINOLENE	0.007	ND	ND	
FARNESENE	0.001	0.06	0.011			BETA-MYRCENE	0.007	ND	ND	
GUAIOL	0.007	< 0.10	< 0.020			BETA-PINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	< 0.10	< 0.020		Î	CIS-NEROLIDOL	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	< 0.10	< 0.020		ĺ	GAMMA-TERPINENE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ĺ	Analyzed by:	Weight:	Extractio	n date:	Extracted by:
BORNEOL	0.013	ND	ND		ĺ	2076, 585, 1440	0.8253g	12/16/23	14:58:40	1879
CAMPHENE	0.007	ND	ND		ĺ	Analysis Method: SOP.T.30.061A.FL, So	OP.T.40.061A.FL			
CAMPHOR	0.007	ND	ND		ĺ	Analytical Batch : DA067425TER Instrument Used : DA-GCMS-009				2/19/23 09:48:35 1.6/23 13:01:25
CARYOPHYLLENE OXIDE	0.007	ND	ND		ĺ	Analyzed Date: 12/18/23 10:40:20		Ва	tcn Date : 12/.	:0/23 13:01:25
CEDROL	0.007	ND	ND		ĺ	Dilution: 10				
EUCALYPTOL	0.007	ND	ND		ĺ	Reagent: 121622.26				
FENCHONE	0.007	ND	ND			Consumables: 210414634; MKCN9995	; CE0123; R1KB14270			
FENCHYL ALCOHOL	0.007	ND	ND			Pipette : N/A				
GERANIOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas	Chromatography Mass Spe	ectrometry. For	all Flower samp	es, the Total Terpenes % is dry-weight corrected.
GERANYL ACETATE	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
LIMONENE	0.007	ND	ND							
LINALOOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
VALENCENE	0.007	ND	ND							
ALPHA-CEDRENE	0.007	ND	ND							
Total (%)			0.155							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g

Sour Diesel Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31216002-004 Harvest/Lot ID: 3003 2959 9656 1562

Batch#:3003 2959 9656

1562 Sampled: 12/16/23 Ordered: 12/16/23 Sample Size Received: 15.5 gram
Total Amount: 1915 units

Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	Level 5	PASS	ND		0.010		Level	2466	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND	OXAMYL	0.010		0.5	PASS	ND
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PACLOBUTRAZOL	0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
		ppm	0.3	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM TOTAL SPINOSAD		maa	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
		ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ACETAMIPRID		maa	0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND		0.010		0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROTETRAMAT					
BIFENAZATE		ppm	0.1	PASS	ND	SPIROXAMINE	0.010		0.1	PASS	ND
BIFENTHRIN		mag	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm	0.3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *	0.010		0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND						
DICHLORVOS		ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DIMETHOATE		ppm	0.1	PASS	ND	Analyzed by: Weight:		traction date		Extracted	
ETHOPROPHOS		mag	0.1	PASS	ND	4056, 3379, 585, 1440 0.2197g		/16/23 18:47:		4056,585	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	JP.1.30.10	IZ.FL (Davie),	SOP.1.40.101	FL (Gainesville),
ETOXAZOLE		ppm	0.1	PASS	ND	Analytical Batch : DA067416PES		Reviewed 0	n:12/19/23 1	11:18:40	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			:12/16/23 12		
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/16/23 17:51:27					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 121123.R19; 040423.08; 121023.R04; 12	21323.R30); 121023.R03	; 112123.R13	3; 121323.R01	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: DA-093: DA-094: DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Li	auid Chron	natography Tri	inle-Ouadruno	lo Mass Sportron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	quiu ciiioi	nacograpny m	pic quadrapo	ic mass opecaron	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extraction	n date:		Extracted b	y:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2197g	12/16/23	18:47:46		4056,585	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesville), SO					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA067417VOL		eviewed On :			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010 Analyzed Date : 12/18/23 14:59:07	В	atch Date: 12	2/10/23 12:20	:04	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 121123.R19; 040423.08; 112723.R14; 13	12723.R15	i			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401	,,				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing G	as Chroma	tography Tripl	e-Quadrupole	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g

Sour Diesel Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31216002-004 Harvest/Lot ID: 3003 2959 9656 1562

Batch#: 3003 2959 9656

Sampled: 12/16/23 Ordered: 12/16/23 Sample Size Received: 15.5 gram
Total Amount: 1915 units

Completed: 12/19/23 Expires: 12/19/24
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Analyzed by:	Weight:	Extraction date:			Extracted by:	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
Solvents	LOD	Units	Action Level	Pass/Fail	Result	

Reviewed On: 12/19/23 11:41:02

Batch Date: 12/16/23 13:31:46

Neight Extraction date:

0.0207g 12/18/23 15:01:11

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067427SOL Instrument Used : DA-GCMS-002 Analyzed Date : 12/18/23 12:11:22

 $\begin{array}{l} \textbf{Dilution:} \ 1 \\ \textbf{Reagent:} \ \text{N/A} \end{array}$

Consumables : R2017.167; G201.062 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g

Sour Diesel Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31216002-004 Harvest/Lot ID: 3003 2959 9656 1562

Batch#: 3003 2959 9656

Sampled: 12/16/23 Ordered: 12/16/23

Sample Size Received: 15.5 gram Total Amount: 1915 units

Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECI	FIC GENE			Not Present	PASS	
ECOLI SHIGELLA				Not Present	PASS	
ASPERGILLUS FLAV	US			Not Present	PASS	
ASPERGILLUS FUMI	GATUS			Not Present	PASS	
ASPERGILLUS TERR	EUS			Not Present	PASS	
ASPERGILLUS NIGE	R			Not Present	PASS	
TOTAL YEAST AND I	TOTAL YEAST AND MOLD		CFU/g	<10	PASS	100000
A a large of the co	Malada.	Fortun			Protocol advant	les es

Analyzed by **Extraction date:** Extracted by: 1.044g 3336, 585, 1440 12/16/23 15:47:51

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067413MIC Review

Reviewed On: 12/19/23 12:02:38 Instrument Used: Incubator (37*C) DA- 188,DA-265 Gene-UP Batch Date: 12/16/23 09:25:13 RTPCR,DA-351 GENE-UP RTPCR,Incubator (42*C) DA- 328

Analyzed Date: 12/16/23 18:05:15

 ${\bf Dilution: N/A}$

Reagent: 103123.R11; 121123.R17 Consumables : 2125220; 2125230

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 585, 1440	0.86g	12/17/23 12:04:51	3336,3963

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA067430TYM Reviewed On: 12/19/23 20:03:02 Batch Date: 12/16/23 18:06:18 Instrument Used: N/A $\textbf{Analyzed Date}: \, \mathbb{N}/\mathbb{A}$

 ${\bf Dilution: N/A}$ Reagent: 110723.19; 110723.22; 112423.R02

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	LOD	Units	Result	Pass / Fail	Action Level
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
Weight: 0.2197g					
		0.002 0.002 0.002 0.002 0.002 Weight: Extraction	0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm	0.002 ppm ND	0.002 ppm ND PASS

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA067418MYC Reviewed On: 12/19/23 11:19:35 Instrument Used : N/A Batch Date: 12/16/23 12:21:25

Analyzed Date: 12/16/23 17:51:21

Dilution: 250 Reagent: 121123.R19; 040423.08; 121023.R04; 121323.R30; 121023.R03; 112123.R13;

121323.R01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

Posult Pass / Astion

Metal		LOD	Ullits	Result	Fail	Level	
TOTAL CONTAMINANT	0.080	ppm	ND	PASS	1.1		
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440	Weight: 0.2623g	Extraction data 12/16/23 15:3			tracted b 306,1022	y:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 12/19/23 11:21:51 Analytical Batch : DA067415HEA Instrument Used : DA-ICPMS-004 Batch Date: 12/16/23 12:17:17 Analyzed Date : N/A

Dilution: 50 Reagent: N/A Consumables: N/A Pipette: N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g

Sour Diesel Matrix : Derivative Type: Distillate

Page 6 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31216002-004 Harvest/Lot ID: 3003 2959 9656 1562

Batch#: 3003 2959 9656

Sampled: 12/16/23 Ordered: 12/16/23

Sample Size Received: 15.5 gram Total Amount: 1915 units

Completed: 12/19/23 Expires: 12/19/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte Filth and Foreign Material LOD Units 0.100 %

N/A

Result ND

P/F **Action Level** PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA

N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA067459FIL
Instrument Used : Filth/Foreign Material Microscope

Reviewed On: 12/18/23 13:41:57 Batch Date: 12/18/23 13:22:16

Analyzed Date : 12/18/23 13:30:25

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.421	PASS	0.85

Extracted by: 4371 Extraction date: 12/18/23 11:29:24 Analyzed by: 4371, 585, 1440

Analysis Method: SOP.T.40.019 Analytical Batch: DA067457WAT

Reviewed On: 12/19/23 12:08:47 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 12/18/23 07:38:05

Analyzed Date : N/A Dilution: N/A Reagent: 113021.09

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha