



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA31222002-002**
**Harvest/Lot ID: 4760 8010 1919 5794**
**Batch#: 4760 8010 1919 5794**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 4963 9917 4987 2029**
**Batch Date: 07/27/23**
**Sample Size Received: 15.5 gram**
**Total Amount: 1713 units**
**Retail Product Size: 0.5 gram**
**Ordered: 12/21/23**
**Sampled: 12/22/23**
**Completed: 12/24/23**
**Sampling Method: SOP.T.20.010**

Dec 24, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US


# PASSED

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**
**MISC.**


## Cannabinoid

# PASSED


**Total THC**
**82.582%**

Total THC/Container : 412.91 mg


**Total CBD**
**0.249%**

Total CBD/Container : 1.25 mg


**Total Cannabinoids**
**86.928%**

Total Cannabinoids/Container : 434.64 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.582	ND	0.249	ND	0.340	0.786	0.077	1.578	0.548	ND	0.768
mg/unit	412.91	ND	1.25	ND	1.70	3.93	0.39	7.89	2.74	ND	3.84
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 4044

 Weight:  
 0.1165g

 Extraction date:  
 12/22/23 13:03:46

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067629POT

Instrument Used : DA-LC-007

Analyzed Date : 12/22/23 13:04:09

Reviewed On : 12/23/23 16:16:27

Batch Date : 12/22/23 09:13:11

Dilution : 400

Reagent : 122223.R01; 060723.24; 121223.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 12/24/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g  
Everglade Haze  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31222002-002

Harvest/Lot ID: 4760 8010 1919 5794

Batch# : 4760 8010 1919  
5794

Sampled : 12/22/23

Ordered : 12/22/23

Sample Size Received : 15.5 gram

Total Amount : 1713 units

Completed : 12/24/23 Expires: 12/24/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.50	1.099		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	1.98	0.395		ALPHA-HUMULENE	0.007	<0.10	<0.020	
BETA-CARYOPHYLLENE	0.007	0.93	0.186		ALPHA-PHELLANDRENE	0.007	<0.10	<0.020	
LIMONENE	0.007	0.64	0.128		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.51	0.101		CIS-NEROLIDOL	0.007	ND	ND	
OCIMENE	0.007	0.39	0.077		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	0.29	0.057		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	0.26	0.051		TOTAL TERPENEOL	0.007	<0.10	<0.020	
VALENCENE	0.007	0.21	0.042		Analysis by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.16	0.032		1879, 585, 4044	0.8959g	12/22/23 17:38:12	1879	
ALPHA-PINENE	0.007	0.15	0.030		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	<0.10	<0.020		Analytical Batch : DA067671TER			Reviewed On : 12/23/23 16:16:30	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 12/22/23 12:48:02	
CAMPHENE	0.007	ND	ND		Analyzed Date : 12/23/23 13:21:31				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : N/A				
CEDROL	0.007	ND	ND		Consumables : N/A				
EUCALYPTOL	0.007	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	<0.10	<0.020						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
ALPHA-BISABOLOL	0.007	<0.10	<0.020						
Total (%)			1.099						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31222002-002

Harvest/Lot ID: 4760 8010 1919 5794

Batch# : 4760 8010 1919

5794

Sampled : 12/22/23

Ordered : 12/22/23

Sample Size Received : 15.5 gram

Total Amount : 1713 units

Completed : 12/24/23 Expires: 12/24/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31222002-002

Harvest/Lot ID: 4760 8010 1919 5794

 Batch# : 4760 8010 1919  
 5794

Sampled : 12/22/23

Ordered : 12/22/23

Sample Size Received : 15.5 gram

Total Amount : 1713 units

Completed : 12/24/23 Expires: 12/24/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0206g

 Extraction date:  
 12/23/23 13:58:27

 Extracted by:  
 3605,850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA067675SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 12/22/23 16:39:28

Reviewed On : 12/24/23 12:28:40

Batch Date : 12/22/23 14:18:01

Dilution : 1

Reagent : N/A

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31222002-002

Harvest/Lot ID: 4760 8010 1919 5794

 Batch# : 4760 8010 1919  
 5794

 Sampled : 12/22/23  
 Ordered : 12/22/23

Sample Size Received : 15.5 gram

Total Amount : 1713 units

 Completed : 12/24/23 Expires: 12/24/24  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS				Not Present	PASS	
ASPERGILLUS NIGER				Not Present	PASS	
ASPERGILLUS FUMIGATUS				Not Present	PASS	
ASPERGILLUS FLAVUS				Not Present	PASS	
SALMONELLA SPECIFIC GENE				Not Present	PASS	
ECOLI SHIGELLA				Not Present	PASS	
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 585, 4044	Weight: 0.851g	Extraction date: 12/22/23 12:24:32			Extracted by: 4351	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						
Analytical Batch : DA067650MIC				Reviewed On : 12/23/23 16:07:33		
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021				Batch Date : 12/22/23 10:39:06		
Analyzed Date : 12/22/23 16:03:06						
Dilution : N/A						
Reagent : 110723.04; 110723.14; 112423.R01; 081023.07; 100223.10						
Consumables : 7568502054						
Pipette : N/A						

Analyzed by: 3336, 3963, 585, 4044	Weight: 0.851g	Extraction date: 12/22/23 12:24:32	Extracted by: 4351
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA067651TYM		Reviewed On : 12/24/23 13:33:36	
Instrument Used : Incubator (25-27°C) DA-097		Batch Date : 12/22/23 10:41:44	
Analyzed Date : 12/22/23 14:04:25			
Dilution : N/A			
Reagent : 110723.04; 110723.14; 112423.R02			
Consumables : N/A			
Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4044	Weight: 0.2534g	Extraction date: 12/22/23 15:41:50	Extracted by: 3379,450		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA067655MYC			Reviewed On : 12/24/23 12:07:04		
Instrument Used : N/A			Batch Date : 12/22/23 10:50:36		
Analyzed Date : N/A					
Dilution : 250					
Reagent : 121923.R04; 122023.R03; 122023.R04; 121923.R03; 112123.R13; 122023.R01; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 4044	Weight: 0.2958g	Extraction date: 12/22/23 13:17:38	Extracted by: 1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			
Analytical Batch : DA067642HEA		Reviewed On : 12/23/23 14:53:15	
Instrument Used : DA-ICPMS-004		Batch Date : 12/22/23 10:07:13	
Analyzed Date : 12/22/23 18:52:08			
Dilution : 50			
Reagent : 120123.R17; 121823.R06; 121723.R01; 121823.R04; 121823.R05; 122023.R43; 120623.R45			
Consumables : 179436; 210508058; 12594-247CD-247C			
Pipette : DA-061; DA-191; DA-216			

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g  
Everglade Haze  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31222002-002

Harvest/Lot ID: 4760 8010 1919 5794

Batch# : 4760 8010 1919  
5794

Sampled : 12/22/23

Ordered : 12/22/23

Sample Size Received : 15.5 gram

Total Amount : 1713 units

Completed : 12/24/23 Expires: 12/24/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA067673FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 12/23/23 00:27:14

Reviewed On : 12/23/23 01:03:27

Batch Date : 12/22/23 13:07:03

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.558	PASS	0.85

Analyzed by: 4056, 4371, 585, 4044	Weight: 0.372g	Extraction date: 12/23/23 11:55:37	Extracted by: 4056,4371
---------------------------------------	-------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA067672WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 12/22/23 16:59:29

Reviewed On : 12/23/23 16:16:38

Batch Date : 12/22/23 12:48:45

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/23