

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

Kaycha Labs 回然深回

Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix: Derivative



PASSED

Sample:DA31222002-003 Harvest/Lot ID: 8864 6306 8121 4290 Batch#: 8864 6306 8121 4290 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 5283 4589 2239 9080 Batch Date: 09/25/23 Sample Size Received: 16 gram Total Amount: 1967 units Retail Product Size: 1 gram Ordered: 12/21/23 Sampled: 12/22/23 Completed: 12/24/23 Sampling Method: SOP.T.20.010


Pages 1 of 6

Type: Distillate

Dec 24, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/24/23



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA31222002-003

 Harvest/Lot ID: 8864 6306 8121
 4290

 Batch#: 8864 6306 8121
 Sample

 4290
 Total An

Sampled : 12/22/23 Ordered : 12/22/23 Sample Size Received :16 gram Total Amount : 1967 units Completed : 12/24/23 Expires: 12/24/24 Sample Method : SOP.T.20.010

Page 2 of 6

# **(**

_			
Те	rp	en	es

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.96	2.296			ALPHA-CEDRENE		0.007	ND	ND	
IMONENE	0.007	8.23	0.822			ALPHA-PHELLANDRENE		0.007	ND	ND	
ETA-MYRCENE	0.007	7.42	0.741			ALPHA-TERPINENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.85	0.284			ALPHA-TERPINOLENE		0.007	ND	ND	
INALOOL	0.007	1.42	0.141			CIS-NEROLIDOL		0.007	ND	ND	
ETA-PINENE	0.007	0.88	0.087			GAMMA-TERPINENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.81	0.080			TRANS-NEROLIDOL		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.61	0.061			TOTAL TERPINEOL		0.007	<0.20	<0.020	
LPHA-PINENE	0.007	0.60	0.060			Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
ARNESENE	0.001	0.20	0.020			1879, 585, 4044	1.0014g		12/22/23 17:	40:45	1879
-CARENE	0.007	ND	ND		ĺ.	Analysis Method : SOP.T.30.061A.FL, SOP.	T.40.061A.FL				
ORNEOL	0.013	ND	ND		ĺ.	Analytical Batch : DA067671TER Instrument Used : DA-GCMS-008					23/23 16:16:45 2/23 12:48:02
AMPHENE	0.007	ND	ND			Analyzed Date : 12/23/23 13:21:31			Batch	Date: 12/2	2/23 12:48:02
AMPHOR	0.007	ND	ND			Dilution : 10					
ARYOPHYLLENE OXIDE	0.007	ND	ND			Reagent : N/A					
EDROL	0.007	ND	ND		i i	Consumables : N/A					
JCALYPTOL	0.007	ND	ND		i i	Pipette : N/A					
ENCHONE	0.007	ND	ND		i i	Terpenoid testing is performed utilizing Gas Chi	romatography Ma	iss Spectr	ometry. For all F	lower sample	s, the Total Terpenes % is dry-weight corrected.
ERANIOL	0.007	ND	ND		i i						
ERANYL ACETATE	0.007	ND	ND		i i						
UAIOL	0.007	ND	ND		i i						
EXAHYDROTHYMOL	0.007	ND	ND		l l						
SOBORNEOL	0.007	ND	ND		l l						
OPULEGOL	0.007	ND	ND		l l						
EROL	0.007	ND	ND		l l						
CIMENE	0.007	ND	ND		l l						
ULEGONE	0.007	ND	ND		j						
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								
ALENCENE	0.007	ND	ND								
LPHA-BISABOLOL	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64RR20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/23



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31222002-003 Harvest/Lot ID: 8864 6306 8121 4290

Batch# : 8864 6306 8121 4290 Sampled : 12/22/23 Ordered : 12/22/23

Sample Size Received : 16 gram Total Amount : 1967 units Completed : 12/24/23 Expires: 12/24/24 Sample Method : SOP.T.20.010

Page 3 of 6

R÷ 0

## **Pesticides**

TOTAL CONTAMINANT LOAD (PESTICIDES) TOTAL DIMETHOMORPH TOTAL PERMETHRIN TOTAL PYRETHRINS	0.010 0.010	ppm	5						Level		
TOTAL PERMETHRIN	0.010			PASS	ND	OXAMYL	0.010	) ppm	0.5	PASS	ND
			0.2	PASS	ND	PACLOBUTRAZOL	0.010	) ppm	0.1	PASS	ND
FOTAL PYRETHRINS	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	) ppm	0.1	PASS	ND
	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	) ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	T P	0.2	PASS	ND	PRALLETHRIN		) ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		) ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	P.P.	0.1	PASS	ND				0.1	PASS	
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		) ppm			ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		) ppm	0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		) ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	) ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	) ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	) ppm	0.1	PASS	ND
BOSCALID	0.010	1.1.	0.1	PASS	ND	THIAMETHOXAM	0.010	) ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	) ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)		) PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND			) PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		) PPM	0.7	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *					
LOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		) PPM	0.1	PASS	ND
OUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		) PPM	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	) PPM	0.5	PASS	ND
IAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	) PPM	0.5	PASS	ND
ICHLORVOS	0.010	P.P.	0.1	PASS	ND	Analyzed by: Weigh	nt: Extract	ion date:		Extracted I	ov:
IMETHOATE	0.010		0.1	PASS	ND	3379, 585, 4044 0.2968	Bg 12/22/2	3 15:41:51		3379,450	
THOPROPHOS	0.010		0.1		ND	Analysis Method : SOP.T.30.101.FL (Gair	nesville), SOP.T.30.10	02.FL (Davie),	SOP.T.40.101	L.FL (Gainesville	),
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA067652PES Instrument Used : DA-LCMS-003 (PES)			Dn:12/24/23 1 12/22/23 10		
ENHEXAMID	0.010		0.1		ND	Analyzed Date :N/A		Datch Date	:12/22/25 10	.40.11	
ENOXYCARB	0.010		0.1	PASS	ND ND	Dilution : 250					
ENPYROXIMATE	0.010		÷·=		ND	Reagent : 121923.R04; 122023.R03; 122	2023.R04; 121923.R0	03; 112123.R1	L3; 122023.R0	01; 040423.08	
IPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW					
LONICAMID	0.010		0.1	PASS	ND ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed	l utilizing Liquid Chroi	matography Tr	iple-Quadrupo	le Mass Spectror	metry in
IEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
MAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight 450, 585, 4044 0.29680		on date: 15:41:51		Extracted b 3379.450	y:
MIDACLOPRID	0.010 0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gair	, , , , ,		SOP T 40 15		
KRESOXIM-METHYL			0.1	PASS	ND	Analytical Batch : DA067656VOL		eviewed On :			
ALATHION	0.010 0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001		atch Date : 12			
1ETALAXYL 1ETHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :12/22/23 15:43:13					
	0.010		0.1	PASS	ND	Dilution: 250					
1ETHOMYL		1.1.	0.1	PASS	ND	Reagent: 122023.R04; 040423.08; 1214	23.R01; 112723.R15	5			
	0.010	hhu				Consumables : 326250IW; 14725401					
MEVINPHOS	0.010	0.000	0.1								
MEVINPHOS MYCLOBUTANIL NALED	0.010 0.010		0.1	PASS	ND ND	Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed	Lutilizing Cas Chrome	tography Trip	la Quadrupala	Mass Sportroms	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/24/23



Page 4 of 6

..... Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31222002-003 Harvest/Lot ID: 8864 6306 8121 4290 Batch# : 8864 6306 8121 4290 Sampled : 12/22/23 Ordered : 12/22/23

Sample Size Received : 16 gram Total Amount : 1967 units Completed : 12/24/23 Expires: 12/24/24 Sample Method : SOP.T.20.010

# ñ

## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
ETHANOL	500.000	ppm	5000	PASS	ND		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
ETHYL ETHER	50.000	ppm	500	PASS	ND		
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND		
HEPTANE	500.000	ppm	5000	PASS	ND		
METHANOL	25.000	ppm	250	PASS	ND		
N-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
Analyzed by: 850, 585, 4044	Weight: 0.0253g	Extraction date: 12/23/23 13:58:28		<b>Extracte</b> 3605,85			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067675SOL Instrument Used : DA-GCMS-003 Analyzed Date : 12/22/23 16:39:28	Reviewed On : 12/24/23 12:28:53 Batch Date : 12/22/23 14:18:01						

**Dilution**: 1

Reagent : N/A Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/23

PASSED

PASSED



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31222002-003 Harvest/Lot ID: 8864 6306 8121 4290 Batch# : 8864 6306 8121

4290 Sampled : 12/22/23 Ordered : 12/22/23

Sample Size Received : 16 gram Total Amount : 1967 units Completed : 12/24/23 Expires: 12/24/24 Sample Method : SOP.T.20.010

Page 5 of 6

MIC	robia	I			PAS	SED	လို့	My	ycotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SPERGILLUS TERREU	s			Not Present	PASS		AFLATOXIN I	32		0.002	ppm	ND	PASS	0.02
SPERGILLUS NIGER				Not Present	PASS		AFLATOXIN I	1		0.002	ppm	ND	PASS	0.02
SPERGILLUS FUMIGA	TUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN (	61		0.002	ppm	ND	PASS	0.02
ALMONELLA SPECIFIC	C GENE			Not Present	PASS		AFLATOXIN (	62		0.002	ppm	ND	PASS	0.02
COLI SHIGELLA				Not Present	PASS		Analyzed by:		Weight:	Extraction dat	·e•	F	xtracted I	av.
OTAL YEAST AND MO	LD	10	CFU/g	<10	PASS	100000	3379, 585, 404	4	0.2968g	12/22/23 15:4			379,450	
alyzed by: 36, 585, 4044	Weight: 0.931g		action date: 2/23 12:24:3	3	Extracted 4351	l by:			.30.101.FL (Gain ), SOP.T.40.102.F		40.101.FL	. (Gainesvi	ille),	
alysis Method : SOP.T.4 alytical Batch : DA0676	0.056C, SOP.1	,		0.209.FL	d On : 12/2	3/23	Analytical Batc Instrument Use Analyzed Date	h:DA067 d:N/A		Review		2/24/23 1 22/23 10:		
lution : N/A agent : 110723.04; 110 nsumables : 75685020!		23.R01;	081023.07;	100223.10			Mycotoxins test	na utilizin	q Liquid Chromatog	ranhy with Triple	-Ouadrupo	le Mass Spe	ctrometrv	in
pette : N/A		<b>t</b> •	Extraction da	ito.	Extracte	ad by:	accordance with	F.S. Rule	64ER20-39.					
pette : N/A nalyzed by: 336, 3963, 585, 4044	<b>Weigh</b> 0.931	g	Extraction da 12/22/23 12:	24:33	Extracte 4351	ed by:		F.S. Rule					PAS	
atte : N/A alyzed by: 36, 3963, 585, 4044 alysis Method : SOP.T.4 alytical Batch : DA0676 strument Used : Incubat	Weigh 0.931 0.208 (Gaines 51TYM or (25-27*C) [	g sville), S	12/22/23 12: OP.T.40.209 Revie	24:33	<b>4351</b> 4/23 13:33	3:50	accordance with	F.S. Rule	64ER20-39.		Units			SEC
ette : N/A alyzed by: 36, 3963, 585, 4044 alysis Method : SOP.T.4 alytical Batch : DA0676 trument Used : Incubat alyzed Date : 12/22/23	Weigh 0.931 0.208 (Gaines 51TYM or (25-27*C) [	g sville), S	12/22/23 12: OP.T.40.209 Revie	24:33 .FL ewed On : 12/2	<b>4351</b> 4/23 13:33	3:50	accordance with	He	64ER20-39.	etals			PAS Pass / Fail PASS	Action Level 1.1
ette : N/A alyzed by: 36, 3963, 585, 4044 alysis Method : SOP.T.4 alytical Batch : DA0676 trument Used : Incubat alyzed Date : 12/22/23 ution : N/A	Weigh 0.9310 0.208 (Gaines 51TYM or (25-27*C) [ 14:04:25	g sville), S DA-097	12/22/23 12: OP.T.40.209 Revie	24:33 .FL ewed On : 12/2	<b>4351</b> 4/23 13:33	3:50	accordance with Hg Metal TOTAL CONT ARSENIC	He	avy Me	LOD 5 0.080 0.020	Units	Result	PAS Pass / Fail PASS PASS	Action Level 1.1 0.2
ette : N/A alyzed by: 36, 3963, 585, 4044 alysis Method : SOP.T.4 alytical Batch : DA0676 trument Used : Incubat alyzed Date : 12/22/23 ution : N/A agent : 110723.04; 110	Weigh 0.9310 0.208 (Gaines 51TYM or (25-27*C) [ 14:04:25	g sville), S DA-097	12/22/23 12: OP.T.40.209 Revie	24:33 .FL ewed On : 12/2	<b>4351</b> 4/23 13:33	3:50	accordance with Hg Metal TOTAL CONT ARSENIC CADMIUM	He	avy Me	LOD 5 0.080 0.020 0.020	Units	Result ND ND ND	PASS / Fail PASS PASS PASS PASS	Action Level 1.1 0.2 0.2
ette : N/A alyzed by: 36, 3963, 585, 4044 alysis Method : SOP.T.4 alytical Batch : DA0676 trument Used : Incubat alyzed Date : 12/22/23 ution : N/A agent : 110723.04; 110 rsumables : N/A	Weigh 0.9310 0.208 (Gaines 51TYM or (25-27*C) [ 14:04:25	g sville), S DA-097	12/22/23 12: OP.T.40.209 Revie	24:33 .FL ewed On : 12/2	<b>4351</b> 4/23 13:33	3:50	accordance with Hg Metal TOTAL CONT ARSENIC CADMIUM MERCURY	He	avy Me	LOD 5 0.080 0.020 0.020 0.020	Units ppm ppm ppm ppm	Result ND ND ND ND	PASS / Fail PASS PASS PASS PASS	<b>Actior</b> Level 1.1 0.2 0.2 0.2
alyzed by: alyzed by: alysis Method : SOP.T.4 alysis Method : SOP.T.4 alytical Batch : DA0676 trument Used : Incubat alyzed Date : 12/22/23 ution : N/A agent : 110723.04; 110 nsumables : N/A bette : N/A tal yeast and mold testing	Weigh 0.931 0.208 (Gaines 51TYM or (25-27*C) [ 14:04:25 )723.14; 1124 is performed ut	g sville), S DA-097 23.R02	12/22/23 12: GOP.T.40.209 Revie Batcl	24:33 .FL ewed On : 12/2 h Date : 12/22/	4351 4/23 13:33 23 10:41:4	3:50 14	accordance with Hg Metal TOTAL CONT ARSENIC CADMIUM	He	avy Me	LOD 5 0.080 0.020 0.020	Units ppm ppm ppm	Result ND ND ND	PASS / Fail PASS PASS PASS PASS	Action Level 1.1 0.2 0.2
alyzed by: alyzed by: 36, 3963, 585, 4044 alysis Method : SOP.T.4 alytical Batch : DA0676 strument Used : Incubat alyzed Date : 12/22/23 ution : N/A agent : 110723.04; 110 nsumables : N/A bette : N/A tal yeast and mold testing	Weigh 0.931 0.208 (Gaines 51TYM or (25-27*C) [ 14:04:25 )723.14; 1124 is performed ut	g sville), S DA-097 23.R02	12/22/23 12: GOP.T.40.209 Revie Batcl	24:33 .FL ewed On : 12/2 h Date : 12/22/	4351 4/23 13:33 23 10:41:4	3:50 14	accordance with Hg Metal TOTAL CONT ARSENIC CADMIUM MERCURY	He Aminan	avy Me	LOD 5 0.080 0.020 0.020 0.020	Units ppm ppm ppm ppm ppm	Result ND ND ND ND ND	PASS / Fail PASS PASS PASS PASS	<b>Actior</b> <b>Level</b> 1.1 0.2 0.2 0.2 0.5
alyzed by:	Weigh 0.931 0.208 (Gaines 51TYM or (25-27*C) [ 14:04:25 )723.14; 1124 is performed ut	g sville), S DA-097 23.R02	12/22/23 12: GOP.T.40.209 Revie Batcl	24:33 .FL ewed On : 12/2 h Date : 12/22/	4351 4/23 13:33 23 10:41:4	3:50 14	Accordance with Hg Metal TOTAL CONT ARSENIC CADMIUM MERCURY LEAD Analyzed by: 1022, 585, 404	4 d : SOP.TT h : DA06; d : DA-IC	avy Me t load metal: <u>Weight:</u> 0.2583g .30.082.FL, SOP. 7642HEA .PMS-004	LOD 5 0.080 0.020 0.020 0.020 0.020 12/22/23 13: T.40.082.FL Reviewe	Units ppm ppm ppm ppm ppm ite: 19:14	Result ND ND ND ND ND	PASS / Fail PASS PASS PASS PASS Extracted 1022	<b>Actior</b> <b>Level</b> 1.1 0.2 0.2 0.2 0.5

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/23



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31222002-003 Harvest/Lot ID: 8864 6306 8121 4290 Batch# : 8864 6306 8121 4290 Sampled : 12/22/23 Ordered : 12/22/23

Sample Size Received : 16 gram Total Amount : 1967 units Completed : 12/24/23 Expires: 12/24/24 Sample Method : SOP.T.20.010

	Filth/I Mater	Foreig rial	n		ΡΑ	SSED
Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 4044		Weight: NA	Extraction N/A	n date:	Extr N/A	acted by:
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA067673FIL : Filth/Foreign	Material Micro	oscope			8/23 01:03:27 23 13:07:03
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	//A					
Filth and foreign n technologies in ac				spection utilizi	ng naked ey	e and microscope
$(\bigcirc)$	Wate	r Activ	ity		ΡΑ	SSED

Analyte	<b>LOD</b>	<b>Units</b>	<b>Result</b>	P/F	Action Level
Water Activity	0.010	aw	0.355	PASS	0.85
Analyzed by:	Weight:	Extraction	on date:		t <b>racted by:</b>
4056, 4371, 585, 4044	0.486g	12/23/23	3 11:55:37		056,4371
Analysis Method : SOP.T.40.0 Analytical Batch : DA067672 Instrument Used : DA-028 Ro Analyzed Date : 12/22/23 16	WAT htronic Hygropa	lm	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/23

### PASSED

Page 6 of 6