



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31223011-002
Harvest/Lot ID: 8951 3851 2109 2142
Batch#: 8951 3851 2109 2142
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 2912 5670 2967 1060
Batch Date: 08/24/23
Sample Size Received: 16 gram
Total Amount: 896 units
Retail Product Size: 1 gram
Ordered: 12/23/23
Sampled: 12/23/23
Completed: 12/27/23
Sampling Method: SOP.T.20.010

Dec 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

83.800%

Total THC/Container : 838.00 mg



Total CBD

0.465%

Total CBD/Container : 4.65 mg



Total Cannabinoids

89.308%

Total Cannabinoids/Container : 893.08 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.698	0.117	0.465	ND	0.387	2.192	0.122	0.758	0.695	ND	0.874
mg/unit	836.98	1.17	4.65	ND	3.87	21.92	1.22	7.58	6.95	ND	8.74
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 4044

Weight:
0.1045g

Extraction date:
12/26/23 10:05:25

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA067732POT
Instrument Used : DA-LC-007
Analyzed Date : 12/26/23 21:54:57

Reviewed On : 12/27/23 08:47:27
Batch Date : 12/26/23 05:25:18

Dilution : 400
Reagent : 121223.R05; 070121.27; 121223.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
12/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Rose Especial RSO Syringes 1 g
Rose Especial
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223011-002

Harvest/Lot ID: 8951 3851 2109 2142

Batch# : 8951 3851 2109
2142

Sampled : 12/23/23

Ordered : 12/23/23

Sample Size Received : 16 gram

Total Amount : 896 units

Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.78	2.278		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.96	0.596		VALENCENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	5.69	0.569		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	2.78	0.278		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.12	0.212		ALPHA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	1.46	0.146		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	0.91	0.091		CIS-NEROLIDOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.90	0.090		GAMMA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.87	0.086						
ALPHA-PINENE	0.007	0.55	0.055		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.55	0.055		1879, 795, 585, 4044	0.9644g	12/23/23 18:31:43	1879	
BETA-PINENE	0.007	0.31	0.030		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.25	0.025		Analytical Batch : DA067697TER			Reviewed On : 12/27/23 09:25:45	
OCIMENE	0.007	0.23	0.023		Instrument Used : DA-GCMS-008			Batch Date : 12/23/23 11:25:18	
TOTAL TERPINEOL	0.007	0.22	0.022		Analyzed Date : 12/24/23 12:42:37				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : N/A				
CAMPHENE	0.007	ND	ND		Consumables : N/A				
CAMPHOR	0.007	ND	ND		Pipette : N/A				
CECROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						

Total (%) 2.278

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Rose Especial RSO Syringes 1 g
Rose Especial
Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223011-002

Harvest/Lot ID: 8951 3851 2109 2142

Batch# : 8951 3851 2109
2142

Sampled : 12/23/23

Ordered : 12/23/23

Sample Size Received : 16 gram

Total Amount : 896 units

Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 4044	0.2791g	12/26/23 06:43:23	4056,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067706PES		Reviewed On : 12/27/23 11:32:46			
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 12/23/23 12:36:18			
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent : 122023.R04; 040423.08; 122323.R01; 122023.R03; 121923.R03; 112123.R13; 122023.R01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 4044	0.2791g	N/A	4056,3379		
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analytical Batch : DA067707VOL		Reviewed On : 12/27/23 11:28:44			
MALATHION	0.010	ppm	2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 12/23/23 12:37:05			
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date : 12/26/23 13:15:45					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 122023.R04; 040423.08; 121423.R01; 112723.R15					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/27/23



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31223011-002

Harvest/Lot ID: 8951 3851 2109 2142

 Batch# : 8951 3851 2109
 2142

Sampled : 12/23/23

Ordered : 12/23/23

Sample Size Received : 16 gram

Total Amount : 896 units

Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0217g

 Extraction date:
 12/27/23 09:05:16

 Extracted by:
 3605

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA067737SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 12/26/23 16:24:43

 Reviewed On : 12/27/23 16:52:24
 Batch Date : 12/26/23 14:18:25

 Dilution : 1
 Reagent : N/A
 Consumables : 27296; 30395
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis


PASSED



FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223011-002
Harvest/Lot ID: 8951 3851 2109 2142
Batch# : 8951 3851 2109 2142
Sample Size Received : 16 gram
Total Amount : 896 units
Completed : 12/27/23 Expires: 12/27/24
Sample Method : SOP.T.20.010
Sampled : 12/23/23
Ordered : 12/23/23

Page 5 of 6

<div></div> <div>Microbial</div>						<div>PASSED</div>																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level												
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02												
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02												
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02												
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02												
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02												
ECOLI SHIGELLA			Not Present	PASS																			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.2791g	Extraction date: N/A	Extracted by: 4056,3379														
Analyzed by: 4351, 3336, 3621, 585, 4044						Weight: 0.8647g						Extraction date: 12/23/23 19:17:33						Extracted by: 4351,3336					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA067692MIC						Reviewed On : 12/27/23 16:59:45						Batch Date : 12/23/23 11:17:41					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 12/26/23 14:12:38																	
Dilution : N/A						Reagent : 110723.04; 112423.R01; 081023.07; 100223.10						Consumables : 7568502060						Pipette : N/A					
Analyzed by: 3621, 585, 4044						Weight: NA						Extraction date: N/A						Extracted by: N/A					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA067724TYM						Reviewed On : 12/26/23 12:27:50						Batch Date : 12/24/23 14:13:52					
Instrument Used : Incubator (25-27°C) DA-096						Analyzed Date : N/A																	
Dilution : N/A						Reagent : N/A						Consumables : N/A						Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																							

<div></div> <div>Mycotoxins</div>						<div>PASSED</div>																	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA067709MYC						Reviewed On : 12/26/23 10:58:07											
Instrument Used : N/A						Analyzed Date : N/A						Batch Date : 12/23/23 12:37:18											
Dilution : 250						Reagent : 122023.R04; 040423.08; 122323.R01; 122023.R03; 121923.R03; 112123.R13; 122023.R01						Consumables : 326250IW											
Pipette : DA-093; DA-094; DA-219																							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																							
<div></div> <div>Heavy Metals</div>						<div>PASSED</div>																	
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level												
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5	ARSENIC	0.020	ppm	ND	PASS	1.5												
CADMIUM	0.020	ppm	ND	PASS	0.5	MERCURY	0.020	ppm	ND	PASS	3												
LEAD	0.020	ppm	<0.100	PASS	0.5																		
Analyzed by: 1022, 585, 4044						Weight: 0.2508g						Extraction date: 12/24/23 13:18:10						Extracted by: 4306,1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA067721HEA						Reviewed On : 12/27/23 12:03:05											
Instrument Used : DA-ICPMS-004						Analyzed Date : 12/26/23 15:41:35						Batch Date : 12/24/23 10:00:35											
Dilution : 50						Reagent : 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43; 120623.R45						Consumables : 210508058; 12594-247CD-247C											
Pipette : DA-061; DA-191; DA-216																							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																							



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Rose Especial RSO Syringes 1 g
Rose Especial
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223011-002

Harvest/Lot ID: 8951 3851 2109 2142

Batch# : 8951 3851 2109
2142

Sampled : 12/23/23

Ordered : 12/23/23

Sample Size Received : 16 gram

Total Amount : 896 units

Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA067698FIL

Instrument Used : N/A

Analyzed Date : 12/24/23 12:31:17

Reviewed On : 12/24/23 13:21:45

Batch Date : 12/23/23 11:26:31

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.416	TESTED	

Analyzed by: 4371, 585, 4044	Weight: 0.291g	Extraction date: 12/23/23 18:43:15	Extracted by: 4371
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA067701WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 12/26/23 11:34:33

Batch Date : 12/23/23 12:24:17

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/27/23