



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31223002-004
Harvest/Lot ID: 7596 6280 9335 4945
Batch#: 7596 6280 9335 4945
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 1790 2440 3977 9003
Batch Date: 11/06/23
Sample Size Received: 1020 gram
Total Amount: 6846 units
Retail Product Size: 62.2708 gram
Ordered: 12/22/23
Sampled: 12/23/23
Completed: 12/27/23
Sampling Method: SOP.T.20.010

Dec 27, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
 NOT TESTED

MISC.

Cannabinoid
PASSED

Total THC
0.139%

Total THC/Container : 86.56 mg


Total CBD
ND

Total CBD/Container : 0.00 mg


Total Cannabinoids
0.150%

Total Cannabinoids/Container : 93.41 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.139	ND	ND	ND	ND	0.004	ND	0.002	0.002	ND	0.003
mg/unit	86.56	ND	ND	ND	ND	2.49	ND	1.25	1.25	ND	1.87
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 585, 1440

 Weight:
 3.0481g

 Extraction date:
 12/26/23 10:03:40

 Extracted by:
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067733POT

Instrument Used : DA-LC-007

Analyzed Date : 12/26/23 21:29:33

Reviewed On : 12/27/23 08:16:30

Batch Date : 12/26/23 05:28:26

Dilution : 40

Reagent : 120423.01; 122223.R01; 060723.50; 070121.27; 121223.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 12/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Mango Gels 10 Count

Original Mango

Matrix : Edible

Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223002-004

Harvest/Lot ID: 7596 6280 9335 4945

Batch# : 7596 6280 9335

4945

Sampled : 12/23/23

Ordered : 12/23/23

Sample Size Received : 1020 gram

Total Amount : 6846 units

Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	1.0697g	Extraction date:	12/26/23 06:52:16
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),			Extracted by:	4056,3379
DIMETHOATE	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA067710PES			Reviewed On :	12/27/23 11:58:16
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	12/23/23 12:40:13
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed Date :	N/A				
FENHEXAMID	0.010	ppm	3	PASS	ND	Dilution :	250				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent :	122023.R04; 040423.08; 122323.R01; 122023.R03; 121923.R03; 112123.R13; 122023.R01				
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Consumables :	326250IW				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	1.0697g	Extraction date:	12/26/23 06:52:16
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	4056,3379
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analytical Batch :	DA067711VOL			Reviewed On :	12/27/23 11:56:25
MALATHION	0.010	ppm	2	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	12/23/23 12:40:49
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date :	12/26/23 13:23:54				
METHIACARB	0.010	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent :	122023.R04; 040423.08; 121423.R01; 112723.R15				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					

accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Mango Gels 10 Count
Original Mango
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223002-004

Harvest/Lot ID: 7596 6280 9335 4945

Batch# : 7596 6280 9335
4945

Sampled : 12/23/23

Ordered : 12/23/23

Sample Size Received : 1020 gram

Total Amount : 6846 units

Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0244g

Extraction date:
12/27/23 09:05:13

Extracted by:
3605

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA067737SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 12/26/23 16:24:43

Reviewed On : 12/27/23 16:52:02
Batch Date : 12/26/23 14:18:25

Dilution : 1
Reagent : N/A
Consumables : 27296; 30395
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Mango Gels 10 Count
Original Mango
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223002-004

Harvest/Lot ID: 7596 6280 9335 4945

Batch# : 7596 6280 9335 4945

Sampled : 12/23/23

Ordered : 12/23/23


Sample Size Received : 1020 gram


Total Amount : 6846 units


Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0696g	Extraction date: 12/23/23 13:40:16	Extracted by: 3963,3336	Reviewed On : 12/27/23 16:58:05	Batch Date : 12/23/23 09:36:23
Analytical Batch : DA067690MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analysis Date : 12/26/23 14:12:48					
Dilution : N/A					
Reagent : 110723.04; 112423.R01; 081023.07; 100223.10					
Consumables : 7568502060					
Pipette : N/A					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.0696g	Extraction date: 12/23/23 13:40:16	Extracted by: 3963,3336	Reviewed On : 12/26/23 11:54:16	Batch Date : 12/23/23 13:37:56
Analytical Batch : DA067715TYM					
Instrument Used : Incubator (25-27°C) DA-096					
Analysis Date : 12/24/23 10:01:59					
Dilution : N/A					
Reagent : 110723.04; 112423.R01; 081023.07; 100223.10					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 1.0697g	Extraction date: 12/26/23 06:52:16	Extracted by: 4056,3379	Reviewed On : 12/26/23 11:02:50	Batch Date : 12/23/23 12:41:04
Analytical Batch : DA067712MYC					
Instrument Used : N/A					
Analysis Date : N/A					
Dilution : 250					
Reagent : 122023.R04; 040423.08; 122323.R01; 122023.R03; 121923.R03; 112123.R13; 122023.R01					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2884g	Extraction date: 12/24/23 08:49:42	Extracted by: 4306,1022	Reviewed On : 12/27/23 11:59:35	Batch Date : 12/23/23 12:37:17
Analytical Batch : DA067708HEA					
Instrument Used : DA-ICPMS-004					
Analysis Date : 12/26/23 14:47:10					
Dilution : 50					
Reagent : 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43; 120623.R45					
Consumables : 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Mango Gels 10 Count
Original Mango
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31223002-004

Harvest/Lot ID: 7596 6280 9335 4945

Batch# : 7596 6280 9335
4945

Sampled : 12/23/23

Ordered : 12/23/23

Sample Size Received : 1020 gram

Total Amount : 6846 units

Completed : 12/27/23 Expires: 12/27/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 32

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA067698FIL

Instrument Used : N/A

Analyzed Date : 12/24/23 12:31:17

Reviewed On : 12/24/23 13:23:49

Batch Date : 12/23/23 11:26:31

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.510	PASS	0.85

Analyzed by: 4371, 585, 1440	Weight: 10.717g	Extraction date: 12/23/23 18:11:05	Extracted by: 4371
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA067701WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 12/26/23 11:04:04

Batch Date : 12/23/23 12:24:17

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.576	25

3605, 585, 1440	Average Weight 6.073g	Extraction date : 12/23/23 12:36:33	Extracted By : 3605
-----------------	--------------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA067688HOM

Instrument Used : DA-LC-006

Analyzed Date : 12/23/23 13:22:36

Reviewed On : 12/26/23 11:04:01

Batch Date : 12/23/23 08:37:04

Dilution : 40

Reagent : 122223.R02; 060723.50; 121923.R13; 020123.02

Consumables : 947.109; LCJ0311R; 210618-336; 266969; 1008575127; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Dilution : 40

Reagent : 122223.R02; 060723.50; 121923.R13; 020123.02

Consumables : 947.109; LCJ0311R; 210618-336; 266969; 1008575127; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/27/23