

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix: Derivative Type: Distillate




Sample:DA31227004-001 Harvest/Lot ID: 7475 3174 9825 6929 Batch#: 7475 3174 9825 6929 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 4867 6354 1837 9091 Batch Date: 07/27/23 Sample Size Received: 15.3 gram Total Amount: 1862 units Retail Product Size: 0.3 gram Ordered: 12/26/23 Sampled: 12/27/23 Completed: 12/29/23 Sampling Method: SOP.T.20.010

Dec 29, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

## PASSED



									mg			
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС	
%	85.581	0.133	0.260	ND	0.412	1.230	ND	1.292	0.618	ND	0.790	
mg/unit	256.74	0.40	0.78	ND	1.24	3.69	ND	3.88	1.85	ND	2.37	
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
	%	%	%	%	%	%	%	%	%	%	%	
alyzed by: 65, 585, 1440						tion date: /23 12:36:32		Extracted by: 3335				
			0.100	/g	12/27	25 12.50.52			5	555		
	: SOP.T.40.031, SC DA067762POT	P.I.30.031				Reviewed On : 12	2/28/23 11:56:43					
strument Used	:DA-LC-007					Batch Date : 12/2						
nalyzed Date :	N/A											

Dilution : 400

Reagent : 122723.R28; 060723.24; 121223.R03

Consumables : 947.109; CE123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/29/23



.... Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31227004-001 Harvest/Lot ID: 7475 3174 9825 6929 Batch# : 7475 3174 9825 6929

Sampled : 12/27/23 Ordered : 12/27/23

Sample Size Received : 15.3 gram Total Amount : 1862 units Completed : 12/29/23 Expires: 12/29/24 Sample Method : SOP.T.20.010

Page 2 of 6

To	rn	en	00
	ιp	CII	<b>C</b> 3

	LOD (%)	mg/unit	70	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	4.81	1.602			SABINENE HYDRATE		0.007	ND	ND		
ALPHA-TERPINOLENE	0.007	2.70	0.899			TOTAL TERPINEOL		0.007	ND	ND		
BETA-MYRCENE	0.007	0.62	0.208			VALENCENE		0.007	ND	ND		
DCIMENE	0.007	0.48	0.161			ALPHA-CEDRENE		0.007	ND	ND		
IMONENE	0.007	0.36	0.120			ALPHA-PHELLANDRENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	0.26	0.087			CIS-NEROLIDOL		0.007	ND	ND		
LPHA-HUMULENE	0.007	0.12	0.040			GAMMA-TERPINENE		0.007	ND	ND		
ETA-PINENE	0.007	0.12	0.039			TRANS-NEROLIDOL		0.007	ND	ND		
LPHA-PINENE	0.007	0.08	0.025		1	Analyzed by:	Weight:	Extr	action date:			Extracted by:
ENCHYL ALCOHOL	0.007	0.07	0.023			2076, 585, 1440	0.94246g		7/23 13:23:2	0		3963,1879,2076
-CARENE	0.007	<0.06	<0.020			Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL					
LPHA-BISABOLOL	0.007	<0.06	<0.020			Analytical Batch : DA067758TER Instrument Used : DA-GCMS-008					29/23 10:14:41 7/23 10:40:04	
LPHA-TERPINENE	0.007	<0.06	<0.020			Analyzed Date : 12/28/23 09:23:17			batth	Date : 12/2	//25 10.40.04	
ORNEOL	0.013	ND	ND		i.	Dilution : 10						
AMPHENE	0.007	ND	ND			Reagent : 121622.26						
AMPHOR	0.007	ND	ND			Consumables : 210414634; MKCN999 Pipette : N/A	95; CE0123; R1KB1	4270				
ARYOPHYLLENE OXIDE	0.007	ND	ND									
EDROL	0.007	ND	ND			Terpenoid testing is performed utilizing Ga	as Chromatography M	ass spectro	metry. For all F	-lower sample	s, the Total Terpen	es % is ary-weight corrected.
UCALYPTOL	0.007	ND	ND									
ARNESENE	0.001	ND	ND									
ENCHONE	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
ERANYL ACETATE	0.007	ND	ND									
UAIOL	0.007	ND	ND									
IEXAHYDROTHYMOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
INALOOL	0.007	ND	ND									
IEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
SABINENE	0.007	ND	ND									

Total (%)

1.602

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/29/23

### PASSED

TESTED



. . . . . . Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31227004-001 Harvest/Lot ID: 7475 3174 9825 6929

Batch#: 7475 3174 9825 6929 Sampled : 12/27/23 Ordered : 12/27/23

Sample Size Received : 15.3 gram Total Amount : 1862 units Completed : 12/29/23 Expires: 12/29/24 Sample Method : SOP.T.20.010

Page 3 of 6



## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nom	5	PASS	ND	OXAMYL	0.010	ppm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	P.P.	0.2	PASS	ND	PACLOBUTRAZOL		maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	maa	0.1	PASS	ND			1.1.			
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND			ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE					
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010	P.P.	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
OUMAPHOS	0.010		0.1	PASS	ND		0.010		0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *					
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted I	by:
THOPROPHOS	0.010		0.1	PASS	ND	<b>3379, 585, 1440</b> 0.2033g		3 16:41:51		450,3379	
TOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville	), SOP.T.30.10	)2.FL (Davie),	SOP.T.40.101	.FL (Gainesville	),
TOXAZOLE	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA067779PES		Deviewed 0	n:12/29/23 0	0.50.42	
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			:12/29/23 0		
ENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :N/A		butter butte	12/2/20 20		
	0.010		0.1	PASS	ND	Dilution : 250					
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 122623.R01; 122723.R30; 122623.R	03; 122623.RC	02; 112123.R1	3; 122723.R0	1; 040423.08	
	0.010		0.1	PASS	ND	Consumables : 326250IW					
LONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizin	ng Liquid Chror	matography Tri	ple-Quadrupol	e Mass Spectror	netry in
IEXYTHIAZOX				PASS	ND	accordance with F.S. Rule 64ER20-39.					
MAZALIL	0.010 0.010	P.P.	0.1 0.4	PASS	ND	Analyzed by: Weight: 450, 585, 1440 0.2033g	Extraction	16:41:51		Extracted b 450,3379	y:
MIDACLOPRID						Analysis Method :SOP.T.30.151.FL (Gainesville			SOP T 40 15		
RESOXIM-METHYL	0.010		0.1	PASS PASS	ND	Analysis Method : 30F.1.30.131.FE (Gamesville Analytical Batch : DA067781VOL		eviewed On :			
ALATHION	0.010		0.2 0.1	PASS	ND ND	Instrument Used :DA-GCMS-010		atch Date : 12			
1ETALAXYL	0.010					Analyzed Date :12/27/23 16:50:01					
1ETHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
AETHOMYL	0.010		0.1	PASS	ND	Reagent: 122623.R03; 040423.08; 121423.R03	l; 112723.R15	5			
/EVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
IYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	0 0				
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizir accordance with F.S. Rule 64ER20-39.	ig Gas Chroma	itograpny Triple	e-Quadrupole I	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/29/23



Page 4 of 6

..... .... Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31227004-001 Harvest/Lot ID: 7475 3174 9825 6929 Batch#: 7475 3174 9825 6929 Sampled : 12/27/23 Ordered : 12/27/23

Sample Size Received : 15.3 gram Total Amount : 1862 units Completed : 12/29/23 Expires: 12/29/24 Sample Method : SOP.T.20.010



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	<250.000				
HLOROFORM	0.200	ppm	2	PASS	ND				
THANOL	500.000	ppm	5000	PASS	ND				
THYL ACETATE	40.000	ppm	400	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
nalyzed by: 50, 585, 1440	Weight: 0.0227g	Extraction date: 12/27/23 13:28:12	<b>Extracte</b> 850,360						
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA067789SOL Instrument Used : DA-GCMS-003 Analyzed Date : 12/29/23 13:36:52		<b>Reviewed On :</b> 12/29/23 15:07:27 <b>Batch Date :</b> 12/27/23 12:56:32							
Dilution : 1									

Dilution: 1

Reagent : N/A Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/29/23



Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31227004-001 Harvest/Lot ID: 7475 3174 9825 6929 Batch# : 7475 3174 9825 Sample

6929 Sampled : 12/27/23 Ordered : 12/27/23 Sample Size Received : 15.3 gram Total Amount : 1862 units Completed : 12/29/23 Expires: 12/29/24 Sample Method : SOP.T.20.010

Page 5 of 6

🚯 Mic	robial				PAS	SED	သို့ 🛚	<b>lycoto</b> xi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIF	CCENE			Not Present	PASS	Level	AFLATOXIN B2		0.002	0.0.00	ND	PASS	0.02
	CGENE			Not Present	PASS		AFLATOXIN B2		0.002	ppm ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS				Not Present	PASS		OCHRATOXIN A		0.002		ND	PASS	0.02
SPERGILLUS FUMIG				Not Present	PASS		AFLATOXIN G1		0.002	ppm ppm	ND	PASS	0.02
ASPERGILLUS TERREI				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER	13			Not Present	PASS								
TOTAL YEAST AND M	DLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2033g	Extraction dat 12/27/23 16:4			xtracted I 50,3379	by:
nalyzed by: 336, 3621, 585, 1440	<b>Weight</b> 1.058g		Extraction dat 12/27/23 12:0		Extracted 3336,362		Analysis Method : SO SOP.T.30.102.FL (Day			40.101.FL	(Gainesvi	ille),	
Analysis Method : SOP.T. Analytical Batch : DA067 nstrument Used : Incuba	756MIC tor (37*C) DA- 1	188,D	A-265 Gene-U	Reviewed 0			Analyzed Date : N/A			wed On : 1 Date : 12/			
TPCR,DA-351 GENE-UP nalyzed Date : 12/27/23		or (42	^C) DA- 328				Dilution : 250 Reagent : 122623.R0	1: 122723.R30: 122	2623.R03: 1226	523.R02: 1	12123.R1	3: 12272	3.R01:
Dilution : N/A Reagent : 103123.R11; 1 Consumables : 2125220;	21923.R20						040423.08 Consumables : 32625 Pipette : DA-093; DA	50IW					
Pipette : N/A							Mycotoxins testing util accordance with F.S. R		graphy with Triple	e-Quadrupo	le Mass Spe	ctrometry	in
Analyzed by: 3621, 3336, 585, 1440	Weight 1.1170		Extraction dat 12/27/23 12:0		Extracted 3336,362								
Analysis Method : SOP.T. Analytical Batch : DA067 nstrument Used : Incuba	786TYM tor (25-27*C) D		Revie	.FL wed On : 12/2 Date : 12/27/			<mark>Нд</mark> Н	eavy Me	etals			PAS	SEC
Analyzed Date : 12/27/23 Dilution : 10	13:27:27						Metal		LOD	Units	Result	Pass / Fail	Action Level
Reagent : 110723.13; 11	0723.19; 11162	3.16;	112423.R02				TOTAL CONTAMIN	ANT LOAD METAL	<b>s</b> 0.080	ppm	ND	PASS	1.1
onsumables : N/A							ARSENIC		0.020	ppm	ND	PASS	0.2
ipette : N/A							CADMIUM		0.020	ppm	ND	PASS	0.2
otal yeast and mold testin		izing I	MPN and traditio	nal culture base	d techniques	in	MERCURY		0.020	ppm	ND	PASS	0.2
ccordance with F.S. Rule 6	4EK2U-39.						LEAD		0.020	ppm	ND	PASS	0.5
							Analyzed by: 1022, 585, 1440	Weight: 0.2732g	Extraction da 12/27/23 14			Extracted	l by:
							Analysis Method : SO Analytical Batch : DA Instrument Used : DA Analyzed Date : 12/2	P.T.30.082.FL, SOP. 067775HEA -ICPMS-004	T.40.082.FL Reviewe	ed On : 12, ate : 12/2	/28/23 11:	03:16	

Reagent : 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43; 120623.R45 Consumables : 179436; 210508058; 12594-247CD-247C

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/29/23



Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31227004-001 Harvest/Lot ID: 7475 3174 9825 6929 Batch# : 7475 3174 9825 Sample 6929 Total Ar

6929 To Sampled : 12/27/23 Co Ordered : 12/27/23 Sa

PASSED

Sample Size Received : 15.3 gram Total Amount : 1862 units Completed : 12/29/23 Expires: 12/29/24 Sample Method : SOP.T.20.010

$\bigcirc$	Mater	lai					
Analyte Filth and Forei	gn Material	-	<b>OD</b> .100	Units %	<b>Result</b> ND	P/F PASS	Action Leve
Analyzed by: 1879, 585, 1440		Weight: NA		Extraction N/A	n date:	Extr N/A	acted by:
Analysis Method Analytical Batch Instrument Used Analyzed Date : 3	: DA067783FIL : Filth/Foreign	Material	Micro	scope			/23 15:29:59 3 11:33:12
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A							
Filth and foreign m echnologies in acc					spection utilizi	ng naked ey	e and microscope
$\bigcirc$	Wate	r Act	tiv	ity		PA	SSED
Analyte		LC	DD	Units	Result	P/F	Action Leve
Water Activity		0.	010	aw	0.467	PASS	0.85
Analyzed by: 4371, 585, 1440	<b>ght:</b> 5g	<b>Ext</b> 12/	tracted by:				

 Analysis Method : SOP.T.40.019
 Reviewed On : 12/28/23 11:56:45

 Analytical Batch : DA067782WAT
 Reviewed On : 12/28/23 11:56:45

 Instrument Used : DA-028 Rotronic Hygropalm
 Batch Date : 12/27/23 11:15:23

 Analyzed Date : N/A
 Dilution : N/A

 Reagent : 113021.09
 Consumables : PS-14

 Pipette : N/A
 V/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/29/23

### PASSED

Page 6 of 6