



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA31230006-003  
Harvest/Lot ID: HYB-FC-122723-C0123  
Batch#: 8828 7417 8925 0559  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Zolfo Springs Processing  
Source Facility: Zolfo Springs Cultivation  
Seed to Sale# 2759 0811 0795 9488  
Batch Date: 11/25/23  
Sample Size Received: 31.5 gram  
Total Amount: 2137 units  
Retail Product Size: 3.5 gram  
Ordered: 12/29/23  
Sampled: 12/30/23  
Completed: 01/03/24  
Sampling Method: SOP.T.20.010

Jan 03, 2024 | FLUENT  
82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**34.934%**  
Dry Weight



Total CBD  
**0.08%**  
Dry Weight



Total Cannabinoids  
**41.988%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.336	33.716	ND	0.079	0.036	0.195	1.505	ND	ND	ND	0.075
mg/unit	11.76	1180.06	ND	2.765	1.26	6.825	52.675	ND	ND	ND	2.625
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Total THC  
**29.904%**  
1046.64 mg /Container

Total CBD  
**0.069%**  
2.415 mg /Container

Total Cannabinoids  
**35.942%**  
1257.97 mg /Container

As Received

Analyzed by:  
1665, 585, 1440

Weight:  
0.1903g

Extraction date:  
01/02/24 08:07:50

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067891POT

Instrument Used : DA-LC-002

Analyzed Date : 01/02/24 08:10:17

Reviewed On : 01/03/24 13:31:13

Batch Date : 12/31/23 07:31:17

Dilution : 400

Reagent : 122223.R01; 032123.11; 121223.R01

Consumables : 947.100; LLS-00-0005; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
01/03/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH - French Cookies WF 3.5g(1/8oz)  
FTH-French Cookies WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31230006-003

Harvest/Lot ID: HYB-FC-122723-C0123

Batch# : 8828 7417 8925  
0559

Sampled : 12/30/23  
Ordered : 12/30/23

Sample Size Received : 31.5 gram

Total Amount : 2137 units

Completed : 01/03/24 Expires: 01/03/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	68.81	1.966		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	15.68	0.448		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	13.65	0.390		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	10.61	0.303		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.55	0.187		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.05	0.087		CIS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	2.98	0.085		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.38	0.068		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.65	0.047		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	1.58	0.045		2076, 585, 1440	0.87g	12/30/23 14:19:32	3963	
TOTAL TERPENEOL	0.007	0.81	0.023		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Analytical Batch : DA067894TER			Reviewed On : 01/02/24 10:30:10	
FARNESENE	0.001	<0.32	<0.009		Instrument Used : DA-GCMS-009			Batch Date : 12/30/23 11:48:00	
3-CARENE	0.007	ND	ND		Analyzed Date : 12/30/23 16:52:10				
BORNEOL	0.013	ND	ND		Dilution : 100				
CAMPHENE	0.007	ND	ND		Reagent : 121622.26				
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)				1.966					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/03/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH - French Cookies WF 3.5g(1/8oz)  
FTH-French Cookies WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31230006-003

Harvest/Lot ID: HYB-FC-122723-C0123

Batch# : 8828 7417 8925  
0559

Sampled : 12/30/23  
Ordered : 12/30/23

Sample Size Received : 31.5 gram

Total Amount : 2137 units

Completed : 01/03/24 Expires: 01/03/25  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	4056, 3379, 585, 1440	Weight:	0.8651g	Extraction date:	12/30/23 17:53:40
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	4056,450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA067875PES			Reviewed On :	01/03/24 14:19:47
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	12/30/23 11:33:27
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	12/31/23 11:56:45				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	122623.R03; 040423.08; 122623.R01; 122723.R30; 122623.R02; 112123.R13; 122723.R01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 1665, 585, 1440	Weight:	0.8651g	Extraction date:	12/30/23 17:53:40
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	4056,450
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA067876VOL			Reviewed On :	01/03/24 12:05:52
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	12/30/23 11:34:28
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	01/02/24 13:24:30				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	122623.R03; 040423.08; 121423.R01; 112723.R15				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/03/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31230006-003

Harvest/Lot ID: HYB-FC-122723-C0123

 Batch# : 8828 7417 8925  
 0559

 Sampled : 12/30/23  
 Ordered : 12/30/23

Sample Size Received : 31.5 gram

Total Amount : 2137 units

Completed : 01/03/24 Expires: 01/03/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level				
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02				
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02				
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02				
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02				
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02				
ECOLI SHIGELLA			Not Present	PASS											
TOTAL YEAST AND MOLD	10	CFU/g	80	PASS	100000	Analyzed by: 4056, 3379, 585, 1440	Weight: 0.8651g	Extraction date: 12/30/23 17:53:40		Extracted by: 4056,450					
Analyzed by: 3621, 3390, 585, 1440						Weight: 1.2g						Extraction date: 12/30/23 13:13:39		Extracted by: 3336	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Reviewed On : 01/03/24 12:11:07			
Analytical Batch : DA067873MIC						Analytical Batch : DA067877MYC						Batch Date : 12/30/23 11:34:59			
						Instrument Used : N/A									
						Analyzed Date : 12/31/23 11:56:39									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250						Reagent : 122623.R03; 040423.08; 122623.R01; 122723.R30; 122623.R02; 112123.R13; 122723.R01			
Analyzed Date : 01/02/24 11:48:37						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219			

<b>Analyzed by:</b> 3621, 585, 1440	<b>Weight:</b> 1.2g	<b>Extraction date:</b> 12/30/23 13:13:39	<b>Extracted by:</b> 3336
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
<b>Analytical Batch :</b> DA067874TYM		<b>Reviewed On :</b> 01/02/24 10:44:58	
<b>Instrument Used :</b> N/A		<b>Batch Date :</b> 12/30/23 11:31:57	
<b>Analyzed Date :</b> N/A			
<b>Dilution :</b> N/A			
<b>Reagent :</b> 110723.01; 110723.06; 112423.R02			
<b>Consumables :</b> N/A			
<b>Pipette :</b> N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analized by: 4056, 3379, 585, 1440	Weight: 0.8651g	Extraction date: 12/30/23 17:53:40		Extracted by: 4056,450	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA067877MYC		Reviewed On : 01/03/24 12:11:07			
Instrument Used : N/A		Batch Date : 12/30/23 11:34:59			
Analized Date : 12/31/23 11:56:39					
Dilution : 250					
Reagent : 122623.R03; 040423.08; 122623.R01; 122723.R30; 122623.R02; 112123.R13; 122723.R01					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analysis by: 1022, 1879, 585, 1440	Weight: 0.2394g	Extraction date: 12/30/23 12:22:02	Extracted by: 1879
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			
Analytical Batch : DA067868HEA		Reviewed On : 01/02/24 10:11:47	
Instrument Used : DA-ICPMS-004		Batch Date : 12/30/23 10:43:31	
Analysis Date : 12/30/23 16:18:01			
Dilution : 50			
Reagent : 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43; 120623.R45			
Consumables : 179436; 210508058; 12594-247CD-247C			
Pipette : DA-061; DA-191; DA-216			

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....  
FTH - French Cookies WF 3.5g(1/8oz)  
FTH-French Cookies WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31230006-003

Harvest/Lot ID: HYB-FC-122723-C0123

Batch# : 8828 7417 8925  
0559

Sampled : 12/30/23  
Ordered : 12/30/23

Sample Size Received : 31.5 gram

Total Amount : 2137 units

Completed : 01/03/24 Expires: 01/03/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign  
Material**

**PASSED**



**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.40	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4371, 585, 1440	Weight: 0.52g	Extraction date: 12/30/23 14:18:02	Extracted by: 4371		
Analysis Method : SOP.T.40.090 Analytical Batch : DA067890FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/30/23 17:25:48						Analysis Method : SOP.T.40.021 Analytical Batch : DA067883MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.565	PASS	0.65
Analyzed by: 4056, 4371, 585, 1440	Weight: 1.389g	Extraction date: 12/30/23 13:55:00	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA067881WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 12/30/23 12:03:53					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/03/24