



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40104005-001  
Harvest/Lot ID: HYB-BG-010224-C0123  
Batch#: 0709 8722 7807 9707  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Zolfo Springs Processing  
Source Facility: Zolfo Springs Cultivation  
Seed to Sale# 9582 8947 4667 4412  
Batch Date: 11/24/23  
Sample Size Received: 31.5 gram  
Total Amount: 1301 units  
Retail Product Size: 3.5 gram  
Ordered: 01/03/24  
Sampled: 01/04/24  
Completed: 01/07/24  
Sampling Method: SOP.T.20.010

Jan 07, 2024 | FLUENT  
82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



## Cannabinoid

**PASSED**



Total THC  
**20.286%**  
Dry Weight



Total CBD  
**0.05%**  
Dry Weight



Total Cannabinoids  
**24.429%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.228	20.33	ND	0.052	0.045	0.059	0.983	ND	ND	ND	0.048
mg/unit	7.98	711.55	ND	1.82	1.575	2.065	34.405	ND	ND	ND	1.68
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Total THC  
**18.057%**  
631.995 mg /Container

Total CBD  
**0.045%**  
1.575 mg /Container

Total Cannabinoids  
**21.745%**  
761.075 mg /Container

As Received

Analyzed by:  
3335, 1665, 585, 4044

Weight:  
0.2024g

Extraction date:  
01/04/24 13:03:23

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA067970POT  
Instrument Used : DA-LC-002  
Analyzed Date : 01/04/24 13:07:19

Reviewed On : 01/05/24 10:24:58  
Batch Date : 01/04/24 10:15:08

Dilution : 400  
Reagent : 010224.R05; 060723.24; 121223.R03  
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
01/07/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Boomin Granny WF 3.5g (1/8oz)  
FTH-Boomin Granny  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40104005-001  
Harvest/Lot ID: HYB-BG-010224-C0123  
Batch# : 0709 8722 7807  
Sample Size Received : 31.5 gram  
Total Amount : 1301 units  
Completed : 01/07/24 Expires: 01/07/25  
Sample Method : SOP.T.20.010  
Sampled : 01/04/24  
Ordered : 01/04/24

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	49.88	1.425		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	12.67	0.362		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.49	0.214		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.23	0.178		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	4.52	0.129		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.12	0.089		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.52	0.072		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.38	0.068		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.65	0.047		Analyzed by: 2076, 585, 4044  Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA067957TER Instrument Used : DA-GCMS-004 Analyzed Date : 01/04/24 14:02:32  Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A  Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.	Weight: 0.989g	Extraction date: 01/04/24 14:00:58	Extracted by: 2076	
FENCHYL ALCOHOL	0.007	1.61	0.046						
FARNESENE	0.001	1.12	0.032						
TOTAL TERPINEOL	0.007	1.12	0.032						
CAMPHENE	0.007	<0.70	<0.020						
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020						Reviewed On : 01/06/24 14:10:45
GERANIOL	0.007	<0.70	<0.020						Batch Date : 01/04/24 09:45:33
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.425						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/07/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Boomin Granny WF 3.5g (1/8oz)  
FTH-Boomin Granny  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40104005-001

Harvest/Lot ID: HYB-BG-010224-C0123

Batch# : 0709 8722 7807  
9707

Sampled : 01/04/24  
Ordered : 01/04/24

Sample Size Received : 31.5 gram

Total Amount : 1301 units

Completed : 01/07/24 Expires: 01/07/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.9182g	Extraction date: 01/04/24 15:20:30	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067961PES		Reviewed On : 01/05/24 16:18:11			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 01/04/24 10:03:08			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/04/24 15:21:54					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 010324.R30; 010324.R03; 010324.R04; 122623.R02; 112123.R13; 010324.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 1665, 3379, 585, 4044	Weight: 0.9182g	Extraction date: 01/04/24 15:20:30	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067964VOL		Reviewed On : 01/05/24 16:15:58			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 01/04/24 10:05:36			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 01/05/24 09:13:56					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 010324.R30; 010324.R03; 010324.R04; 122623.R02; 112123.R13; 010324.R01; 040423.08					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/07/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40104005-001

Harvest/Lot ID: HYB-BG-010224-C0123

 Batch# : 0709 8722 7807  
 9707

 Sampled : 01/04/24  
 Ordered : 01/04/24

Sample Size Received : 31.5 gram

Total Amount : 1301 units

Completed : 01/07/24 Expires: 01/07/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3379, 585, 4044	0.9182g	01/04/24 15:20:30		Extracted by:	
										3379	
Analyzed by:	Weight:	Extraction date:									
3621, 585, 4044	0.9236g	01/04/24 11:51:55									
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
Analytical Batch : DA067952MIC						SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP						Analytical Batch : DA067962MYC					
RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328						Instrument Used : N/A					
Analyzed Date : 01/04/24 12:08:47						Analyzed Date : 01/04/24 15:22:12					
Dilution : N/A						Dilution : 250					
Reagent : 103123.R11; 010324.R32						Reagent : 010324.R30; 010324.R03; 010324.R04; 122623.R02; 112123.R13; 010324.R01;					
Consumables : 2125220; 2125230						040423.08					
Pipette : N/A						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 3336, 585, 4044	0.9077g	01/04/24 12:03:45	3390,3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA067980TYM			
Instrument Used : Incubator (25-27°C) DA-096			
Analyzed Date : 01/05/24 12:49:19			
Dilution : 10			
Reagent : 111623.11; 111623.15; 112423.R02			
Consumables : N/A			
Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2528g	Extraction date: 01/04/24 15:33:27	Extracted by: 4306,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA067975HEA		Reviewed On : 01/06/24 12:32:07			
Instrument Used : DA-ICPMS-004		Batch Date : 01/04/24 11:44:59			
Analyzed Date : 01/05/24 16:55:19					
Dilution : 50					
Reagent : 010424.R18; 121723.R01; 010424.R16; 010424.R17; 122023.R43; 120623.R45; 120123.R17					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Boomin Granny WF 3.5g (1/8oz)  
FTH-Boomin Granny  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40104005-001  
Harvest/Lot ID: HYB-BG-010224-C0123  
Batch# : 0709 8722 7807  
Sample Size Received : 31.5 gram  
Total Amount : 1301 units  
Completed : 01/07/24 Expires: 01/07/25  
Sample Method : SOP.T.20.010  
Sampled : 01/04/24  
Ordered : 01/04/24

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.99	PASS	15
Analyzed by: 1879, 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3963, 3379, 585, 4044	Weight: 0.566g	Extraction date: 01/04/24 17:04:24	Extracted by: 3963		
Analysis Method : SOP.T.40.090 Analytical Batch : DA067985FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/04/24 19:48:21						Analysis Method : SOP.T.40.021 Analytical Batch : DA067977MOI Instrument Used : N/A Analyzed Date : 01/04/24 16:49:24					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.527	PASS	0.65
Analyzed by: 3963, 3379, 585, 4044	Weight: 0.603g	Extraction date: 01/04/24 17:53:04	Extracted by: 3963,1879		
Analysis Method : SOP.T.40.019 Analytical Batch : DA067976WAT Instrument Used : N/A Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/07/24