

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40106005-001 Harvest/Lot ID: 6695 1543 4007 8765

Batch#: 6695 1543 4007 8765

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

> **Source Facility: Tampa Cultivation** Seed to Sale# 1239 0249 8349 1145

> > Batch Date: 10/02/23

Sample Size Received: 15.5 units Total Amount: 1833 units

> Retail Product Size: 0.5 gram Ordered: 01/05/24 Sampled: 01/06/24

Completed: 01/09/24

Sampling Method: SOP.T.20.010

PASSED

Jan 09, 2024 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

84.478% Total THC/Container : 422.39 mg



Total CBD 0.204% Total CBD/Container: 1.02 mg



Total Cannabinoids 88.096%

Total Cannabinoids/Container: 440.48 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA068087POT Instrument Used : DA-LC-001

Analyzed Date: 01/08/24 10:16:33

Reagent: 010224.R01; 071222.01; 010224.R03 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 01/09/24 14:10:59 Batch Date: 01/08/24 07:03:49

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 01/09/24



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

ELLIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40106005-001 Harvest/Lot ID: 6695 1543 4007 8765

Batch#: 6695 1543 4007

Sampled: 01/06/24 Ordered: 01/06/24 Sample Size Received: 15.5 units Total Amount: 1833 units

Completed: 01/09/24 Expires: 01/09/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t %	Result (%)		Terpenes	LOD (%)	mg/uni	it %	Result (%)
TOTAL TERPENES	0.007	6.27	1.253			TOTAL TERPINEOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	3.58	0.716			VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.84	0.168			ALPHA-BISABOLOL	0.007	ND	ND	
OCIMENE	0.007	0.65	0.130			ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	0.49	0.098			ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.41	0.081			CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.17	0.034			GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	0.13	0.026		Ī	TRANS-NEROLIDOL	0.007	ND	ND	
FARNESENE	0.001	< 0.05	< 0.009			Analyzed by:	Weight:	Extra	action date:	Extracted by:
ALPHA-PINENE	0.007	< 0.10	< 0.020			1879, 2076, 585, 4044	1.0227g		7/24 17:16:59	
ALPHA-TERPINENE	0.007	< 0.10	< 0.020			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL			
3-CARENE	0.007	ND	ND			Analytical Batch : DA068053TER Instrument Used : DA-GCMS-008				/09/24 22:31:27 7/24 10:30:25
BORNEOL	0.013	ND	ND			Analyzed Date: 01/08/24 11:54:43		Bat	cn pate: 01/0	//24 10:30:25
CAMPHENE	0.007	ND	ND			Dilution: 10				
CAMPHOR	0.007	ND	ND			Reagent : 121622.26				
CARYOPHYLLENE OXIDE	0.007	ND	ND			Consumables: 210414634; MKCN9995;	CE0123; R1KB14270			
CEDROL	0.007	ND	ND			Pipette : N/A				
EUCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	Chromatography Mass Spectro	ometry. For a	Il Flower sample	es, the Total Terpenes % is dry-weight corrected.
FENCHONE	0.007	ND	ND							
FENCHYL ALCOHOL	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
LINALOOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
Total (%)			1.253							

Total (%) 1.2

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/09/24



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40106005-001 Harvest/Lot ID: 6695 1543 4007 8765

Batch#: 6695 1543 4007

Sampled: 01/06/24 Ordered: 01/06/24 Sample Size Received: 15.5 units
Total Amount: 1833 units

Completed: 01/09/24 Expires: 01/09/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nnm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	P. P.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010			PASS	
EQUINOCYL	0.010	P. P.	0.1	PASS	ND	PYRIDABEN		0.010		0.2		ND
ETAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
OXYSTROBIN	0.010	P. P.	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5		ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS PASS	ND ND	PENTACHLORONITROBENZE	ENE (PCNB) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND ND	PARATHION-METHYL *	,	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
LORPYRIFOS		P. P.	0.1	PASS	ND			0.010		0.1	PASS	ND
PENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *						
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
ZINON CHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
METHOATE	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	by:
IOPROPHOS	0.010		0.1	PASS	ND	3379, 585, 4044	0.2744g		4 15:14:37		3379	
DENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.	101.FL (Gainesville),	SOP.T.30.102	2.FL (Davie)	, SOP.T.40.101	L.FL (Gainesville),
DYAZOLE	0.010	P. P.	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch: DA068068	DDEC		Daviewed	On:01/09/24	10.47.22	
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-				e:01/07/24 18		
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date:01/08/24 15				, / 1 - 1 - 20		
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250						
PRONIL	0.010		0.1	PASS	ND	Reagent: 010324.R30; 0103	324.R03; 010324.R04	4; 122623.R0	2; 112123.F	R13; 010324.R0	01; 040423.08	
ONICAMID	0.010		0.1	PASS	ND	Consumables: 326250IW	A 210					
UDIOXONIL	0.010	P. P.	0.1	PASS	ND	Pipette: DA-093; DA-094; Da Testing for agricultural agents		Liquid Charas	ataaraak: . 7	rinla Ouadr :	la Mass Caaster-	noto: :-
XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64E		Liquia Crirom	іасодгарпу І	ripie-Quadrupo	ne mass spectror	netry in
AZALIL	0.010	P. P.	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	on date:		Extracted	l bv:
DACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044	0.2744g		15:14:37		3379	
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.	151.FL (Gainesville),	SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
LATHION	0.010		0.2	PASS	ND	Analytical Batch : DA068070				:01/09/24 19:		
TALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS		Ba	tch Date :	01/07/24 18:46	i:36	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date: 01/08/24 16	:47:46					
THOMYL	0.010	P. P.	0.1	PASS	ND	Dilution: 250 Reagent: 010324.R04: 0404	122 00, 121/22 001.	010524 001				
VINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW; 1		U1U3Z4.KU1				
CLOBUTANIL	0.010	1.1.	0.1	PASS	ND	Pipette : DA-080; DA-146; DA						
ALED		ppm	0.25	PASS	ND	Testing for agricultural agents		C Ch		-l- Odl-	M C	Annual Inc

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/09/24



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FILIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40106005-001 Harvest/Lot ID: 6695 1543 4007 8765

Batch#: 6695 1543 4007

Sampled: 01/06/24 Ordered: 01/06/24 77 Sample Size Received: 15.5 units
Total Amount: 1833 units

Total Amount: 1833 units Completed: 01/09/24 Expires: 01/09/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		E	extracted by:	

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 850, 585, 4044
 0.02414g
 01/09/24 16:07:03
 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA068090SOL Instrument Used: DA-GCMS-003 Analyzed Date: 01/08/24 16:02:33

Dilution: 1 Reagent: N/A

Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Reviewed On: 01/09/24 22:29:10

Batch Date: 01/08/24 10:20:12

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 01/09/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40106005-001 Harvest/Lot ID: 6695 1543 4007 8765

Batch#: 6695 1543 4007

Sampled: 01/06/24 **Ordered:** 01/06/24 Sample Size Received: 15.5 units Total Amount: 1833 units Completed: 01/09/24 Expires: 01/09/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



DASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3621, 3390, 585, 4044	Weight: 0.931a		ion date: 4 14·43·23	Extract 3336	ed by:

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Reviewed On: 01/09/24 14:03:38 Instrument Used: N/A Analytical Batch : DA068026MIC Instrument Used: Incubator (37*C) DA- 188,DA-265 Gene-UP Batch Date: 01/06/24 10:26:18 RTPCR,Incubator (42*C) DA- 328

Analyzed Date: 01/06/24 15:40:42

Reagent: 010524.R11; 103123.R11; 010324.R36; 121923.R21

Consumables: 2256280

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3336, 3963, 585, 4044	0.969g	01/06/24 14:50:30	3336

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA068043TYM
Instrument Used : Incubator (25-27*C) DA-096 Analyzed Date: 01/06/24 17:53:29

Reviewed On: 01/08/24 17:48:01 Batch Date: 01/06/24 14:47:40

Reagent: 111623.15: 010524.R10: 112423.R02: 110723.15: 110723.17: 111623.12

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycotoxiiis			'	PAS	SED	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02	
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN	ΙΔ	0.002	nnm	ND	PASS	0.02	

Analyzed by: 3379, 585, 4044	Weight: 0.2744g	Extraction da 01/08/24 15:			Extracte 3379	d by:
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA068069MYC Reviewed On: 01/09/24 15:10:06 Batch Date: 01/07/24 18:46:32

Analyzed Date: 01/08/24 15:17:53

Dilution: 250
Reagent: 010324.R30; 010324.R03; 010324.R04; 122623.R02; 112123.R13; 010324.R01;

040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT	LOAD METAL	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction date	e:	Ex	tracted b	v:	

01/06/24 16:31:06

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2944g

Analytical Batch : DA068036HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 01/08/24 14:25:59 Reviewed On: 01/08/24 17:51:57 Batch Date: 01/06/24 14:09:42

Dilution: 50

1022, 585, 4044

Reagent: 010824.R08; 010424.R18; 010824.R07; 010424.R16; 010424.R17; 122023.R43;

120623.R45

Consumables: 179436; A191022C; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/09/24



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix: Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40106005-001

Batch#: 6695 1543 4007

Sampled: 01/06/24 Ordered: 01/06/24

Harvest/Lot ID: 6695 1543 4007 8765 Sample Size Received: 15.5 units

Total Amount: 1833 units Completed: 01/09/24 Expires: 01/09/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA068049FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 01/06/24 21:31:39 Batch Date: 01/06/24 21:13:45

Analyzed Date: 01/06/24 21:16:42

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.467	PASS	0.85
Analyzed by: 4371, 585, 4044	Weight: 0.344a		raction d		Ex t	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA068035WAT

Reviewed On: 01/08/24 12:56:56 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 01/06/24 13:37:07

Analyzed Date : N/A Dilution: N/A

Reagent: 113021.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Signature 01/09/24