



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31231002-005
Harvest/Lot ID: 4948 8123 5264 2612
Batch#: 4948 8123 5264 2612
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3278 0596 3780 9689
Batch Date: 09/28/23
Sample Size Received: 15.5 gram
Total Amount: 1055 units
Retail Product Size: 0.55 gram
Ordered: 12/30/23
Sampled: 12/31/23
Completed: 01/03/24
Revision Date: 01/12/24
Sampling Method: SOP.T.20.010

Jan 12, 2024 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC

88.430%

Total THC/Container : 486.37 mg



Total CBD

0.245%

Total CBD/Container : 1.35 mg



Total Cannabinoids

93.546%

Total Cannabinoids/Container : 514.50 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.280	0.172	0.245	ND	0.303	2.088	ND	0.787	0.852	ND	0.819
mg/unit	485.54	0.95	1.35	ND	1.67	11.48	ND	4.33	4.69	ND	4.50
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 4351

Weight:
0.1073g

Extraction date:
01/02/24 08:16:21

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067894POT

Instrument Used : DA-LC-001

Analyzed Date : 01/02/24 08:16:52

Reviewed On : 01/03/24 14:21:02

Batch Date : 12/31/23 07:39:52

Dilution : 400

Reagent : 122223.R01; 070121.27; 121223.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
01/03/24

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Caramel Cream Syringe Distillate 0.5 g
Caramel Cream
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31231002-005

Harvest/Lot ID: 4948 8123 5264 2612

Batch# : 4948 8123 5264
2612

Sampled : 12/31/23

Ordered : 12/31/23

Sample Size Received : 15.5 gram

Total Amount : 1055 units

Completed : 01/03/24 Expires: 01/12/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.41	4.074		ALPHA-BISABOOL	0.007	ND	ND	
LIMONENE	0.007	6.19	1.125		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.58	0.833		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.53	0.460		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.39	0.434		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	1.69	0.308		CIS-NEROLIDOL	0.007	ND	ND	
OCIMENE	0.007	1.66	0.302		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	1.44	0.262		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.73	0.132						
ALPHA-HUMULENE	0.007	0.65	0.119		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:	
FARNESENE	0.001	0.28	0.051		2076, 585, 4351	1.1336g	01/02/24 09:51:53	2076	
TOTAL TERPINEOL	0.007	0.26	0.048		Analysis Batch : DA067902TER				
CAMPHERE	0.007	<0.11	<0.020		Instrument Used : DA-GCMS-004				
VALENCENE	0.007	<0.11	<0.020		Analysis Date : 01/02/24 09:36:54				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : 121622.26				
CAMPOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : N/A				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			4.074						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
01/03/24

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31231002-005

Harvest/Lot ID: 4948 8123 5264 2612

 Batch# : 4948 8123 5264
 2612

 Sampled : 12/31/23
 Ordered : 12/31/23

Sample Size Received : 15.5 gram

Total Amount : 1055 units

Completed : 01/03/24 Expires: 01/12/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 4351 Weight: 0.2412g Extraction date: 01/02/24 13:14:02 Extracted by: 4056,450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA067878PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/31/23 11:56:13 Dilution : 250 Reagent : 122623.R03; 040423.08; 122623.R01; 122723.R30; 122623.R02; 112123.R13; 122723.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 1665, 585, 4351 Weight: 0.2412g Extraction date: N/A Extracted by: 4056,450 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA067879VOL Instrument Used : DA-GCMS-010 Analyzed Date : 01/02/24 13:25:39 Dilution : 25 Reagent : 122623.R03; 040423.08; 121423.R01; 112723.R15 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Caramel Cream Syringe Distillate 0.5 g
Caramel Cream
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31231002-005

Harvest/Lot ID: 4948 8123 5264 2612

Batch# : 4948 8123 5264
2612

Sampled : 12/31/23

Ordered : 12/31/23

Sample Size Received : 15.5 gram

Total Amount : 1055 units

Completed : 01/03/24 Expires: 01/12/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4351

Weight:
0.0208g

Extraction date:
01/03/24 12:20:50

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA067910SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 01/03/24 12:52:54

Reviewed On : 01/03/24 13:38:35
Batch Date : 01/02/24 12:19:37

Dilution : 1
Reagent : N/A
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
01/03/24

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31231002-005

Harvest/Lot ID: 4948 8123 5264 2612

 Batch# : 4948 8123 5264
 2612



 Sampled : 12/31/23
 Ordered : 12/31/23


Sample Size Received : 15.5 gram

Total Amount : 1055 units

 Completed : 01/03/24 Expires: 01/12/25
 Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte						LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS								Not Present	PASS	0.02	
ASPERGILLUS NIGER								Not Present	PASS	0.02	
ASPERGILLUS FUMIGATUS								Not Present	PASS	0.02	
ASPERGILLUS FLAVUS								Not Present	PASS	0.02	
SALMONELLA SPECIFIC GENE								Not Present	PASS	0.02	
ECOLI SHIGELLA								Not Present	PASS		
TOTAL YEAST AND MOLD						10	CFU/g	<10	PASS	100000	
Analyzed by: 3621, 3390, 585, 4351						Weight: 0.9266g	Extraction date: 12/31/23 12:43:19		Extracted by: 4351,3621		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Reviewed On : 01/03/24 17:04:50					
Analytical Batch : DA067900MIC						Batch Date : 12/31/23					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 12/31/23 10:37:40					
Analyzed Date : 01/02/24 11:48:42											
Dilution : N/A											
Reagent : 110723.19; 111623.09; 111623.10; 111623.16; 112423.R01; 081023.07; 091523.46; 100223.10											
Consumables : 7567003056											
Pipette : N/A											
Analyzed by: 3621, 585, 4351						Weight: 0.9266g	Extraction date: N/A		Extracted by: 4351,3336		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Reviewed On : 01/02/24 11:09:29					
Analytical Batch : DA067901TYM						Batch Date : 12/31/23 10:38:16					
Instrument Used : Incubator (25-27°C) DA-096											
Analyzed Date : N/A											
Dilution : 10											
Reagent : N/A											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Heavy Metals</div> <div>PASSED</div>											
Metal						LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS						0.080	ppm	ND	PASS	1.1	
ARSENIC						0.020	ppm	ND	PASS	0.2	
CADMIUM						0.020	ppm	ND	PASS	0.2	
MERCURY						0.020	ppm	ND	PASS	0.2	
LEAD						0.020	ppm	ND	PASS	0.5	
Analyzed by: 1879, 1022, 585, 4351						Weight: 0.2344g	Extraction date: 12/31/23 10:31:34		Extracted by: 1879,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Reviewed On : 01/02/24 12:14:38					
Analytical Batch : DA067896HEA						Batch Date : 12/31/23 09:50:22					
Instrument Used : DA-ICPMS-004											
Analyzed Date : 12/31/23 20:49:10											
Dilution : 50											
Reagent : 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43; 120623.R45											
Consumables : 179436; 210508058; 12594-247CD-247C											
Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Caramel Cream Syringe Distillate 0.5 g
Caramel Cream
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31231002-005

Harvest/Lot ID: 4948 8123 5264 2612

Batch# : 4948 8123 5264
2612

Sampled : 12/31/23

Ordered : 12/31/23

Sample Size Received : 15.5 gram

Total Amount : 1055 units

Completed : 01/03/24 Expires: 01/12/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA067890FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 12/30/23 17:25:48

Reviewed On : 12/31/23 20:46:04

Batch Date : 12/30/23 17:23:40

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.395	PASS	0.85

Analyzed by: 4371, 585, 4351	Weight: 0.216g	Extraction date: 12/31/23 10:53:41	Extracted by: 4371
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA067897WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 01/02/24 10:30:27

Batch Date : 12/31/23 09:50:31

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
01/03/24

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.