

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix: Derivative Type: Distillate



Sample:DA40113004-002 Harvest/Lot ID: 0203 3147 4173 8527 Batch#: 0203 3147 4173 8527 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 7286 4849 0600 9215 Batch Date: 08/28/23 Sample Size Received: 15.5 gram Total Amount: 1911 units Retail Product Size: 0.5 gram Ordered: 01/12/24 Sampled: 01/13/24 Completed: 01/17/24 Sampling Method: SOP.T.20.010

Jan 17, 2024 | FLUENT 82 NE 26th street

## Miami, FL, 33137, US

PRODUCT IMAGE



**Residuals Solvents** 

PASSED







Pages 1 of 6





PASSED

MISC.

PASSED

Terpenes TESTED

## Cannabinoid



SAFETY RESULTS

Pesticides

PASSED

٦a

Heavy Metals

PASSED

Microbials

PASSED

### Total CBD 0.318% Total CBD/Container : 1.59 mg

**Mycotoxins** 

PASSED

**Total Cannabinoids** 94.022% Total Cannabinoids/Container : 470.11 mg

	70	70	70	70 Weight:		70 xtraction date:	70	70		70 cted by:	70
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %
mg/unit	438.27	0.72	1.59	ND	1.73	13.02	ND	5.22	5.07	ND	4.52
%	87.653	0.143	0.318	ND	0.346	2.603	ND	1.043	1.013	ND	0.903
	D9-ТНС	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС

Ar Ar Ins Analyzed Date : 01/16/24 09:12:13

Dilution: 400

Reagent : 010224.R05; 070121.27; 010224.R04 Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 01/17/24



Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40113004-002 Harvest/Lot ID: 0203 3147 4173 8527 Batch# : 0203 3147 4173 8527 Sample 8527 Total Ar

Sampled : 01/13/24 Ordered : 01/13/24 Sample Size Received : 15.5 gram Total Amount : 1911 units Completed : 01/17/24 Expires: 01/17/25 Sample Method : SOP.T.20.010

Page 2 of 6



### Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	9.22	1.843		SABINENE	0.007	ND	ND	
LPHA-TERPINOLENE	0.007	5.25	1.050		SABINENE HYDRATE	0.007	ND	ND	
ETA-MYRCENE	0.007	1.12	0.223		TOTAL TERPINEOL	0.007	ND	ND	
CIMENE	0.007	0.97	0.194		VALENCENE	0.007	ND	ND	
IMONENE	0.007	0.69	0.137		ALPHA-BISABOLOL	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.46	0.092		ALPHA-CEDRENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	0.22	0.044		CIS-NEROLIDOL	0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	0.21	0.042		TRANS-NEROLIDOL	0.007	ND	ND	
ETA-PINENE	0.007	0.18	0.036		Analyzed by:	Weight:	Extract	ion date:	Extracted by
LPHA-PINENE	0.007	0.13	0.025		795, 2076, 585, 1440	0.8075g		24 16:35:49	1879
-CARENE	0.007	< 0.10	< 0.020		Analysis Method : SOP.T.30.061A.FL, SOP.T.4	0.061A.FL			
LPHA-TERPINENE	0.007	< 0.10	< 0.020		Analytical Batch : DA068290TER				/17/24 13:54:01
AMMA-TERPINENE	0.007	<0.10	<0.020		Instrument Used : DA-GCMS-008 Analyzed Date : 01/13/24 22:49:03		Batch	uate:01/1	3/24 13:31:37
ORNEOL	0.013	ND	ND		Dilution : 10				
AMPHENE	0.007	ND	ND		Reagent : 110123.08				
AMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE01	23; R1KB14270			
ARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : N/A				
EDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chroma	atography Mass Spectro	ometry. For all	Flower sampl	es, the Total Terpenes % is dry-weight correct
UCALYPTOL	0.007	ND	ND						
ARNESENE	0.001	ND	ND						
ENCHONE	0.007	ND	ND						
ENCHYL ALCOHOL	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
INALOOL	0.007	ND	ND						
	0.007	ND	ND						
IEROL									
IEROL PULEGONE	0.007	ND	ND						

Total (%)

1.843

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/17/24



Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40113004-002 Harvest/Lot ID: 0203 3147 4173 8527 Batch# : 0203 3147 4173 Sample

8527 Sampled : 01/13/24 Ordered : 01/13/24 Sample Size Received : 15.5 gram Total Amount : 1911 units Completed : 01/17/24 Expires: 01/17/25 Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1 P	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1		ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND				0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		traction date:		Extracted	han
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>4056, 3379, 585, 1440</b> 0.2763g		16/24 10:38:2		4056,3379	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville),					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)				- ( ,	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068294PES			n:01/17/24 12		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	01/13/24 14:1	L2:56	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :01/13/24 21:00:46					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 011024.R03; 040423.08; 010924.R01;	011024 802	010024 001.	011024 001.	011024 804	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 3262501W	011024.1102	., 010024.1101,	011024.1101,	011024.1104	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Trip	ole-Quadrupole	Mass Spectrom	etry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by	:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2763g	01/16/24			4056,3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville),					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA068295VOL Instrument Used : DA-GCMS-010		eviewed On : 0 atch Date : 01			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :01/16/24 16:30:17	De		15/24 14.15.5	55	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 011024.R03: 040423.08: 121423.R01:	010524.R01				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	e-Quadrupole №	lass Spectromet	ry in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/17/24

### PASSED

PASSED



Page 4 of 6

Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA40113004-002

 Harvest/Lot ID: 0203 3147 4173
 Sample

 Batch# : 0203 3147 4173
 Sample

 S27
 Total Ar

 Sample : 01/13/24
 Complet



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
ETHANOL	500.000	ppm	5000	PASS	ND			
ETHYL ACETATE	40.000	ppm	400	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
FOTAL XYLENES	15.000	ppm	150	PASS	ND			
PROPANE	500.000	ppm	5000	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
analyzed by: 350, 585, 1440	Weight: 0.0204g	Extraction date: 01/16/24 13:28:55		<b>E</b> x 85	tracted by:			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA068322SOL nstrument Used : DA-GCMS-003 Analyzed Date : 01/16/24 12:07:04		<b>Reviewed On :</b> 01/16/24 15:02:48 <b>Batch Date :</b> 01/14/24 13:47:40						

Reagent : N/A

Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/17/24

PASSED



Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40113004-002 Harvest/Lot ID: 0203 3147 4173 8527 Batch# : 0203 3147 4173 Sample

8527 Sampled : 01/13/24 Ordered : 01/13/24 Sample Size Received : 15.5 gram Total Amount : 1911 units Completed : 01/17/24 Expires: 01/17/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Micro	bial			PAS	SED	လို့	Му	cotox	ins			PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	) Units	Result	Pass / Fail	Action Level
ASPERGILLUS	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.00	2 ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.00		ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.00	2 ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	2 ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GEN	NE		Not Present	PASS		AFLATOXIN	G2		0.00	2 ppm	ND	PASS	0.02
ECOLI SHIGE		10	) CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 4056, 3379, 58	5, 1440	Weigh 0.2763		tion date: 24 10:38:23	3	Extracted 4056,33	
Analyzed by: 3390, 585, 144			traction date: /13/24 16:52:2		Extracted by 3336,3621	y:	Analysis Metho SOP.T.30.102.				P.T.40.101.F	L (Gainesv	ille),	
	od : SOP.T.40.056 h : DA068282MI		.058.FL, SOP.T.		ved On : 01	/17/24	Analytical Bate Instrument Use Analyzed Date	ed:N/A			viewed On : tch Date : 01			
Dilution : N/A	: 01/16/24 12:48		11				Consumables : Pipette : DA-09 Mycotoxins test accordance with	93; DA-094 ing utilizing n F.S. Rule 64	Liquid Chromat IER20-39.		iple-Quadrup			
Analyzed by: 3390, 1665, 58	5, 1440	Weight: 0.874g	Extraction da 01/13/24 16:		Extracted 3336,362		[ Hg	неа	ivy M	etais			PAS	SED
Analytical Batc	d: SOP.T.40.208 h: DA068312TY d: Incubator (2)	M	Rev	9.FL iewed On : 01/1 ch Date : 01/13/			Metal			LOD	) Units	Result	Pass / Fail	Action Level
	: 01/16/24 12:52		SS Dat		2.1.10.02.7	~	TOTAL CONT	AMINANT	LOAD META	ALS 0.08	0 ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.02		ND	PASS	0.2
Reagent : 1116	523.19; 010524.	R10					CADMIUM			0.02		ND	PASS	0.2
Consumables :	N/A						MERCURY			0.02	·	ND	PASS	0.2
Pipette : N/A							LEAD			0.02	0 ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						in	Analyzed by: 1022, 585, 144	0	Weight: 0.2925g	Extraction 01/14/24 1			xtracted I 306,1022	
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	:h : DA0682 ed : DA-ICPI	93HEA 45-004	Revie	ewed On : 0 h Date : 01/			
							Dilution : 50	224 000. 01	1624 012: 0	10024 007. 0	11624 010	011624 01	1. 01122	4 012.

Reagent : 010824.R08; 011624.R12; 010824.R07; 011624.R10; 011624.R11; 011224.R12; 120623.R45 Consumables : 179436; A191022C; 210508058

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sallion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/17/24



Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

\_\_\_\_\_

# **Certificate of Analysis**

FLUENT

Consumables : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40113004-002 Harvest/Lot ID: 0203 3147 4173 8527 Batch#: 0203 3147 4173 8527 Sampled: 01/13/24 Complet

Ordered : 01/13/24

73 8527 Sample Size Received : 15.5 gram Total Amount : 1911 units Completed : 01/17/24 Expires: 01/17/25 Sample Method : SOP.T.20.010

		Filth/ Mate	Foreig rial	n		PA	PASSED		
	analyte ilth and Forei	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level		
	nalyzed by: 879, 585, 1440		Weight: NA	Extraction	on date:	Extr N/A	Extracted by: N/A		
A Ir	nalysis Method nalytical Batch Istrument Used nalyzed Date : (	: DA068323FII : Filth/Foreign	Material Micro	scope			1/24 18:36:11 24 17:47:21		
	ilution : N/A eagent : N/A								

Pipette : N/A Filth and foreign material inspection is performed by visual inspec

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



4351, 503, 1440	0.471y	01/13/24 17.12.11	4001
Analysis Method : SOP.			
Analytical Batch : DA06	58286WAT	Reviewed Or	<b>n :</b> 01/16/24 14:24:42
Instrument Used : DA-0	28 Rotronic Hy	gropalm Batch Date :	: 01/13/24 13:02:45
Analyzed Date : N/A	ý.		
Dilution : N/A			
Reagent: 113021.09			
Consumables : PS-14			
Pipette : N/A			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/17/24

PASSED

Page 6 of 6