



# Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40113004-003

Harvest/Lot ID: 3033 6905 1935 8912

Batch#: 3033 6905 1935 8912

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 1835 0597 2264 7298

Batch Date: 07/05/23

Sample Size Received: 16 gram

Total Amount: 1891 units

Retail Product Size: 1 gram

Ordered: 01/12/24

Sampled: 01/13/24

Completed: 01/17/24

Sampling Method: SOP.T.20.010

Jan 17, 2024 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 6

## PRODUCT IMAGE



## SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

## MISC.



## Cannabinoid

**PASSED**



Total THC

**90.874%**

Total THC/Container : 908.74 mg



Total CBD

**0.345%**

Total CBD/Container : 3.45 mg



Total Cannabinoids

**95.991%**

Total Cannabinoids/Container : 959.91 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.733	0.161	0.345	ND	0.399	1.559	ND	1.339	0.577	ND	0.878
mg/unit	907.33	1.61	3.45	ND	3.99	15.59	ND	13.39	5.77	ND	8.78
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.0935g

Extraction date:  
01/16/24 08:39:38

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA068328POT

Instrument Used : DA-LC-007

Analyzed Date : 01/16/24 09:12:13

Reviewed On : 01/16/24 16:07:42

Batch Date : 01/16/24 07:04:26

Dilution : 400

Reagent : 010224.R05; 070121.27; 010224.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
01/17/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40113004-003

Harvest/Lot ID: 3033 6905 1935 8912

Batch# : 3033 6905 1935 8912

Sampled : 01/13/24

Ordered : 01/13/24

Sample Size Received : 16 gram

Total Amount : 1891 units

Completed : 01/17/24 Expires: 01/17/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	14.23	1.423		SABINENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	7.57	0.757		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.83	0.183		TOTAL TERPINEOL	0.007	ND	ND	
OCIMENE	0.007	1.58	0.158		ALPHA-BISABOLOL	0.007	ND	ND	
LIMONENE	0.007	1.02	0.102		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.84	0.084		CIS-NEROLIDOL	0.007	ND	ND	
VALENCENE	0.007	0.46	0.046		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.36	0.036		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.29	0.029		Analysis by:	Weight:	Extraction date:		Extracted by:
BETA-PINENE	0.007	0.28	0.028		795, 2076, 585, 1440	0.8337g	01/13/24 16:51:42		1879
FARNESENE	0.001	<0.09	<0.009		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	<0.20	<0.020		Analytical Batch : DA068290TER				
ALPHA-PINENE	0.007	<0.20	<0.020		Instrument Used : DA-GCMS-008				
ALPHA-TERPINENE	0.007	<0.20	<0.020		Analyzed Date : 01/13/24 22:49:03				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : 110123.08				
CAMPHENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CAMPHOR	0.007	ND	ND		Pipette : N/A				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)				1.423					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/17/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40113004-003

Harvest/Lot ID: 3033 6905 1935 8912

Batch# : 3033 6905 1935

8912

Sampled : 01/13/24

Ordered : 01/13/24

Sample Size Received : 16 gram

Total Amount : 1891 units

Completed : 01/17/24 Expires: 01/17/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	4056, 3379, 585, 1440	Weight:	0.2576g	Extraction date:	01/16/24 10:38:23
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	4056,3379
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA068294PES			Reviewed On :	01/17/24 12:56:43
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	01/13/24 14:12:56
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	01/13/24 21:00:46				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	011024.R03; 040423.08; 010924.R01; 011024.R02; 010824.R01; 011024.R01; 011024.R04				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by:	450, 585, 1440	Weight:	0.2576g	Extraction date:	01/16/24 10:38:23
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	4056,3379
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA068295VOL			Reviewed On :	01/17/24 13:04:21
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	01/13/24 14:13:39
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date :	01/16/24 16:30:17				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution :	250				
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent :	011024.R03; 040423.08; 121423.R01; 010524.R01				
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/17/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40113004-003

Harvest/Lot ID: 3033 6905 1935 8912

Batch# : 3033 6905 1935 8912

Sampled : 01/13/24

Ordered : 01/13/24

Sample Size Received : 16 gram

Total Amount : 1891 units

Completed : 01/17/24 Expires: 01/17/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0208g

 Extraction date:  
 01/16/24 13:28:55

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA068322SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 01/16/24 12:07:04

 Reviewed On : 01/16/24 15:02:49  
 Batch Date : 01/14/24 13:47:40

 Dilution : 1  
 Reagent : N/A  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40113004-003

Harvest/Lot ID: 3033 6905 1935 8912

Batch# : 3033 6905 1935 8912

 Sampled : 01/13/24  
 Ordered : 01/13/24



Sample Size Received : 16 gram


Total Amount : 1891 units

Completed : 01/17/24 Expires: 01/17/25

Sample Method : SOP.T.20.010

Page 5 of 6

<div><div></div><div>Microbial</div><div>PASSED</div></div>						<div><div></div><div>Mycotoxins</div><div>PASSED</div></div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3379, 585, 1440	Weight: 0.2576g	Extraction date: 01/16/24 10:38:23		Extracted by: 4056,3379	
Analyzed by: 3390, 585, 1440	Weight: 0.871g	Extraction date: 01/13/24 16:52:22		Extracted by: 3336,3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Reviewed On : 01/17/24 13:49:15	Analytical Batch : DA068296MYC					
Analytical Batch : DA068282MIC						Reviewed On : 01/16/24 14:29:47					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 01/13/24 14:14:33					
Analyzed Date : 01/16/24 12:48:54						Analyzed Date : 01/13/24 21:00:51					
Dilution : N/A						Dilution : 250					
Reagent : 111623.19; 011624.R29; 100223.11						Reagent : 011024.R03; 040423.08; 010924.R01; 011024.R02; 010824.R01; 011024.R01; 011024.R04					
Consumables : 7567004073						Consumables : 326250IW					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 1665, 585, 1440						Weight: 0.871g					
Extraction date: 01/13/24 16:52:22						Extracted by: 3336,3621					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA068312TYM						Reviewed On : 01/16/24 15:22:44					
Instrument Used : Incubator (25-27°C) DA-096						Batch Date : 01/13/24 16:52:40					
Analyzed Date : 01/16/24 12:52:11											
Dilution : N/A											
Reagent : 111623.19; 010524.R10											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div><div></div><div>Heavy Metals</div><div>PASSED</div></div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2866g	Extraction date: 01/14/24 11:14:52		Extracted by: 4306,1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA068293HEA					
Instrument Used : DA-ICPMS-004					
Analyzed Date : 01/16/24 13:23:11					
Dilution : 50					
Reagent : 010824.R08; 011624.R12; 010824.R07; 011624.R10; 011624.R11; 011224.R12; 120623.R45					
Consumables : 179436; A191022C; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40113004-003

Harvest/Lot ID: 3033 6905 1935 8912

Batch# : 3033 6905 1935 8912

Sampled : 01/13/24

Ordered : 01/13/24

Sample Size Received : 16 gram

Total Amount : 1891 units

Completed : 01/17/24 Expires: 01/17/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA068323FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/14/24 18:24:04

Reviewed On : 01/14/24 18:36:13

Batch Date : 01/14/24 17:47:21

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.431	PASS	0.85

Analyzed by: 4351, 585, 1440	Weight: 0.242g	Extraction date: 01/13/24 17:12:11	Extracted by: 4351
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA068286WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 01/16/24 14:24:42

Batch Date : 01/13/24 13:02:45

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/17/24