

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Kaycha Labs

Emerald Fire OG Cartridge Concentrate 0.5g Emerald Fire OG Cartridge Concentrate 0.5g Matrix: Derivative Type: Distillate



Sample:DA40113012-005 Harvest/Lot ID: 8396 2110 3487 6813 Batch#: 8396 2110 3487 6813 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 8453 5999 3900 8362 Batch Date: 09/25/23 Sample Size Received: 15.5 gram Total Amount: 1646.00 units Retail Product Size: 0.5 gram Ordered: 01/13/24 Sampled: 01/13/24 Completed: 01/18/24

Pages 1 of 6

PASSED

Jan 18, 2024 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE SAFETY RESULTS MISC. ٦a Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED TESTED PASSED PASSED PASSED PASSED PASSED Cannabinoid Total CBD Total THC **Total Cannabinoids** 90,109% 0.316% 94.996% Total THC/Container : 450.55 mg Total CBD/Container : 1.58 mg Total Cannabinoids/Container : 474.98 mg тнса тнсу CBC D9-THC CBD CBDA D8-THC CBG CRGA CRN CRDV 90.025 0.096 0.316 ND 0.377 1.122 ND 1.649 0.598 ND 0.813 450.13 0.48 ND ND 2.99 1.58 1.89 5.61 8.25 ND 4.07 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 4044 Weight: 0.1038g Extraction date: 01/16/24 08:39:51 Extracted by: 1665,3335 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA068328POT Instrument Used : DA-LC-007 **Reviewed On :** 01/16/24 16:29:01 **Batch Date :** 01/16/24 07:04:26 Analyzed Date : 01/16/24 09:12:13 Dilution: 400 Reagent : 010224.R05; 070121.27; 010224.R04 Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078 Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/18/24



Emerald Fire OG Cartridge Concentrate 0.5g Emerald Fire OG Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA40113012-005

 Harvest/Lot ID: 8396 2110 3487
 6813

 Batch#: 8396 2110 3487
 Sample

 6813
 Total Ar

Sampled : 01/13/24 Ordered : 01/13/24 Sample Size Received : 15.5 gram Total Amount : 1646.00 units Completed : 01/18/24 Expires: 01/18/25 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Terpenes

Terpenes	LOD (%)	mg/unit	t %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	15.76	3.152			ALPHA-BISABOLOL		0.007	ND	ND		
LIMONENE	0.007	5.43	1.085			ALPHA-CEDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	4.92	0.984			ALPHA-PHELLANDRENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	2.03	0.406			ALPHA-TERPINENE		0.007	ND	ND		
INALOOL	0.007	1.06	0.212			ALPHA-TERPINOLENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	0.60	0.120			CIS-NEROLIDOL		0.007	ND	ND		
ETA-PINENE	0.007	0.50	0.099			GAMMA-TERPINENE		0.007	ND	ND		
ENCHYL ALCOHOL	0.007	0.46	0.091			TRANS-NEROLIDOL		0.007	ND	ND		
LPHA-PINENE	0.007	0.30	0.059		1	Analyzed by:	Weight:		Extraction da	te:		Extracted by:
ORNEOL	0.013	0.22	0.043			2076, 585, 4044	0.8709g		01/13/24 19:			1879
ARNESENE	0.001	0.16	0.032			Analysis Method : SOP.T.30.061A.FL, SO	OP.T.40.061A.FL					
OTAL TERPINEOL	0.007	0.11	0.021			Analytical Batch : DA068291TER Instrument Used : DA-GCMS-008					1/16/24 16:29:03	
-CARENE	0.007	ND	ND			Analyzed Date : N/A			Batch	Date: 01/	13/24 13:34:45	
AMPHENE	0.007	ND	ND			Dilution : 10						
AMPHOR	0.007	ND	ND			Reagent : 110123.08						
ARYOPHYLLENE OXIDE	0.007	ND	ND			Consumables : 210414634; MKCN9995;	CE0123; R1KB1	4270				
EDROL	0.007	ND	ND			Pipette : N/A						
UCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	ples, the Total Terpenes % is	s dry-weight corrected.
ENCHONE	0.007	ND	ND									
ERANIOL	0.007	ND	ND									
ERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
EXAHYDROTHYMOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
EROL	0.007	ND	ND									
CIMENE	0.007	ND	ND									
ULEGONE	0.007	ND	ND									
ABINENE	0.007	ND	ND									
	0.007	ND	ND									
SABINENE HYDRATE	0.007											
SABINENE HYDRATE VALENCENE	0.007	ND	ND									

Total (%)

3.152

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/18/24



Emerald Fire OG Cartridge Concentrate 0.5g Emerald Fire OG Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40113012-005 Harvest/Lot ID: 8396 2110 3487 6813

Batch# :8396 2110 3487 6813 Sampled : 01/13/24 Ordered : 01/13/24 Sample Size Received : 15.5 gram Total Amount : 1646.00 units Completed : 01/18/24 Expires: 01/18/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
	0.010		Level 5	PASS	ND				Level	, .	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	0.2	PASS	ND	OXAMYL	0.010		0.5	PASS	ND
TOTAL DIMETHOMORPH TOTAL PERMETHRIN	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	1° P	0.1	PASS	ND
			0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010			PASS	ND	PROPICONAZOLE	0.010	maa	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEPHATE	0.010			PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS						PASS	
ACETAMIPRID	0.010		0.1		ND ND	SPIROMESIFEN	0.010		0.1		ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010					SPIROXAMINE	0.010		0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010			PASS		THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5 0.1	PASS	ND ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010			PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1 0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CHLORPYRIFOS	0.010			PASS						PASS	
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1		ND
COUMAPHOS	0.010	1.1.	0.1	PASS	ND ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010 0.010		0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted by	y:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 4044 0.2491g		12:04:08		4056,3379	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), 5	SOP.T.30.10	2.FL (Davie), 9	SOP.T.40.101.	FL (Gainesville)	,
ETOFENPROX	0.010	1.1.	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA068297PES		Deviewed O	01/17/24.1	4-25-24	
ETOXAZOLE FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			n :01/17/24 14 :01/13/24 14:1		
FENOXYCARB	0.010	P.P.	0.1	PASS	ND	Analyzed Date :01/16/24 12:08:36		butter butter	.01/13/24 14.	17.57	
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.010	1.1.	0.1	PASS	ND	Reagent: 011024.R03; 040423.08; 010924.R01; (011024.R02	; 010824.R01;	;011024.R01;	011024.R04	
FLONICAMID	0.010		0.1	PASS	ND	Consumables : 326250IW					
FLUDIOXONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Liquid Chron	natography Trij	ple-Quadrupole	e Mass Spectrom	netry in
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Evter	action date:		Extracted by:	
IMIDACLOPRID	0.010		0.1	PASS	ND	450, 585, 4044 0.2491q	N/A	action date:		1056.3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), S		1A.FL (Davie)			
MALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA068300VOL			01/17/24 14:1		
MALATHION	0.010	1.1.	0.2	PASS	ND	Instrument Used : DA-GCMS-010			/13/24 14:29:0		
METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :01/16/24 16:30:44					
METHOCARD	0.010		0.1	PASS	ND	Dilution : 25	10504 505				
MEVINPHOS	0.010	1.1.	0.1	PASS	ND	Reagent: 011024.R03; 040423.08; 121423.R01; (Consumables: 326250IW; 14725401	JIU524.R01				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	-Ouadrupole N	lass Spectromet	try in
INALLY	0.010	P.P.11	0.20			accordance with F.S. Rule 64ER20-39.	225 G. G. GING	5. april 11pic		opeca offici	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/18/24

PASSED

PASSED



Emerald Fire OG Cartridge Concentrate 0.5g Emerald Fire OG Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA40113012-005

 Harvest/Lot ID: 8396 2110 3487

 Batch# : 8396 2110 3487

 Sample

 6813

Sampled : 01/13/24 Ordered : 01/13/24 87 6813 Sample Size Received : 15.5 gram Total Amount : 1646.00 units Completed : 01/18/24 Expires: 01/18/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
P-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 1665, 585, 4044	Weight: 0.0283g	Extraction dat 01/18/24 02:5		Extr 585,	acted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA068337SOL nstrument Used : DA-GCMS-003 Analyzed Date : 01/18/24 02:55:22			l On : 01/18/24 08:33:32 te : 01/16/24 14:55:05		
Dilution : 1					

Dilution : 1

Reagent : N/A Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/18/24



Emerald Fire OG Cartridge Concentrate 0.5g Emerald Fire OG Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40113012-005 Harvest/Lot ID: 8396 2110 3487 6813 Batch# : 8396 2110 3487 Sample

6813 Sampled : 01/13/24 Ordered : 01/13/24 Sample Size Received : 15.5 gram Total Amount : 1646.00 units Completed : 01/18/24 Expires: 01/18/25 Sample Method : SOP.T.20.010

Page 5 of 6

🔥 Mic	robial				PAS	SED	သို့	My	ycotoxi	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREU	IS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGA	TUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS	;			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFI	C GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA TOTAL YEAST AND MO)LD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 404	14	Weight: 0.2491g	Extraction N/A	n date:		racted by: 6,3379	
Analyzed by: 3390, 585, 4044	Weight: 0.885g		tion date: /24 20:12:37		Extracted by 3963,3621	y:					.40.101.FL	. (Gainesv	ille),	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA068314MIC Reviewed On : 01/17/24 14:23:05					Analytical Bat Instrument Us Analyzed Date	ed:N/A)1/17/24 1 /13/24 14:				
Biosystems Thermocycle DA-020,fisherbrand Isote sotemp Heat Block DA-0 Analyzed Date : 01/16/24 Dilution : N/A	mp Heat Block 21				43		011024.R04 Consumables Pipette : DA-0	: 326250I\ 93; DA-09						
Reagent : 111623.07; 01 Consumables : 75670040 Pipette : N/A		223.11					accordance wit	h F.S. Rule	64ER20-39.					
Analyzed by: 3390, 1665, 585, 4044	Weight 0.885g		xtraction da 1/13/24 20:1		Extracted 3963,362		Hg	Не	avy Me	etals			PAS	SED
Analysis Method : SOP.T. Analytical Batch : DA068	B17TYM		Revi	9.FL ewed On : 01/1 h Date : 01/13/			Metal			LOD	Units	Result	Pass / Fail	Action Level
nstrument Used : Incuba Analyzed Date : 01/16/24		JA-090	Batc	n Date : 01/15/	24 19:42:5	9	TOTAL CONT	AMINAN	T LOAD METAL	S 0.080	ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
Reagent : 111623.07; 01	0524.R10						CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables : N/A							MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
Fotal yeast and mold testing accordance with F.S. Rule 6		lizing MI	PN and tradition	onal culture base	d techniques	in	Analyzed by: 1022, 585, 404	14	Weight: 0.2941g	Extraction dat 01/14/24 14:1			xtracted & 306,1022	
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA068 ed : DA-IC	PMS-004	Reviewe		/17/24 14: 4/24 11:53		
							Dilution : 50							

Reagent : 010824.R08; 011624.R12; 010824.R07; 011624.R10; 011624.R11; 011224.R12; 120623.R45 Consumables : 179436; A191022C; 210508058

Consumables : 179436; A191022C; 21050805 **Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sallion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/18/24



Emerald Fire OG Cartridge Concentrate 0.5g Emerald Fire OG Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA40113012-005

 Harvest/Lot ID: 8396 2110 3487 6813

 Batch#: 8396 2110 3487
 Sample

 6813
 Total An

 Sampled: 01/13/24
 Complet

PASSED

Ordered : 01/13/24

87 6813 Sample Size Received : 15.5 gram Total Amount : 1646.00 units Completed : 01/18/24 Expires: 01/18/25 Sample Method : SOP.T.20.010

Pa	ige	6	of	6

	Materia	l				
Analyte Filth and Foreig	n Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 4044	Weig NA	ht:	Extraction N/A	on date:	Extr N/A	acted by:
Analysis Method : 3 Analytical Batch : 6 Instrument Used : Analyzed Date : 01	DA068323FIL Filth/Foreign Mate	rial Micro	oscope		/	4/24 18:37:37 24 17:47:21
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A Filth and foreign mat		rformed		nontion utiliai		a and microscope
		64ER20-	39.			SSED
Analyte Water Activity		LOD 0.010	Units aw	Result 0.525	P/F PASS	Action Level 0.85
Analyzed by: 4371, 585, 4044	Weight: 0.391g		traction d /16/24 08	tracted by:		
Analysis Method : S	SOP.T.40.019					

 Analytical Batch : DA068332WAT
 Reviewed On : 01/16/24 15:04:14

 Instrument Used : DA-028 Rotronic Hygropalm
 Batch Date : 01/16/24 07:16:03

 Analyzed Date : N/A
 Dilution : N/A

 Reagent : 113021.09
 Consumables : PS-14

 Piptette : N/A
 Piptette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 01/18/24