

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

Miami Víbes Disposable Pen 0.3g Miami Vibes Matrix: Derivative Type: Distillate



Sample:DA40118007-001 Harvest/Lot ID: 6381 9762 9036 3836 Batch#: 6381 9762 9036 3836 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 9274 3792 7956 6133 Batch Date: 10/02/23 Sample Size Received: 15.3 gram Total Amount: 1820 units Retail Product Size: 0.3 gram Ordered: 01/17/24 Sampled: 01/18/24 Completed: 01/20/24

Sampling Method: SOP.T.20.010 PASSED

Jan 20, 2024 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS

Pesticides

PASSED

82 507%

Ha

Heavy Metals

PASSED

Microbials

PASSED



PASSED

Batch Date : 01/18/24 11:29:11







**Total Cannabinoids** 

788 005%

Pages 1 of 6

PASSED



TESTED

MISC.

## Cannabinoid

**Total THC** 

## Total CBD 0 263%

**Mycotoxins** 

PASSED

E	-	THC/Container		E	-	CBD/Containe	-	E	-	nnabinoids/Co	<b>'O</b> ntainer : 264.29
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнси	CBDV	СВС
%	82.507	ND	0.263	ND	0.344	2.166	ND	1.127	0.630	ND	1.058
mg/unit	247.52	ND	0.79	ND	1.03	6.50	ND	3.38	1.89	ND	3.17
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	5, 1440			Weight: 0.1032g		Extraction date: 01/18/24 14:17:	25			Extracted by: 3335	
	d:SOP.T.40.031, SOP.T.40.031, SOP.T.40, SOP.T.40	DP.T.30.031				Reviewed On : 0	1/19/24 12:52:18				

An An Instrument Used : DA-LC-007

Analyzed Date : 01/18/24 14:34:57

Dilution: 400

Reagent : 010224.R05; 060723.24; 010224.R04

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 01/20/24

PASSED



.... Miami Víbes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40118007-001 Harvest/Lot ID: 6381 9762 9036 3836 Batch#: 6381 9762 9036 3836

Sampled : 01/18/24 Ordered : 01/18/24

Sample Size Received : 15.3 gram Total Amount : 1820 units Completed : 01/20/24 Expires: 01/20/25 Sample Method : SOP.T.20.010

Page 2 of 6

_			
Те	rp	en	es

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	7.40	2.465		NEROL		0.007	ND	ND	
LPHA-TERPINOLENE	0.007	3.78	1.260		PULEGONE		0.007	ND	ND	
ETA-MYRCENE	0.007	0.86	0.287		SABINENE		0.007	ND	ND	
CIMENE	0.007	0.76	0.254		SABINENE HYDRATE		0.007	ND	ND	
IMONENE	0.007	0.49	0.162		TOTAL TERPINEOL		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.44	0.148		ALPHA-CEDRENE		0.007	ND	ND	
ALENCENE	0.007	0.21	0.069		CIS-NEROLIDOL		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.18	0.061		TRANS-NEROLIDOL		0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	0.17	0.058		Analyzed by:	Weight:		Extraction da		Extracted by:
ETA-PINENE	0.007	0.17	0.055		2076, 585, 1440	1.0882g		01/19/24 13:		2076
LPHA-PINENE	0.007	0.13	0.042		Analysis Method : SOP.T.30.061A.	FL, SOP.T.40.061A.FL				
LPHA-BISABOLOL	0.007	0.12	0.041		Analytical Batch : DA068468TER Instrument Used : DA-GCMS-008					1/20/24 16:26:15 19/24 09:58:01
LPHA-TERPINENE	0.007	0.08	0.028		Analyzed Date : 01/19/24 13:04:2	1		Datth	Date: 01/	13/24 03.30.01
CARENE	0.007	<0.06	<0.020		Dilution : 10					
ARNESENE	0.001	< 0.03	< 0.009		Reagent : 110123.08					
INALOOL	0.007	< 0.06	< 0.020		Consumables : 210414634; MKCN	9995; CE123; R1KB452	77			
AMMA-TERPINENE	0.007	< 0.06	< 0.020		Pipette : N/A	a				
ORNEOL	0.013	ND	ND		rerpenola testing is performed utilizin	g Gas Chromatography Ma	ss spectro	ometry. For all i	-lower samp	oles, the Total Terpenes % is dry-weight corrected
AMPHENE	0.007	ND	ND							
AMPHOR	0.007	ND	ND							
ARYOPHYLLENE OXIDE	0.007	ND	ND							
EDROL	0.007	ND	ND							
UCALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ENCHYL ALCOHOL	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
IEXAHYDROTHYMOL	0.007	ND	ND							
	0.007	ND	ND							
SOBORNEOL										

Total (%)

2.465

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/20/24



Miami Víbes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40118007-001 Harvest/Lot ID: 6381 9762 9036 3836

Batch#:6381 9762 9036 3836 Sampled:01/18/24 Ordered:01/18/24 Sample Size Received : 15.3 gram Total Amount : 1820 units Completed : 01/20/24 Expires: 01/20/25 Sample Method : SOP.T.20.010

Page 3 of 6

R
0

## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	mag	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1		ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND			ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	1.1.1	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight	e Extrac	tion date:		Extracted	by
DIMETHOATE	0.010		0.1	PASS	ND	<b>3379, 585, 1440</b> 0.2931		24 15:14:44		3379	by.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine	sville), SOP.T.30.10	02.FL (Davie), S	50P.T.40.101.F	L (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA068422PES			n:01/19/2411		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :01/18/24 15:19:53		Batch Date :	01/18/24 10:2	/:48	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 01162	4 R05· 011724 R29	• 011624 R04·	011024 R01	011724 R05	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW		.,,	,		
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed u	itilizing Liquid Chroi	matography Trip	ole-Quadrupole	Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	<b>450, 585, 1440</b> 0.2931g		4 15:14:44	COD T 40 151	3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gaine Analytical Batch :DA068423VOL		eviewed On :(			
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-010		atch Date : 01			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :01/18/24 16:53:40	-				
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 011724.R04; 040423.08; 12142	3.R01; 010524.R01	L			
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39.	itilizing Gas Chroma	itography Triple	-Quadrupole M	ass Spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/20/24

### PASSED

PASSED



..... .... Miami Víbes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40118007-001 Harvest/Lot ID: 6381 9762 9036 3836 Batch#: 6381 9762 9036 3836 Sampled : 01/18/24

Ordered : 01/18/24

Sample Size Received : 15.3 gram Total Amount : 1820 units Completed : 01/20/24 Expires: 01/20/25 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
ETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0283g	Extraction date: 01/20/24 14:47:30		<b>E</b> x 85	tracted by:
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA068490SOL nstrument Used : DA-GCMS-002 nalyzed Date : 01/19/24 14:43:03			<b>On :</b> 01/20/24 18:04:55 <b>te :</b> 01/19/24 11:57:32		

Reagent : N/A Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/20/24

PASSED

PASSED



Miami Víbes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40118007-001 Harvest/Lot ID: 6381 9762 9036 3836 Batch# : 6381 9762 9036 Sample

3836 Sampled : 01/18/24 Ordered : 01/18/24 Sample Size Received : 15.3 gram Total Amount : 1820 units Completed : 01/20/24 Expires: 01/20/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ç,	Microbia	I			PAS	SED	သို့	Мус	otoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass /	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
	A SPECIFIC GENE			Not Present	Fail PASS	Level	AFLATOXIN	22		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN			0.002	mag	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		Amplymod by:		Weight:	Extension d			Evenetee	have
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 144	0	0.2931g	Extraction da 01/18/24 15:			Extracted 3379	by:
Analyzed by: 3336, 3390, 36	21, 1665, 585, 1440			ight: Extraction 47g 01/18/24 1			Analysis Methorson SOP.T.30.102.				.40.101.FL	. (Gainesvi	ille),	
Analysis Metho Analytical Batc nstrument Use RTPCR,DA-351	d: SOP.T.40.056C, SOP h: DA068415MIC ed: Incubator (37*C) DA GENE-UP RTPCR,Incuba : 01/18/24 18:19:53	- 188,DA	3.FL, SOP.T.4 -265 Gene-I	40.209.FL Reviewed O	<b>n:</b> 01/20/2	4 11:59:33	Analytical Bate Instrument Us Analyzed Date Dilution : 250	h:DA06843 ed:N/A :01/18/241	1MYC 5:20:23	Revie	Date : 01/	1/19/24 1 /18/24 10:: 1624.R04	54:32	R01:
Dilution : N/A Reagent : 0105 Consumables : Pipette : N/A	524.R11; 011624.R22 2256280						011724.R05 Consumables : Pipette : DA-0	93; DA-094; I		graphy with Triple	Quadrupa	lo Macc Spc	ctromotru	in
Analyzed by:	Weight:	Extra	ction date:	E	Extracted b	y:	accordance wit	n F.S. Rule 64E	R20-39.		-Quadrupo	ie mass spe	eer onneer y	
Analytical Batc Instrument Use	0 1.1540g d:SOP.T.40.208 (Gaint h:DA068452TYM d:Incubator (25-27*C) :01/18/24 14:11:50	esville), S	Revi				Hg	Hea	vy Me		Units	Result	PAS	SED
Dilution: 10													Fail	Level
leagent : 1116 Consumables :	523.04; 111623.29; 010	524.R10					TOTAL CONT	AMINANT L	OAD METAL		ppm	ND	PASS	1.1
ipette : N/A	N/A						ARSENIC			0.020	ppm	ND	PASS	0.2
	mold testing is performed (	utilizing MI	N and traditi	anal cultura bacor	d tochniquor	- in	CADMIUM			0.020	ppm	ND	PASS	0.2
	F.S. Rule 64ER20-39.	utilizing ™i		unai culture baset	u technique:	5 111	MERCURY			0.020	ppm	ND	PASS	0.2
							LEAD			0.020	ppm	ND	PASS	0.5
							Analyzed by: 1022, 1665, 58	5, 1440	Weight 0.2352		on date: 4 14:36:00	)	Extractor 1022	ed by:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	h:DA06843 ed:DA-ICPM	8HEA S-004	Reviewe		/19/24 12: 8/24 11:24		
							<b>Dilution :</b> 50 <b>Reagent :</b> 010 120623.R45	324.R08; 011	.624.R12; 011	.624.R28; 0116	524.R10; C	)11624.R1	1; 01122	4.R12;

### Vivian Celestino

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Consumables : 179436; 12532-225CD-225C; 210508058

Pipette : DA-061; DA-191; DA-216

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/20/24



..... Miami Víbes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40118007-001 Harvest/Lot ID: 6381 9762 9036 3836 Batch#: 6381 9762 9036 3836

Sampled : 01/18/24 Ordered : 01/18/24

Sample Size Received : 15.3 gram Total Amount : 1820 units Completed : 01/20/24 Expires: 01/20/25 Sample Method : SOP.T.20.010

	Filth/ Mate	ΡΑ	PASSED			
Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction N/A	on date:	Extr N/A	acted by:
Analysis Method Analytical Batch Instrument Used Analyzed Date : Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	: DA068455FIL : Filth/Foreign 01/18/24 13:11	Material Micro	oscope			8/24 13:18:14 24 12:52:21
Filth and foreign m technologies in ac				spection utiliz	ing naked ey	ve and microscope
(	Wate	r Activ	ity		ΡΑ	SSED

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.488	P/F PASS	Action Level 0.85
Analyzed by: 4056, 585, 1440	Weight: 0.343g		traction d /18/24 17			<b>tracted by:</b> )56
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA-0 Analyzed Date : 01/18/	68449WAT 028 Rotronic Hy	/gropal	m	Reviewed C Batch Date		
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 01/20/24

## PASSED

Page 6 of 6