



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Miami SunKissed WF 3.5g (1/8oz)
FTH-Miami SunKissed
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40118008-004

Harvest/Lot ID: HYB.MS.011524.C0127

Batch# : 3368 7679 0529
9397

Sampled : 01/18/24
Ordered : 01/18/24

Sample Size Received : 31.5 gram

Total Amount : 780 units

Completed : 01/21/24 Expires: 01/21/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|--------|------------|--|---------|-------------------|---------------------------------|------------|
| TOTAL TERPENES | 0.007 | 135.38 | 3.868 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 39.20 | 1.120 | | VALENCENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 38.89 | 1.111 | | ALPHA-CEDRENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 13.97 | 0.399 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 5.64 | 0.161 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-PINENE | 0.007 | 3.89 | 0.111 | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 3.36 | 0.096 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 3.15 | 0.090 | | TRANS-NEROLIDOL | 0.007 | ND | ND | |
| FARNESENE | 0.001 | 2.56 | 0.073 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| TOTAL TERPINEOL | 0.007 | 2.38 | 0.068 | | 2076, 585, 4044 | 0.9531g | 01/20/24 10:43:12 | 2076 | |
| ALPHA-HUMULENE | 0.007 | 2.31 | 0.066 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| ALPHA-BISABOLOL | 0.007 | 0.95 | 0.027 | | Analytical Batch : DA068451TER | | | Reviewed On : 01/21/24 10:47:21 | |
| CARYOPHYLLENE OXIDE | 0.007 | 0.81 | 0.023 | | Instrument Used : DA-GCMS-009 | | | Batch Date : 01/18/24 12:21:22 | |
| CAMPHENE | 0.007 | 0.77 | 0.022 | | Analyzed Date : 01/20/24 10:44:29 | | | | |
| BORNEOL | 0.013 | <1.40 | <0.040 | | Dilution : 10 | | | | |
| ALPHA-TERPINOLENE | 0.007 | <0.70 | <0.020 | | Reagent : 110123.08 | | | | |
| 3-CARENE | 0.007 | ND | ND | | Consumables : 210414634; MKCN9995; CE0123; R1KB14270 | | | | |
| CAMPHOR | 0.007 | ND | ND | | Pipette : N/A | | | | |
| CEDROL | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAJOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 3.868 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Miami SunKissed WF 3.5g (1/8oz)
FTH-Miami SunKissed
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40118008-004

Harvest/Lot ID: HYB.MS.011524.C0127

Batch# : 3368 7679 0529
9397

Sampled : 01/18/24
Ordered : 01/18/24

Sample Size Received : 31.5 gram

Total Amount : 780 units

Completed : 01/21/24 Expires: 01/21/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---------|---------------------------------|---------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analized by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | 3379, 585, 4044 | 0.9903g | 01/18/24 15:16:43 | 3379 | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA068425PES | | Reviewed On : 01/20/24 17:48:53 | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date : 01/18/24 10:33:22 | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 01/18/24 15:19:55 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 011724.R04; 040423.08; 011624.R05; 011724.R29; 011624.R04; 011024.R01; 011724.R05 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analized by: | Weight: | Extraction date: | Extracted by: | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | 450, 585, 4044 | 0.9903g | 01/18/24 15:16:43 | 3379 | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA068426VOL | | Reviewed On : 01/20/24 17:46:28 | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Instrument Used : DA-GCMS-001 | | Batch Date : 01/18/24 10:34:44 | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 01/18/24 16:53:30 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 011724.R04; 040423.08; 121423.R01; 010524.R01 | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Miami SunKissed WF 3.5g (1/8oz)
FTH-Miami SunKissed
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40118008-004

Harvest/Lot ID: HYB.MS.011524.C0127

Batch# : 3368 7679 0529
9397

Sampled : 01/18/24
Ordered : 01/18/24

Sample Size Received : 31.5 gram

Total Amount : 780 units

Completed : 01/21/24 Expires: 01/21/25

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|--|------------------|---------------|--|-------------------|---------------|
| | Microbial | PASSED | | Mycotoxins | PASSED |
|--|------------------|---------------|--|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|-----|-------|-------------|-------------|--------------|--------------|-------|---------|--------|------------------|--------------|
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 100 | PASS | 100000 | Analyzed by: | | Weight: | | Extraction date: | |

| | | | | | | | | | |
|--|---------------|------------------------------------|--------------------|---|---------------------------------|--------------------------------|--|---------------------------------|--------------------------------|
| Analyzed by: 3336, 3390, 3621, 1665, 585, 4044 | Weight: 1.01g | Extraction date: 01/18/24 12:27:31 | Extracted by: 3336 | Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | Reviewed On : 01/20/24 11:59:37 | Batch Date : 01/18/24 09:09:06 | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | Reviewed On : 01/19/24 11:49:24 | Batch Date : 01/18/24 10:55:08 |
| Analytical Batch : DA068415MIC | | | | Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328 | | | Analytical Batch : DA068432MYC | | |
| Analyzed Date : 01/18/24 18:19:53 | | | | Dilution : N/A | | | Instrument Used : N/A | | |
| Reagent : 010524.R11; 011624.R22 | | | | Consumables : 2256280 | | | Analyzed Date : 01/18/24 15:20:28 | | |
| Pipette : N/A | | | | | | | Dilution : 250 | | |
| | | | | | | | Reagent : 011724.R04; 040423.08; 011624.R05; 011724.R29; 011624.R04; 011024.R01; 011724.R05 | | |
| | | | | | | | Consumables : 326250IW | | |
| | | | | | | | Pipette : DA-093; DA-094; DA-219 | | |

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

| | | | | | | |
|---|-----------------|------------------------------------|--------------------------|--|---------------------|---------------|
| Analyzed by: 3621, 585, 4044 | Weight: 1.0100g | Extraction date: 01/18/24 12:31:01 | Extracted by: 3336, 3390 | | Heavy Metals | PASSED |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | | |
| Analytical Batch : DA068452TYM | | | | | | |
| Instrument Used : Incubator (25-27°C) DA-097 | | | | | | |
| Analyzed Date : 01/18/24 14:11:50 | | | | | | |

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |

| | | | | | | |
|------------------------------------|-----------------|------------------------------------|--------------------|--|---------------------------------|--------------------------------|
| Analyzed by: 1022, 1665, 585, 4044 | Weight: 0.2374g | Extraction date: 01/18/24 13:15:54 | Extracted by: 1022 | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | Reviewed On : 01/19/24 12:17:45 | Batch Date : 01/18/24 11:24:32 |
| Analytical Batch : DA068438HEA | | | | Instrument Used : DA-ICPMS-004 | | |
| Analyzed Date : 01/18/24 17:06:59 | | | | Dilution : 50 | | |
| | | | | Reagent : 010824.R08; 011624.R12; 011624.R28; 011624.R10; 011624.R11; 011224.R12; 120623.R45 | | |
| | | | | Consumables : 179436; 12532-225CD-225C; 210508058 | | |
| | | | | Pipette : DA-061; DA-191; DA-216 | | |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Miami SunKissed WF 3.5g (1/8oz)
FTH-Miami Sunkissed
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40118008-004

Harvest/Lot ID: HYB.MS.011524.C0127

Batch# : 3368 7679 0529
9397

Sampled : 01/18/24
Ordered : 01/18/24

Sample Size Received : 31.5 gram

Total Amount : 780 units

Completed : 01/21/24 Expires: 01/21/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|--|---------------|-------------------------|----------------------|------|--------------|---|-------------------|---------------------------------------|-----------------------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 12.96 | PASS | 15 |
| Analyzed by: 1879, 585, 4044 | Weight: NA | Extraction date: N/A | Extracted by: N/A | | | Analyzed by: 4056, 585, 4044 | Weight: 0.517g | Extraction date: 01/18/24 17:56:06 | Extracted by: 4056 | | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA068455FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/18/24 13:11:08 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA068446MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 01/18/24 16:58:13 | | | | | |
| Reviewed On : 01/18/24 13:18:19 Batch Date : 01/18/24 12:52:21 | | | | | | Reviewed On : 01/18/24 18:36:13 Batch Date : 01/18/24 12:14:46 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|-------------------|---------------------------------------|---------------------------------|------|--------------|
| Water Activity | 0.010 | aw | 0.574 | PASS | 0.65 |
| Analyzed by: 4056, 585, 4044 | Weight: 1.516g | Extraction date: 01/18/24 17:39:30 | Extracted by: 4056 | | |
| Analysis Method : SOP.T.40.019 | | | | | |
| Analytical Batch : DA068447WAT | | | Reviewed On : 01/18/24 18:37:53 | | |
| Instrument Used : DA-028 Rotronic Hygropalm | | | Batch Date : 01/18/24 12:15:48 | | |
| Analyzed Date : 01/18/24 16:58:29 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 113021.09 | | | | | |
| Consumables : PS-14 | | | | | |
| Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/21/24