

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Golden Hour Cartridge Concentrate 0.5g Golden Hour Cartridge Concentrate 0.5g Matrix: Derivative Type: Distillate



Sample:DA40120009-004 Harvest/Lot ID: 4073 6721 5395 8790 Batch#: 4073 6721 5395 8790 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 3309 0537 5675 4971 Batch Date: 07/27/23 Sample Size Received: 15.5 gram Total Amount: 1917 units Retail Product Size: 0.5 gram Ordered: 01/20/24 Sampled: 01/20/24 Completed: 01/23/24 Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

Jan 23, 2024 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE SAFETY RESULTS MISC. ٦a Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED PASSED TESTED PASSED PASSED PASSED PASSED Cannabinoid Total CBD Total THC **Total Cannabinoids** 0.427% 90.693% Q 5.984% Total THC/Container : 453.47 mg Total Cannabinoids/Container : 479.92 Total CBD/Container : 2.14 mg mg тнса тнсу CBC D9-THC CBD CBDA D8-THC CBG CRGA CBN CRDV 90.557 0.156 0.427 ND 0.402 1.778 ND 1 220 0.596 ND 0.848 452.79 ND 2.01 ND 2.98 0.78 2.14 8.89 6.10 ND 4.24 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 4056 Weight: 0.083g Extraction date: 01/22/24 10:38:05 Extracted by: 1665,3335 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA068556POT Instrument Used : DA-LC-007 Reviewed On : 01/23/24 11:51:58 Batch Date : 01/21/24 17:22:27 Analyzed Date : 01/22/24 11:19:49 Dilution: 400 Reagent : 010224.R05; 060723.24; 010224.R04 Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078 Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 01/23/24



Golden Hour Cartridge Concentrate 0.5g Golden Hour Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40120009-004 Harvest/Lot ID: 4073 6721 5395 8790 Batch# : 4073 6721 5395 8790 Sampled : 01/20/24 Complet

Ordered : 01/20/24

Sample Size Received : 15.5 gram Total Amount : 1917 units Completed : 01/23/24 Expires: 01/23/25 Sample Method : SOP.T.20.010

Page 2 of 6

6
$\langle \mathcal{S} \rangle$

Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	5.80	1.160			TOTAL TERPINEOL	0.007	ND	ND		
LPHA-TERPINOLENE	0.007	3.78	0.755			ALPHA-CEDRENE	0.007	ND	ND		
ETA-MYRCENE	0.007	0.73	0.145			ALPHA-PINENE	0.007	ND	ND		
CIMENE	0.007	0.60	0.120			ALPHA-TERPINENE	0.007	ND	ND		
MONENE	0.007	0.31	0.062			BETA-PINENE	0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	0.28	0.056			CIS-NEROLIDOL	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	0.11	0.022		1	GAMMA-TERPINENE	0.007	ND	ND		
ALENCENE	0.007	< 0.10	< 0.020			TRANS-NEROLIDOL	0.007	ND	ND		
PHA-BISABOLOL	0.007	<0.10	< 0.020			Analyzed by:	Weight:		Extraction	date:	Extracted by:
LPHA-HUMULENE	0.007	<0.10	< 0.020			2076, 1665, 585, 4056	0.9894g		N/A		2076
CARENE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL					
DRNEOL	0.013	ND	ND			Analytical Batch : DA068547TER				23/24 15:47:39	
MPHENE	0.007	ND	ND			Instrument Used : DA-GCMS-009 Analyzed Date : 01/22/24 12:37:04		Batch	Date : 01/21	/24 10:26:07	
MPHOR	0.007	ND	ND			Dilution : 10					
RYOPHYLLENE OXIDE	0.007	ND	ND			Reagent : 110123.08					
DROL	0.007	ND	ND			Consumables : 210414634; MKCN9995; CE0123; R1KB	14270				
ICALYPTOL	0.007	ND	ND			Pipette : N/A					
RNESENE	0.001	ND	ND			Terpenoid testing is performed utilizing Gas Chromatography M	Mass Spectro	metry. For all F	lower sample:	s, the Total Terpenes %	is dry-weight corrected.
NCHONE	0.007	ND	ND								
NCHYL ALCOHOL	0.007	ND	ND								
RANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
JAIOL	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
DBORNEOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								
NALOOL	0.007	ND	ND								
ROL	0.007	ND	ND								
JLEGONE	0.007	ND	ND								
BINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								

Total (%)

1.160

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/23/24



Golden Hour Cartridge Concentrate 0.5g Golden Hour Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40120009-004 Harvest/Lot ID: 4073 6721 5395 8790 Batch# : 4073 6721 5395 Sample

8790 Sampled : 01/20/24 Ordered : 01/20/24 Sample Size Received : 15.5 gram Total Amount : 1917 units Completed : 01/23/24 Expires: 01/23/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND						
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM				PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1		
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracted	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 4056 0.2717g		24 16:36:11		4056	i by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),			SOP.T.40.101.		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)				(
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068519PES			n:01/23/241		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date	01/20/24 14:	19:42	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :01/22/24 12:32:21					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 011724.R04; 040423.08; 011624.R08;	011724 020	011624 P07	011024 001-	011724 P05	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	011/24.1125	, 011024.1107	, 011024.1(01,	011/24.1105	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Tri	ple-Quadrupole	Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		on date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4056 0.2717g		4 16:36:11		4056	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), Analytical Batch :DA068538VOL		1A.FL (Davie) eviewed On :			
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-010		atch Date :01			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :01/22/24 14:05:08			,21,21001001		
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 121423.R01;	010524.R01				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Gas Chroma	tography Triple	e-Quadrupole N	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/23/24

PASSED

PASSED



Golden Hour Cartridge Concentrate 0.5g Golden Hour Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40120009-004 Harvest/Lot ID: 4073 6721 5395 8790 Batch#: 4073 6721 5395 8790 Sampled : 01/20/24 Ordered : 01/20/24

Sample Size Received : 15.5 gram Total Amount : 1917 units Completed : 01/23/24 Expires: 01/23/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
THYL ACETATE	40.000	ppm	400	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CETONITRILE	6.000	ppm	60	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
I-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
OLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 4056	Weight: 0.0288g	Extraction date: 01/23/24 13:23:24		E x 85	tracted by: 50		
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA068564SOL nstrument Used : DA-GCMS-003 nalyzed Date : 01/23/24 13:26:44	Reviewed On : 01/23/24 13:56:28 Batch Date : 01/22/24 13:01:38						

Reagent : N/A Consumables : R2017.099; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/23/24

PASSED



Golden Hour Cartridge Concentrate 0.5g Golden Hour Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40120009-004 Harvest/Lot ID: 4073 6721 5395 8790 Batch#: 4073 6721 5395

8790 Sampled : 01/20/24 Ordered : 01/20/24

Sample Size Received : 15.5 gram Total Amount : 1917 units Completed : 01/23/24 Expires: 01/23/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Micro	oial			PAS	SED	သို့	Мус	otoxin	S			PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA	SPECIFIC GENI	E		Not Present	PASS	Lever	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ECOLI SHIGEL	LA			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	TERREUS			Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	NIGER			Not Present	PASS		Analyzed by:		Weight:	Extraction	on date:		Extracte	d by:
TOTAL YEAST	AND MOLD	10) CFU/g	<10	PASS	100000	3379, 1665, 58	5, 4056	0.2717g		4 16:36:11		4056	
RTPCR,Incubato Analyzed Date : Dilution : N/A Reagent : 0105: Consumables : 2 Pipette : N/A Analyzed by: 13390, 3336, 585 Analysis Method	24.R11; 122223.0 2256280	62 Weight: 1.088g (Gainesville	Extraction d 01/21/24 14	ate: :50:32	Extracted 3702,339	I by: 00	011724.R05 Consumables : Pipette : DA-09 Mycotoxins test	24.R04; 0404; 326250IW 93; DA-094; DA ing utilizing Liqu F.S. Rule 64ER2	23.08; 011624. -219 id Chromatograp	hy with Triple		le Mass Spe	ctrometry	
nstrument Use	d : Incubator (25- 01/22/24 20:17:	27*C) DA-0		ch Date : 01/21/			Metal			LOD	Units	Result	Pass /	Action
Dilution: 10											01110		Fail	Level
Reagent : 01052 Consumables : 2	24.R11; 122223.0	62; 111623.	.03; 010524.R	LO			TOTAL CONT	AMINANT LO	AD METALS	0.080	ppm	ND	PASS	1.1
Pipette : N/A	2230280						ARSENIC			0.020	ppm	ND	PASS	0.2
			- MDNL				CADMIUM			0.020	ppm	ND	PASS	0.2
	hold testing is perfo F.S. Rule 64ER20-39		g MPN and tradit	ional culture based	tecnniques	s in	MERCURY			0.020	ppm	ND	PASS	0.2
							LEAD			0.020	ppm	ND	PASS	0.5
							Analyzed by: 1022, 1665, 58	5, 4056	Weight: 0.2291g	Extractio 01/22/24	n date: 11:05:48		Extracted 4306,102	
							Analytical Bato Instrument Use Analyzed Date	h:DA068550F ed:DA-ICPMS-	004	Review	ed On : 01/ ate : 01/23			
							Dilution: 50							

Dilution: 50

Reagent : 010824.R08; 012224.R05; 011624.R28; 012224.R03; 012224.R04; 011224.R12 Consumables : 179436; 12532-225CD-225C; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

01/23/24



Golden Hour Cartridge Concentrate 0.5g Golden Hour Cartridge Concentrate 0.5g Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40120009-004 Harvest/Lot ID: 4073 6721 5395 8790 Batch# : 4073 6721 5395 8790 Sample Sample : 01/20/24 Complex

Ordered : 01/20/24

95 8790 Sample Size Received : 15.5 gram Total Amount : 1917 units Completed : 01/23/24 Expires: 01/23/25 Sample Method : SOP.T.20.010

	Filth/ Mate	Foreig rial	n		ΡΑ	SSED	
Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 4056	Weight: NA	Extraction N/A	on date: Ex		tracted by: A		
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA068559FI I : Filth/Foreigr	L n Material Micro	oscope			1/24 23:22:35 24 23:00:42	
Dilution : N/A Reagent : N/A							

-

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	LOD 0.010	Units aw	Result 0.388	P/F PASS	O.85
Analyzed by: 4371, 1665, 585, 4056	Weight: 0.671g		ion date: 24 11:52:01		Extracted by: 4371
Analysis Method : SOP.T.40. Analytical Batch : DA068511 Instrument Used : DA-028 R Analyzed Date : 01/21/24 11	WAT otronic Hygropa	lm	Reviewed O Batch Date :		
Dilution : N/A Reagent : 111423.05 Consumables : PS-14					

Consumables : PS Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/23/24

PASSED

Page 6 of 6