



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40120003-002
Harvest/Lot ID: 8493 8549 4839 4738
Batch#: 8493 8549 4839 4738
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 9792 0774 1509 0145
Batch Date: 07/27/23
Sample Size Received: 15.5 gram
Total Amount: 1853 units
Retail Product Size: 0.5 gram
Ordered: 01/19/24
Sampled: 01/20/24
Completed: 01/24/24
Sampling Method: SOP.T.20.010

Jan 24, 2024 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

89.248%

Total THC/Container : 446.24 mg



Total CBD

0.423%

Total CBD/Container : 2.12 mg



Total Cannabinoids

94.520%

Total Cannabinoids/Container : 472.60 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.131	0.134	0.423	ND	0.404	1.767	ND	1.212	0.589	ND	0.860
mg/unit	445.66	0.67	2.12	ND	2.02	8.84	ND	6.06	2.95	ND	4.30
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1039g

Extraction date:
01/22/24 10:38:02

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA068556POT

Instrument Used : DA-LC-007

Analyzed Date : 01/22/24 11:19:49

Reviewed On : 01/23/24 11:48:11

Batch Date : 01/21/24 17:22:27

Dilution : 400

Reagent : 010224.R05; 060723.24; 010224.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40120003-002

Harvest/Lot ID: 8493 8549 4839 4738

Batch# : 8493 8549 4839 4738

Sampled : 01/20/24

Ordered : 01/20/24

Sample Size Received : 15.5 gram

Total Amount : 1853 units

Completed : 01/24/24 Expires: 01/24/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	7.70	1.540		SABINENE	0.007	ND	ND				
ALPHA-TERPINOLENE	0.007	4.28	0.855		SABINENE HYDRATE	0.007	ND	ND				
BETA-MYRCENE	0.007	1.08	0.216		TOTAL TERPINEOL	0.007	ND	ND				
OCIMENE	0.007	0.86	0.172		ALPHA-CEDRENE	0.007	ND	ND				
LIMONENE	0.007	0.49	0.097		ALPHA-TERPINENE	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	0.41	0.081		CIS-NEROLIDOL	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	0.21	0.042		GAMMA-TERPINENE	0.007	ND	ND				
ALPHA-HUMULENE	0.007	0.13	0.026		TRANS-NEROLIDOL	0.007	ND	ND				
VALENCENE	0.007	0.13	0.025		Analized by:	2076, 1665, 1440	Weight:	0.9543g	Extraction date:	01/21/24 12:16:47	Extracted by:	1879,795
BETA-PINENE	0.007	0.11	0.022		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			Reviewed On :	01/23/24 13:38:52		
FARNESENE	0.001	0.02	0.004		Analytical Batch :	DA068526TER			Instrument Used :	DA-GCMS-004	Batch Date :	01/20/24 14:35:49
HEXAHYDROTHYMOL	0.007	<0.10	<0.020		Analyzed Date :	01/22/24 13:20:10						
ALPHA-BISABOLOL	0.007	<0.10	<0.020		Dilution :	10						
ALPHA-PINENE	0.007	<0.10	<0.020		Reagent :	110123.08						
3-CARENE	0.007	ND	ND		Consumables :	210414634; MKN9995; CE123; R1KB45277						
BORNEOL	0.013	ND	ND		Pipette :	N/A						
CAMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
CAMPHOR	0.007	ND	ND									
CARYOPHYLLENE OXIDE	0.007	ND	ND									
CEDROL	0.007	ND	ND									
EUCALYPTOL	0.007	ND	ND									
FENCHONE	0.007	ND	ND									
FENCHYL ALCOHOL	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAJOL	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
ISOPULEGOL	0.007	ND	ND									
LINALOOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
Total (%)				1.540								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40120003-002

Harvest/Lot ID: 8493 8549 4839 4738

Batch# : 8493 8549 4839

4738

Sampled : 01/20/24

Ordered : 01/20/24

Sample Size Received : 15.5 gram

Total Amount : 1853 units

Completed : 01/24/24 Expires: 01/24/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	4056, 3379, 1665, 1440	Weight:	0.278g	Extraction date:	01/21/24 13:00:50
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	4056
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA068517PES			Reviewed On :	01/23/24 12:30:25
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	01/20/24 14:15:49
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	01/21/24 13:01:06				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	011724.R04; 040423.08; 011624.R08; 011724.R29; 011624.R07; 011024.R01; 011724.R05				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 1665, 1440	Weight:	0.278g	Extraction date:	01/21/24 13:00:50
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	4056
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA068536VOL			Reviewed On :	01/23/24 10:05:13
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	01/21/24 09:09:43
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	01/22/24 14:10:55				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	011724.R04; 040423.08; 121423.R01; 010524.R01				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40120003-002

Harvest/Lot ID: 8493 8549 4839 4738

Batch# : 8493 8549 4839
4738

Sampled : 01/20/24

Ordered : 01/20/24

Sample Size Received : 15.5 gram

Total Amount : 1853 units

Completed : 01/24/24 Expires: 01/24/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1665, 1440

Weight:
0.0226g

Extraction date:
01/23/24 13:58:10

Extracted by:
3390,850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA068563SOL
Instrument Used : DA-GCMS-003
Analyzed Date : N/A

Reviewed On : 01/23/24 14:30:42
Batch Date : 01/22/24 12:58:12

Dilution : 10
Reagent : N/A
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/24



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40120003-002

Harvest/Lot ID: 8493 8549 4839 4738

Batch# : 8493 8549 4839 4738

 Sampled : 01/20/24
 Ordered : 01/20/24

Sample Size Received : 15.5 gram

Total Amount : 1853 units

 Completed : 01/24/24 Expires: 01/24/25
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						4056, 3379, 1665, 1440	0.278g	01/21/24 13:00:50		Extracted by:	
Analyzed by:	Weight:	Extraction date:	Extracted by:								
3621, 3336, 1665, 1440	1.021g	01/20/24 15:46:13	3621								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
Analytical Batch : DA068507MIC						SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP						Analytical Batch : DA068544MYC					
RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328						Instrument Used : N/A					
Analyzed Date : 01/20/24 18:11:16						Analyzed Date : 01/21/24 13:01:56					
Dilution : N/A						Dilution : 250					
Reagent : 010524.R11; 011624.R25						Reagent : 011724.R04; 040423.08; 011624.R08; 011724.R29; 011624.R07; 011024.R01;					
Consumables : 2256280						011724.R05					
Pipette : N/A						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					
Analyzed by:	Weight:	Extraction date:	Extracted by:								
3336, 3390, 1665, 1440	1.0990g	01/20/24 15:49:38	3621,3390								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA068530TYM											
Instrument Used : Incubator (25-27°C) DA-097											
Analyzed Date : 01/20/24 18:12:27											
Dilution : 10											
Reagent : 010524.R10; 111623.03											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in											
accordance with F.S. Rule 64ER20-39.											



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
1022, 585, 1665, 1440	0.2742g	01/20/24 15:50:52	4306,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA068513HEA					
Instrument Used : DA-ICPMS-004					
Analyzed Date : 01/22/24 12:45:37					
Dilution : 50					
Reagent : 010824.R08; 012224.R05; 011624.R28; 012224.R03; 012224.R04; 011224.R12					
Consumables : 179436; 12532-225CD-225C; 210508058					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40120003-002

Harvest/Lot ID: 8493 8549 4839 4738

Batch# : 8493 8549 4839 4738

Sampled : 01/20/24

Ordered : 01/20/24

Sample Size Received : 15.5 gram

Total Amount : 1853 units

Completed : 01/24/24 Expires: 01/24/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA068559FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/21/24 23:07:39

Reviewed On : 01/21/24 23:22:00

Batch Date : 01/21/24 23:00:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.398	PASS	0.85

Analyzed by: 4371, 1665, 1440	Weight: 0.603g	Extraction date: 01/21/24 11:51:57	Extracted by: 4371
----------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA068511WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 01/21/24 11:54:00

Reviewed On : 01/22/24 14:11:33

Batch Date : 01/20/24 12:50:19

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/24