



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40123010-001
Harvest/Lot ID: HYB-SB-011824-C0125
Batch#: 3617 3816 3469 8561
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 7878 2181 5706 4677
Batch Date: 12/06/23
Sample Size Received: 42 gram
Total Amount: 2952 units
Retail Product Size: 3.5 gram
Ordered: 01/22/24
Sampled: 01/23/24
Completed: 01/25/24
Sampling Method: SOP.T.20.010

Jan 25, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 29.717% Dry Weight		Total CBD 0.059% Dry Weight		Total Cannabinoids 36.037% Dry Weight
--	--	--	---	--	---

<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>											Total THC 25.783% 902.405 mg /Container	
											Total CBD 0.052% 1.82 mg /Container	
											Total Cannabinoids 31.266% 1094.31 mg /Container	
											As Received	
%	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	
mg/unit	0.18	29.194	ND	0.06	0.031	0.307	1.449	ND	ND	ND	0.045	
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
%												

Analized by: 1665, 585, 1440	Weight: 0.2044g	Extraction date: 01/23/24 12:12:16	Extracted by: 3335
Analysis Method : SOP.T.40.031, SOP.T.30.031			
Analytical Batch : DA068580POT		Reviewed On : 01/24/24 20:45:29	
Instrument Used : DA-LC-002		Batch Date : 01/23/24 09:49:46	
Analized Date : 01/23/24 12:18:55			
Dilution : 400			
Reagent : 010224.R05; 071222.01; 010224.R04			
Consumables : 947.109; 280670723; CE0123; R1KB14270			
Pipette : DA-079; DA-108; DA-078			
Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/25/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Super Boof WF 3.5g(1/8oz)
FTH - Super Boof
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40123010-001

Harvest/Lot ID: HYB-SB-011824-C0125

Batch# : 3617 3816 3469
8561

Sampled : 01/23/24
Ordered : 01/23/24

Sample Size Received : 42 gram

Total Amount : 2952 units

Completed : 01/25/24 Expires: 01/25/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	57.96	1.656		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	14.91	0.426		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.24	0.321		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.93	0.198		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	5.60	0.160		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.71	0.106		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.84	0.081		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.82	0.052		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.26	0.036		Analyzed by: 2076, 585, 1665, 1440 Weight: 0.8713g Extraction date: 01/24/24 09:59:45 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA068599TER Instrument Used : DA-GCMS-008 Reviewed On : 01/25/24 09:24:29 Batch Date : 01/23/24 12:27:09 Analyzed Date : 01/24/24 09:58:59 Dilution : 10 Reagent : 110123.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.007	1.12	0.032						
TOTAL TERPENEOL	0.007	0.88	0.025						
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.656						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/25/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Super Boof WF 3.5g(1/8oz)

FTH - Super Boof

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40123010-001

Harvest/Lot ID: HYB-SB-011824-C0125

Batch# : 3617 3816 3469
8561

Sampled : 01/23/24

Ordered : 01/23/24

Sample Size Received : 42 gram

Total Amount : 2952 units

Completed : 01/25/24 Expires: 01/25/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.9959g	01/23/24 15:08:42	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068584PES		Reviewed On : 01/25/24 13:54:52			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 01/23/24 10:22:23			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/23/24 15:09:17					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 012224.R01; 011724.R29; 011624.R04; 011024.R01; 011724.R05					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.9959g	01/23/24 15:08:42	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA068585VOL		Reviewed On : 01/25/24 13:53:01			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 01/23/24 10:23:27			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/23/24 16:13:36					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 121423.R01; 010524.R01					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/25/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Super Boof WF 3.5g(1/8oz)

FTH - Super Boof

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40123010-001

Harvest/Lot ID: HYB-SB-011824-C0125

Batch# : 3617 3816 3469
8561

Sampled : 01/23/24

Ordered : 01/23/24



Sample Size Received : 42 gram


Total Amount : 2952 units

Completed : 01/25/24 Expires: 01/25/25

Sample Method : SOP.T.20.010

Page 4 of 5

<div><div>Microbial</div><div>PASSED</div></div>						<div><div></div><div>Mycotoxins</div><div>PASSED</div></div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 1665, 585, 1440	Weight: 0.9959g	Extraction date: 01/23/24 15:08:42		Extracted by: 3379	
Analyzed by: 3621, 1665, 585, 1440	Weight: 0.8649g	Extraction date: 01/23/24 12:08:32	Extracted by: 3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA068600MYC					
Analytical Batch : DA068578MIC						Instrument Used : N/A					
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP						Reviewed On : 01/24/24 10:42:33					
RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328						Batch Date : 01/23/24 12:32:09					
Analyzed Date : 01/23/24 13:32:43						Analyzed Date : 01/23/24 15:10:07					
Dilution : N/A						Dilution : 250					
Reagent : 010524.R11; 122223.62						Reagent : 011724.R04; 040423.08; 012224.R01; 011724.R29; 011624.R04; 011024.R01; 011724.R05					
Consumables : 2256280						Consumables : 326250IW					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Analyzed by: 3621, 3336, 585, 1440						Weight: 0.9754g					
Extraction date: 01/23/24 12:09:50						Extracted by: 3621,3336					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA068598TYM						Reviewed On : 01/25/24 15:24:17					
Instrument Used : Incubator (25-27°C) DA-096						Batch Date : 01/23/24 12:08:48					
Analyzed Date : 01/23/24 13:34:29											
Dilution : 10											
Reagent : 111623.30; 111623.36; 010524.R10											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div><div></div><div>Heavy Metals</div><div>PASSED</div></div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.2
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/25/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
FTH - Super Boof WF 3.5g(1/8oz)
FTH - Super Boof
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40123010-001
Harvest/Lot ID: HYB-SB-011824-C0125
Batch# : 3617 3816 3469
8561
Sample Size Received : 42 gram
Total Amount : 2952 units
Sampled : 01/23/24
Completed : 01/25/24 Expires: 01/25/25
Ordered : 01/23/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.24	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4371, 585, 1440	Weight: 0.523g	Extraction date: 01/23/24 14:00:10	Extracted by: 4371		
Analysis Method : SOP.T.40.090 Analytical Batch : DA068634FIL Instrument Used : N/A Analyzed Date : 01/24/24 10:58:14						Analysis Method : SOP.T.40.021 Analytical Batch : DA068591MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 01/23/24 13:57:52					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.604	PASS	0.65
Analyzed by: 4371, 585, 1440	Weight: 1.183g	Extraction date: 01/23/24 13:10:57	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA068592WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 01/23/24 13:19:04					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/25/24