



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40131003-001
Harvest/Lot ID: 8835 6493 8625 4218
Batch#: 8835 6493 8625 4218
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 9776 3690 7637 0087
Batch Date: 10/02/23
Sample Size Received: 780 gram
Total Amount: 2528 units
Retail Product Size: 62.6361 gram
Ordered: 01/30/24
Sampled: 01/31/24
Completed: 02/02/24
Sampling Method: SOP.T.20.010

Feb 02, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.162%

Total THC/Container : 101.47 mg



Total CBD

ND

Total CBD/Container : 0.00 mg



Total Cannabinoids

0.169%

Total Cannabinoids/Container : 105.86 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.162	ND	ND	ND	ND	0.004	ND	0.003	ND	ND	ND
mg/unit	101.47	ND	ND	ND	ND	2.51	ND	1.88	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
2.9733g

Extraction date:
01/31/24 11:10:07

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA068850POT
Instrument Used : DA-LC-007
Analized Date : 01/31/24 11:21:21

Reviewed On : 02/01/24 08:30:13
Batch Date : 01/31/24 08:23:13

Dilution : 40
Reagent : 012424.01; 013024.R02; 060723.50; 060723.24; 010224.R04
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/02/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Mango Gels 10 Count

Original Mango

Matrix : Edible

Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40131003-001

Harvest/Lot ID: 8835 6493 8625 4218

Batch# : 8835 6493 8625 4218

Sampled : 01/31/24

Ordered : 01/31/24

Sample Size Received : 780 gram

Total Amount : 2528 units

Completed : 02/02/24 Expires: 02/02/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analized by:	3379, 1665, 585, 1440	Weight:	1.0924g	Extraction date:	01/31/24 13:43:43
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Reviewed On :	02/01/24 13:23:07
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA068868PES			Batch Date :	01/31/24 10:21:32
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)				
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	01/31/24 13:48:27				
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent :	013124.R26; 013124.R03; 013024.R05; 013124.R27; 011024.R01; 013124.R01; 040423.08				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analized by:	450, 585, 1440	Weight:	1.0924g	Extraction date:	01/31/24 13:43:43
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	3379
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch :	DA068870VOL			Reviewed On :	02/01/24 10:42:38
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	01/31/24 10:24:15
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date :	01/31/24 15:25:36				
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution :	250				
MALATHION	0.010	ppm	2	PASS	ND	Reagent :	013024.R05; 040423.08; 012324.R12; 012324.R13				
METALAXYL	0.010	ppm	3	PASS	ND	Consumables :	326250IW; 14725401				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/02/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Mango Gels 10 Count
Original Mango
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40131003-001
Harvest/Lot ID: 8835 6493 8625 4218
Batch# : 8835 6493 8625
Sample Size Received : 780 gram
Total Amount : 2528 units
Completed : 02/02/24 Expires: 02/02/25
Sample Method : SOP.T.20.010
Sampled : 01/31/24
Ordered : 01/31/24

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0241g

Extraction date:
01/31/24 14:57:55

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA068881SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/01/24 14:26:25

Reviewed On : 02/02/24 09:10:46
Batch Date : 01/31/24 13:46:04

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/02/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40131003-001

Harvest/Lot ID: 8835 6493 8625 4218

Batch# : 8835 6493 8625 4218

 Sampled : 01/31/24
 Ordered : 01/31/24

Sample Size Received : 780 gram

Total Amount : 2528 units

Completed : 02/02/24 Expires: 02/02/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 1665, 585, 1440	Weight: 1.0924g	Extraction date: 01/31/24 13:43:43		Extracted by: 3379	
Analyzed by: 3336, 3621, 585, 1440	Weight: 0.9074g	Extraction date: 01/31/24 12:07:02	Extracted by: 3336	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA068869MYC							
Analytical Batch : DA068858MIC				Reviewed On : 02/01/24 13:26:42							
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP				Batch Date : 01/31/24 10:24:13							
RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328				Instrument Used : N/A							
Analyzed Date : 01/31/24 12:10:39				Analyzed Date : 01/31/24 13:48:37							
Dilution : N/A				Dilution : 250							
Reagent : 010524.R11; 012524.R12				Reagent : 013124.R26; 013124.R03; 013024.R05; 013124.R27; 011024.R01; 013124.R01; 040423.08							
Consumables : 2256280				Consumables : 326250IW							
Pipette : N/A				Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in											

Analyzed by: 3390, 585, 1440		Weight: 0.9074g	Extraction date: 01/31/24 11:59:46	Extracted by: 3390,3336
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL				
Analytical Batch : DA068879TYM			Reviewed On : 02/02/24 15:39:22	
Instrument Used : Incubator (25-27°C) DA-096			Batch Date : 01/31/24 11:56:12	
Analyzed Date : 01/31/24 12:53:29				
Dilution : 10				
Reagent : 010924.57; 010924.58; 012524.R09				
Consumables : N/A				
Pipette : N/A				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.				

Hg

Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 1665, 585, 1440	Weight: 0.2462g	Extraction date: 01/31/24 13:22:59	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA068878HEA			Reviewed On : 02/01/24 10:28:47		
Instrument Used : DA-ICPMS-004			Batch Date : 01/31/24 11:50:08		
Analyzed Date : 02/01/24 10:07:14					
Dilution : 50					
Reagent : 010824.R08; 012924.R04; 012924.R01; 012924.R02; 012924.R03; 012424.01; 012924.R05					
Consumables : 179436; 12532-225CD-225C; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Mango Gels 10 Count
Original Mango
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40131003-001
Harvest/Lot ID: 8835 6493 8625 4218
Batch# : 8835 6493 8625 4218
Sample Size Received : 780 gram
Total Amount : 2528 units
Sampled : 01/31/24
Completed : 02/02/24 Expires: 02/02/25
Ordered : 01/31/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
Analysis Method : SOP.T.40.090		Reviewed On : 01/31/24 20:42:35	
Analytical Batch : DA068885FIL		Batch Date : 01/31/24 20:22:20	
Instrument Used : Filth/Foreign Material Microscope			
Analyzed Date : 01/31/24 20:26:11			

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.469	PASS	0.85

Analyzed by: 4371, 1665, 585, 1440	Weight: 2.82g	Extraction date: 01/31/24 12:37:07	Extracted by: 4371
Analysis Method : SOP.T.40.019		Reviewed On : 01/31/24 13:24:17	
Analytical Batch : DA068873WAT		Batch Date : 01/31/24 10:34:34	
Instrument Used : DA-028 Rotronic HygroPalm			
Analyzed Date : N/A			

Dilution : N/A
Reagent : 111423.05
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	5.291	25

Analyzed by 3605, 1665, 585, 1440	Average Weight 6.39g	Extraction date : 01/31/24 11:54:42	Extracted By : 3605
Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL		Reviewed On : 02/01/24 08:10:11	
Analytical Batch : DA068854HOM		Batch Date : 01/31/24 08:30:15	
Instrument Used : DA-LC-001 (Homo)			
Analyzed Date : 01/31/24 11:55:39			

Dilution : 40
Reagent : 011224.01; 011824.R02; 060723.50; 011924.R09
Consumables : 947.109; LCJ0311R; A191022C; 266969; 1008645998; CE0123; R1KB14270
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/02/24